

IRC | 2019 | Berlin
INTERNATIONAL RAPESEED CONGRESS

Flowering for the Future



ufop

With support from



by decision of the
German Bundestag



Congress Guide


15th International Rapeseed Congress

16.–19.06.2019 in Berlin



#IRCBerlin

Thank you to our Sponsors!



PLATINUM



TITANIUM



DIAMOND



GOLD



SILVER




BRONZE

With support from
 Federal Ministry of Food and Agriculture
by decision of the German Bundestag



MEDIA PARTNER

WELCOME
TO THE
**15TH INTERNATIONAL
RAPESEED CONGRESS**



List of Content

ABOUT	4
Message from the Federal Minister of Food and Agriculture	4
Message from the Governing Mayor of Berlin	5
Welcome from GCIRC	6
Welcome from UFOP	7
General information	8
ORGANIZERS	10
Groupe Consultatif International de Recherche sur le Colza – International Consultative Group of Research on Rapeseed	10
Union for the Promotion of Oil and Protein Plants	11
Steering Committee	12
Program Committee	12
SPEAKER	14
Welcome Notes	14
Opening Speeches	15
Congress Dinner Speech	16
Plenary Session Speakers	17
SCHEDULE	20
Program Overview and Schedule	20
Detailed Information About All Topics	21
ABSTRACT TITLES	30
Address	30
Plenary Talks	30
Orals	30
Posters	38
Workshops	50
DETAILS + FLOOR PLAN	52
Official Congress Dinner at Tempelhof Airport	52
IRC Field Trips	54
DLG – German Agricultural Society	56
Notes	58
Imprint	60



Message from the Federal Minister of Food and Agriculture

Dear Readers,

Every spring, bright-yellow flowering rape fields create impressive landscapes everywhere from the North Sea to the Alps. This is one of the many different facets of the impressive, multi-talented rapeseed plant. Rapeseed found its way to us towards the end of the Middle Ages, although at first, the oil gained from it could only be used in lamps or as technical oil. But thanks to successful research, the undesired bitter and accompanying substances were able to be eliminated through conventional breeding from the mid-1970s. This paved the way for the wide range of uses to which it is put today.

The great success is demonstrated by the fact that rapeseed oil has become the most popular cooking oil in Germany. The "olive oil of the North" now fascinates people because of its valuable substances it contains. Rapeseed oil has thus become an important component for healthy eating.

In Germany, rapeseed is now the most important oil plant with a wide variety of uses and has thus become firmly established among our arable crops.

Moreover, rapeseed is also of benefit to the environment, especially with regard to humus formation, as the cultivation of rapeseed contributes to broader crop rotation, protects the soil from erosion when used as a cover crop in winter, and

provides considerable benefits as preceding crop to the following cereal crops. In addition to that, rapeseed is an important source of nectar for bees in spring. Over the past 20 years, rapeseed has also become the basis for one of the most important sources of bioenergy.

The history of rapeseed cultivation in Germany is therefore a real success story. It is a concrete example of how agricultural innovations can increase people's quality of life – by introducing new products on the one hand and by continuously improving and optimising these products on the other. This would not have been possible without the many decades of successful research.

Last year's drought in Germany has clearly shown that we will continue to need advanced and modern breeding research focusing on our crop species, including rapeseed, as the climatic changes taking place everywhere also pose new challenges for rapeseed crops, in particular with respect to climate tolerance and resistance.

I therefore wish you a successful conference in Berlin, productive talks and every success for your future research projects.

Yours,

Julia Klöckner
Federal Minister of Food and
Agriculture



Message from the Governing Mayor of Berlin

The 15th International Rapeseed Congress is one of the highlights on Berlin's conference calendar this year. We are delighted that more than 800 experts from all over the world are meeting in Germany's capital city to discuss the latest findings, developments, and prospects in the field of rapeseed research.

In this spirit, I would like to welcome all of the participants in the IRC 2019 to Berlin.

As one of the world's leading congress venues, Berlin offers ideal conditions for a successful gathering. In addition, our advantages as a conference location include the city's scientific landscape, since the German capital region is one of the largest, most diverse, and most innovative centers of science and research in Europe. Our excellent colleges and universities work closely with the many non-university research institutes, while specialized networks expedite cooperation

between science and industry. A number of renowned institutes here are also engaged in rapeseed research.

The city itself – with its unique atmosphere and countless attractions – also helps to make every stay here an event. As a result, anyone attending a congress in Berlin should take advantage of the opportunity to visit one of our many museums, theaters, or concert halls. Another good idea would be to take a stroll through one of our trendy neighborhoods and enjoy the relaxed attitude towards life of our vibrant and diverse metropolis.

And with that I would like to welcome you to Berlin once again. I wish you a productive 15th International Rapeseed Congress – IRC 2019 and a very pleasant stay that you will long remember.

Michael Müller
Governing Mayor of Berlin



Welcome from GCIRC

Wolfgang Friedt – GCIRC President

Dear Friends, Respected Colleagues, Ladies and Gentlemen!

Today, oilseed rape/canola is one of the major sources of edible oil in the world. It is actually no. 2 of global oilseed crops. The total acreage amounts to nearly 34 million hectares where almost 70 million tons are produced every year. Half a century ago, rapeseed was a minor crop for feeding and industrial uses only.

There is no doubt that the enormous extension of rapeseed cultivation would not have come true without the intense research on rapeseed quality leading to canola (00 type) cultivars. This was supported by the foundation of the Groupe Consultatif International de Recherche sur le Colza (GCIRC). This international group, an association supported by institutions interested in technical advance for the production and processing of oilseed rape (OSR), was initially founded by a small group of experts aiming for the promotion of OSR/canola. In order to achieve this goal, major improvements of seed quality were needed: i) the reduction of unhealthy erucic acid in the seed oil and ii) the reduction of glucosinolates in the rapeseed meal and cake. These two quality steps were initiated in the 1970s, first achieved by scientists in Canada and rapidly adopted in Europe and elsewhere. Today, there is a continuing interest in additional oil types like HOLL (high oleic, low-sat). Since the 1990s genetic research led to the development of OSR hybrids. Nowadays, a large part of the production is based on hybrid cultivars. In addition, GM traits, e.g. new hybrid system and HR resistance, have been introduced in many parts of the world, except Europe. Last but not least, the use

of "biodiesel" as fuel has meanwhile gained importance.

The significant extension of OSR/canola cultivation has been accompanied by the appearance of harmful pathogens and pests endangering rapeseed cultivation in all major growing areas. While diseases like cylindrosporium in the 1980s and phoma in the 1990s have been overcome through genetics, other diseases and insect pests have gained importance, e.g. "clubroot," since the 2000s. At the same time, environmental stresses progressively compromise rapeseed production. Consequently, the improvement of resistance against biotic and abiotic stresses remains one of the major challenges for OSR breeding and cultivation, as well as the need for further enhancement of oil quality as a health-promoting edible oil and the amendment of protein content and composition for better feed and food.

The 15th IRC 2019 in Berlin will provide a platform to discuss recent achievements and to identify suitable future directions and improvements of OSR/canola as a whole. GCIRC is directing and coordinating rapeseed congresses every four years as well as interim technical meetings. In order to further promote OSR/canola for future demands in agriculture and industry, GCIRC will take necessary steps to extend and intensify research on the sustainable and economic cultivation and use of OSR/canola. For this purpose, the presence of GCIRC in the scientific as well as commercial community needs to be fortified. Rapeseed congresses have always been major forums for promoting and strengthening international exchange and cooperation. With this in mind, we are looking forward to a successful IRC 2019 in Berlin.



Welcome from UFOP

Wolfgang Vogel – Chairman UFOP, Vice President German Farmers' Association

Dear participants of the 15th International Rapeseed Congress,

on behalf of the UFOP Board and as Vice President of the German Farmers' Association (DBV), I would like to welcome you warmly. I emphasize this dual function because it underlines the successful development of oilseed rape cultivation in Germany. UFOP was founded on initiative of DBV and the Federal Association of German Plant Breeders (BDP) with the aim of developing oilseed rape cultivation as the most important leaf crop. The driving force in the 1990s was the obligation to set aside arable land in the EU, in combination with initial considerations for a European protein strategy. From the very beginning, consumers were taught the excellent nutritional properties of rapeseed oil. Today rapeseed is the leading oil and protein crop: as rapeseed oil, for biodiesel and as meal for animal nutrition. Through breeding progress, the product quality was further developed, and the economic attractiveness of rapeseed cultivation increased with positive effects on the income of producers.

UFOP wants to continue this development, even though the challenges in breeding, cultivation and marketing have increased considerably. In my position as "highest representative" of arable farmers in Germany, I am very pleased that over 800 international experts meet at this congress to exchange and discuss the latest research results. These days, the challenges are even increasing in

view of climate changes. The drought year 2018 was a serious warning for Europeans. Research must keep pace with this development by applying the most advanced breeding methods and developing innovative measures in crop protection and production technology. At the same time, the knowledge gained must be implemented in cultivation practice as fast as possible.

Digitization in agriculture will facilitate and accelerate implementation. This will require political support. In research, financial support is known to be a "rare commodity" worldwide. The demand is consistent, because even politics and society are demanding higher standards for sustainability of rapeseed cultivation and arable farming. I therefore expect that the need for research will tend to increase. This is also confirmed by the critical discussion on the use of chemicals for plant protection or the approval of new active substances. Solutions must be found to ensure that rapeseed cultivation retains its economic perspective and that, depending on the season and region, the landscape with its bright yellow spots of color continues to enrich the landscape in the future.

This congress is an outstanding international platform for presenting and discussing interesting lectures on all these issues. It also offers the opportunity to establish valuable contacts and networks. With this in mind, I call on you to make intensive use of these congress days.

General information

Registration

bcc Berlin Congress Center GmbH
Alexanderstrasse 11 | 10178 Berlin

Sunday, June 16th, 2019
10:00 – 21:00 hrs

Monday, June 17th, 2019
07:00 – 20:00 hrs

Tuesday, June 18th, 2019
07:30 – 17:45 hrs

Wednesday, June 19th, 2019
08:00 – 16:30 hrs

The registration desk is located on Level A. The registration staff would be happy to assist you with any concerns or questions that may arise during the congress.

Full congress registration includes

Admission to scientific sessions, workshops, exhibition, poster area, congress bag, final program, abstracts (usb), coffee breaks, lunches and Congress Dinner.

Safety & Luggage

Your luggage will be checked for safety reasons. Luggage larger than 10 liters of volume has to be stored in the luggage tent right in front of the bcc building. Storage is free of charge. Smaller pieces of luggage (apart from technical devices or articles of value) can be handed in at the cloakroom.

Congress Name Badge

An official IRC 2019 name badge is required and must be worn at all times for entry into sessions, the poster and exhibitor hall, the Congress Dinner and social activities. Lost badges: A fee will be charged for reprinting lost badges as noted below:
100,00€ Full Delegate – 50,00€ Student

Language

The congress language is English. No interpretation is provided during speaker presentations.

Internet IRC2019

Free Wi-Fi is available throughout the venue.

Name of the network: **IRC2019**

Wi-Fi password: **IRCBerlin**

Twitter

Twitter hashtag is **#IRCBerlin**

Speakers

Please be in your session room 15 minutes prior to the session start. Seats in the front row of the respective session room are reserved for you. In the session rooms, a member of the IRC organization team will assist you in all technical matters.

Poster Exhibition

The Poster Exhibition will run concurrently with the Congress sessions.

Poster Hanging and Exhibit Booth set up/take down

Posters and booths can be set up on Sunday, June 16th after 10:00 hrs. They should remain up until 12:00 hrs, Wednesday, June 19th (must be removed by 17:00 hrs).

Congress Meals

Breakfast will not be served. The first refreshment break on Monday is at 10:00 – 10:30 hrs, Tuesday at 10:10 – 10:40 hrs, Wednesday at 10:00 – 10:30 hrs on the ground floor.

Lunch on Monday will be at 12:30 – 13:30 hrs, Tuesday at 12:40 – 13:45 hrs, Wednesday at 12:15 – 13:15 hrs.

Official Congress Dinner

The Congress Dinner located in the former departure hall of Tempelhof Airport will start on Tuesday, June 18th, at 19:00 hrs. Free shuttles to the Dinner location will run between 17:30 and 18:30 hrs in front of the bcc/Alexanderstrasse. Shuttles back to the bcc will run between 22:30 – 24:00 hrs. **Important:** Please take your Congress Badge with you. Your Congress Badge is your admission ticket.

City Bus Tour & Free City Walks

On Sunday, June 16th, a guided city bus tour will start at 12:00 hrs in front of the bcc/Alexanderstrasse (if booked). At 12:00, 14:00 and 16:00 hrs, three free guided city walks for all participants of the IRC will be offered. Meeting point is in front of the bcc entrance.

Bus Stops

for Excursion/Field Trip departure times, in front of the bcc/Alexanderstrasse:

Excursion Nauen

Sunday, June 16th, departure: 11:30 hrs

Field Trip West

Wednesday, June 19th to the 21st, departure: 17:00 hrs

Field Trip North

Thursday, June 20th to the 21st, departure: 7:30 hrs

Field Trip South

Thursday, June 20th to the 21st, departure: 7:00 hrs

Important: Your Congress Badge is your Field Trip ticket. Please take it with you.



**WE
KNOW**

RAPESEED

Quality. Seed production completely from one-stop.

Consulting. Practice-based and cooperative.

Yield. Hybrid varieties with maximum efficiency.

Competence. Rapeseed knowledge since 120 years.

Breeding. Largest rapeseed breeding network in Europe.

Shareholder of RAPOOL



NPZ
Norddeutsche Pflanzenzucht H.-G. Lembke KG



DSV
Deutsche Saatveredelung AG



WvB
W. von Borries-Eckendorf GmbH & Co. KG



Der Raps

www.rapool.com



Groupe Consultatif International de Recherche sur le Colza – International Consultative Group of Research on Rapeseed

GCIRC is an international association of people interested in technical advances in rapeseed production and processing.

Its Constitution defines its aims as follows:

- to develop scientific and technical research as well as studies and experiments concerning improvement of rapeseed and its processed products from agronomic, technological and food-related perspectives
- and to ensure close links between researchers.

To fulfill its aims, GCIRC

- contributes to coordination of technical studies carried out in various countries
- assumes responsibility for establishing the dates and locations of International Rapeseed Congresses dealing with rapeseed research every four years
- and convenes scientists from various fields and countries in a plenary session or specialized study committees held periodically between two congresses.

How is GCIRC organized?

The Association is made up of active and honorary members working on rapeseed.

Candidates may apply personally or be presented by an organization. In the latter case, membership fees of successful candidates shall be paid by the organization in question.

The annual membership fee is determined by the Board.

New rules for membership will be examined by the GCIRC General Assembly, on June 17th, 2019.

Further information ...

If you would like to find out more about GCIRC's activities or if you wish to apply, please consult GCIRC's website:

www.gcirc.org or contact Etienne Pilorgé (GCIRC Secretary-Treasurer): epilorge@terresinovia.fr, or Laetitia Devedeux: l.devedeux@terresinovia.fr

You may also visit the GCIRC information desk during the Congress.



Union for the Promotion of Oil and Protein Plants

Sow ideas ...

The Union for the Promotion of Oil and Protein Plants (UFOP) was founded in 1990 by the German Farmers' Association (Deutscher Bauernverband e. V.) and the German Plant Breeders' Association (Bundesverband Deutscher Pflanzenzüchter e. V.). With its unique association structure, UFOP works in national and international committees to represent the political interests of companies, associations and institutions involved in production, processing and marketing of domestic oil and protein plants.

Harvest success!

In contrast to almost all other agricultural organizations, UFOP has succeeded in combining cultivation, growing as well as market and agrarian politics into a single concept backed up by the entire agrarian economy.

UFOP's activities have produced considerable results. Biodiesel from renewable feedstocks has for example been developed successfully as a flagship product. Comprehensive knowledge about rapeseed oil's nutritional qualities has been compiled. Foodstuffs based

on domestic oil and protein plants make an important contribution to domestic protein supply and are defended by a respected representative body: UFOP. Agricultural practice benefits from extensive practical information and variety test results.

Tasks

UFOP's work is divided into four important areas of responsibility:

- Representing political interests in national and international committees
- Optimizing agricultural production by promoting research and support for variety testing
- Promoting projects to develop recycling options in the animal and human nutrition sectors and in the field of material and energy use
- Public relations work to promote sales of all end-products of domestic oil and protein plants.

Further information ...

If you would like to find out more about UFOP's activities or if you have questions about domestic oil and protein plants, please consult UFOP's website:

<https://www.ufop.de/english/news>

Steering Committee

Johannes Peter
Angenendt
Deutsche Saatveredelung AG,
Germany

Stephan Arens
UFOP e.V., Germany

Michael Hess
BASF SE, Germany

Dietmar Brauer
NPZ / Norddeutsche
Pflanzenzucht, Germany

Norbert Breuer
WPR COMMUNICATION GmbH
& Co. KG, Germany

Olaf Christen
Martin-Luther-University
Halle-Wittenberg, Germany

Martin Frauen
NPZ / Norddeutsche
Pflanzenzucht, Germany

Wolfgang Friedt
Justus-Liebig-University
Giessen, Germany

Reinhard Hemker
Groupe Limagrain, Germany

Folkhard Isermeyer
Thünen Institut, Germany

Wilf Keller
Ag West Bio, Saskatoon,
Canada

Harald Kube
Pioneer Hi-Bred International,
Inc., Germany

Frank Ordon
Julius-Kühn-Institut, Germany

Etienne Pilorgé
Terres Inova, France

Thomas Räder
Syngenta AG, Germany

Curtis Rempel
Canola Council of Canada

Arnaud Rousseau
Groupe Avril, France

Andreas Schütte
Fachagentur Nachwachsende
Rohstoffe e.V. (FNR), Germany

Helmut Schramm
Bayer AG, Germany

Tobias Hermann Spiller
CARGILL Global Edible Oil
Solutions, USA

Wilhelm Thywissen
C. Thywissen GmbH, Germany

Program Committee

Véronique J. Barthelet
Commission canadienne des
grains, Canada

Iwona Bartkowiak-Broda
The Plant Breeding and Accli-
matization Institute, Poland

Heiko Becker
Georg-August-University
Göttingen, Germany

Hugh Beckie
AAFC, Saskatoon, Canada

Gerhard Bellof
University of Applied Sciences
Weihenstephan-Triesdorf,
Germany

Johannes Bessai
BASF, Germany

Dieter Bockey
UFOP e.V., Germany

Lone Buchwaldt
Agriculture and Agri-Food
Canada

Boulos Chalhoub
Distinguished Professor
Zhejiang University (ZJU),
Hangzhou, China
Universite d'Evry val
d'Essonne, Evry, France

Wallace Cowling
University of Western
Australia

Bruce Fitt
University of Hertfordshire,
Great Britain

Udo Heimbach
Julius-Kühn-Institut, Germany

Gerhard Jahreis
Friedrich-Schiller-University
Jena, Germany

Søren Krogh Jensen
Aarhus University, Denmark

Christian Jung
Christian-Albrechts-University
Kiel, Germany

Clint Jurke
Canola Council of Canada

Henning Kage
Christian-Albrechts-University
Kiel, Germany

Claudia König
UFOP e.V., Germany

Jürgen Krahl
Coburg University of Applied
Sciences, Germany

Jens Léon
Rhein. Friedrich-Wilhelm-
University, Bonn, Germany

Shengyi Liu
Oil Crops Research Institute,
Wuhan, China

Bertrand Matthäus
Max-Rubner-Institut,
Karlsruhe, Germany

Torsten Meiners
Julius-Kühn-Institut, Germany

Reimer Mohr
Fachhochschule Kiel, Germany

Christian Möllers
Georg-August-University
Göttingen, Germany

Ralf Nauen
Bayer CropScience, Germany

Nathalie Nesi
INRA, Rennes, France

Rex Newkirk
University of Saskatchewan,
Canada

Martin Nyachoti
University of Manitoba,
Winnipeg, Canada

Annaliese Mason
Justus-Liebig-University
Giessen, Germany

Christian Obermeier
Justus-Liebig-University
Giessen, Germany

Isobel Parkin
Agriculture and Agri-Food,
Canada

Xavier Pinochet
Terres Inovia, France

Alain Quinsac
Terres Inovia, France

Habibur Rahman
Faculty of Agricultural Life
and Environmental Sciences,
Alberta, Canada

Michael Raß
fjol GmbH, Germany

Michel Renard
INRA, France

Bernhard C. Schäfer
University of Applied Science
Südwestfalen, Germany

Rod Snowdon
Justus-Liebig-University
Giessen, Germany

Manuela Specht
UFOP e.V., Germany

Andreas Stahl
Justus-Liebig-University,
Giessen Germany

Andreas von Tiedemann
Georg-August-University,
Göttingen, Germany

Klaus Wallner
University of Hohenheim,
Germany

Benjamin Wittkop
Justus-Liebig-University
Giessen, Germany

Yongming Zhou
Huazhong University, Wuhan,
China

Yelto Zimmer
agri Benchmark, Braun-
schweig, Germany



Shaping the future of Rapeseeds



SEED & TRAITS

Unique breeding competencies



DIGITAL FARMING

New solutions to increase farm efficiency



CROP PROTECTION

Continued flow of innovation



SUSTAINABILITY

Produce more with less

Visit us at our Stand

INTERNATIONAL RAPESEED CONGRESS | BERLIN | 2019



Welcome Notes



Wolfgang Friedt

GCIRC President

The main research interests of Wolfgang Friedt are genetic diversity, breeding science and plant breeding, including biotechnology, genetics and genomics, focusing on major crop plants such as barley (*Hordeum vulgare*), bread wheat (*Triticum aestivum*), sorghum (*S. bicolor*) and oilseed rape (*Brassica napus*).

Major research topics include i) the genetic basis of biomass and grain yield and future yield trends in crops (e. g.

wheat), ii) the genetic basis of heterosis, MS systems and hybrid breeding in winter barley, oilseed rape and sorghum, iii) the relevance and importance of the structure and function of root systems for resource efficiency and agronomic performance of crop plants; iv) disease resistance and tolerance against environmental (abiotic) stresses such as drought and cold; v) seed development and major seed compounds (starch, lipids, protein, fibre) in oil- and protein crops.



Michael Stübgen

Parliamentary State Secretary at the Federal Ministry of Food and Agriculture (BMEL)

Michael Stübgen has been Member of the German Bundestag since 1990. He has been Chairman of the Brandenburg State Group of the CDU / CSU Group since 1998 and was European Policy Spokesman and Chairman of the Europe

Working Group of the CDU / CSU parliamentary group in the German Bundestag (2005 – 2018). Mr. Stübgen has been Parliamentary State Secretary to the Federal Minister of Food and Agriculture since March 2018.



Wolfgang Vogel

Chairman UFOP, Vice President German Farmers' Association

Wolfgang Vogel has been President of the Saxon State Farmers' Association since 2007 and Chairman of the Union for the Promotion of Oil and Protein Plants since 2012. Mr. Vogel is Vice President of the German Farmers' Association (DBV) and

Chairman of the DBV Grain Committee of Experts. The graduate agricultural engineer is managing director of Bauernland GmbH in Beiersdorf (Saxony) as his main profession.

Opening Speeches I



Helmut Schramm

President of Agricultural Affairs for Germany



Helmut Schramm has been President of Agricultural Affairs for Germany since January 2019. After studying agricultural sciences at the Technical University of Munich-Weihenstephan and obtaining his PhD in the field of phytopathology, Helmut Schramm began his professional career in 1988 as a management trainee in the Crop Protection Business Group of Bayer AG. A few months later, he took over the worldwide function of product manager for fungicides. In 1990, Helmut Schramm became Technical Director in Turkey and moved to UK/Ireland in the same function in 1993. From 1997 to 2001, he headed the Garden/Professional Care business unit

at Bayer Pflanzenschutz in Monheim, which bundled the non-agricultural activities. In 2001, he moved to the United States in the same function, where he headed the global consumer business following Bayer's acquisition of the crop protection activities of Aventis. After returning from the United States in 2007, he was responsible for the global fungicides business at Bayer CropScience AG, Monheim. In 2009, he also assumed responsibility for the Seed Treatment Products business unit. From July 2011 to December 2018, Helmut Schramm was Chief Executive Officer of Bayer CropScience GmbH.



Michael Hess

Business Management Crop Protection for Germany, Austria, Switzerland and Benelux at BASF SE



Michael Hess has been in agricultural business for over 20 years. He worked in various marketing and sales functions for many years until he took over as Sales Manager of Crop Protection for Germany and Austria at BASF in 2000.


From 2007 Michael Hess worked in European marketing until he moved to Prague in June 2009 as Head of Central Europe, where he was responsible for BASF's crop protection business in 14 countries.

Opening Speeches II



Dietmar Brauer

CEO Rapool-Ring GmbH, Germany



Dietmar Brauer is Managing Director of the sales organization Rapool-Ring GmbH and vice-Chairman of the sales organization Saaten-Union GmbH. He is also Vice-chairman of the Union for the Promotion of Oil and Protein Plants (UFOP) and member of the Board in several organizations like European Seed Association (ESA), Bundesverband Deutscher Pflanzenzüchter e.V. (BDP) and Vice-President of the European Oilseed Association (EOA) in Brussels and Paris.

After a business apprenticeship and a study of business administration, he joined the company of his family, Norddeutsche Pflanzenzucht Hans-Georg Lembke KG (NPZ) in Hohenlieth in 1987.

In 1991/92, NPZ repurchased the breeding station in Malchow/Island of Poel (after expropriation in 1945) and Dietmar Brauer became Managing Director of this branch in Malchow. In 1997 he became General Managing Partner of the NPZ-group including the following companies: NPZ Semences SARL Paris (France), NPZ Ukraina, Kiev (Ukraine), LS Plant Breeding (UK), LS Production (France), DL Seeds Morden/MA (Canada). The NPZ group employs more than 250 staff members at three locations. He is also Partner of the breeding company W. v. Borries-Eckendorf GmbH & Co. KG, Eckendorf (Germany) and Director of the Board of NPZ Australia.

Congress Dinner Speech



Michiel de Jongh

Head of Syngenta Seedcare | Based in Basel, Switzerland



Michiel de Jongh holds an M.Sc. degree in Industrial Engineering & Management Science from Eindhoven University of Technology in the Netherlands. While he grew up in the Netherlands, Michiel de Jongh spent the last 15 years living abroad in Spain, the US, Argentina, Korea, Ukraine and Canada, working for a leading Fortune-500 agriculture company. During that time, he held a variety of roles, from Human Resources to Sales and Operations, and for the last eight years has been heading businesses

in a general management capacity. Earlier in his career, Michiel de Jongh worked in business, consulting and in an entrepreneurial role as co-founder of a business incubator.

He is passionate about modern agriculture and the role Syngenta play as an industry in feeding a growing population in a sustainable and cost-effective manner, with innovative products, applications and services.

Plenary Session Speakers I



Hubertus Paetow

→ *Challenges and prospects of oilseed rape production*

President of DLG, Germany

Hubertus Paetow has been President of DLG since 2018. Born in Schleswig-Holstein, Germany, in 1967, he completed his apprenticeship as a farmer there. After studying Agricultural Sciences in Göttingen and Kiel, he worked as managing director of an arable farm near Kiel until 2005. Since then

he has been managing his own farm with a focus on arable farming and seed production in Finkenthal-Schlutow (Mecklenburg-Western Pomerania). He is a member of various boards in associations and local politics and in 2015 became Vice President of DLG and Chairman of the DLG Test Center.



Luc Ozanne

→ *Future markets of oilseeds, vegetable oils and proteins*

Managing Director Sofiprotéol, France

Luc Ozanne joined Sofiprotéol, a finance and development company subsidiary of the Avril Group, as Managing Director in 2011. He has extensive investment and market analysis

experience in the agroindustry and food sectors. He graduated as an agronomy engineer from ENSAIA (National School for Agronomy and Food Science) and holds a management diploma from Ecole Polytechnique.



John Kirkegaard

→ *Agronomic challenges to adapting canola into cropping systems of the world*

CSIRO, Australia

John Kirkegaard is a farming systems agronomist who applies his expertise in agricultural research to develop practical solutions to Australia's farming challenge – to produce more crop with less input while protecting the environment. For example, John Kirkegaard is currently investigating ways to improve the productivity of no-till farming systems, increase the profitability of rotation crops such as canola, develop dual-purpose crops that can be used for grazing

and grain production, and improve the use of deep-stored water by crops.

He joined CSIRO as an agronomist in 1990 to improve the productivity and sustainability of dry-land mixed farming systems in southeast Australia. During his career, he and his research teams have combined detailed studies of soil-plant interactions with broader considerations at the farming system level to develop innovative new approaches to improve farm productivity.



Rod Snowdon

→ *Understanding and exploiting the dynamic Brassica napus genome*

Justus Liebig University Giessen, Germany

Rod Snowdon is Professor of Plant Breeding at Justus Liebig University in Giessen, Germany, where he moved in 1993 after studying plant biology and genetics in New Zealand. Rod Snowdon leads a large research program working on genome analysis, quantitative trait dissection and breeding of major crops with a major focus on winter rapeseed. He has close collaborations with international research partners and with the

breeding industry. In addition to classical quantitative genetics and molecular breeding, his group implements high-throughput genomics and innovative phenotyping solutions for analysis and dissection of genome structural diversity, investigation of complex trait regulation and prediction of trait performance. A major feature in many studies is the role of dynamic genome restructuring as a driver of genetic diversity for quantitative traits.

Plenary Session Speakers II



Andreas von Tiedemann

→ *Biotic constraints in rapeseed production – a global survey on pests and diseases and the options of control*

University of Goettingen, Germany

Andreas von Tiedemann has been head of the Division of Plant Pathology and Crop Protection at the University of Goettingen since 2002. He is an agricultural plant pathologist by training with a focus in fungal diseases of arable crops. In 2010, he implemented an international master program on Crop Protection in Goettingen which has so far attracted students from more than 30 countries. The main focus in research is on enhancing knowledge about the occurrence, epidemic development and damage potential of plant diseases and the interaction

with crop production systems. During the last two decades, a chief interest in his research has been on fungal diseases in oilseed rape including Phoma blackleg, Sclerotinia stem rot, Verticillium stem striping and club root. Andreas closely collaborates with breeders in order to identify sources of resistance in the wider brassica gene pool and to unravel mechanisms of cultivar-derived resistance through in-depth plant-fungus interaction studies. Further research goals address the development of IPM tools such as forecasting systems or biological approaches in crop protection.



Samantha Cook

→ *Ecologically-based integrated pest management in rapeseed: a need not an option*

Biointeractions and Crop Protection, Rothamsted Research, United Kingdom

Samantha Cook is a Senior Research Scientist working in the Department of Biointeractions & Crop Protection at Rothamsted Research UK. She leads a group working on 'Eco-IPM' developing ecologically-based approaches for integrated pest management strategies. Her work is focused on oilseed rape cropping systems. She has particular interests in the pollen beetle (*Brassicogethes/*

Meligethes aeneus), cabbage stem flea beetle (*Psylliodes chrysocephala*), and the use of trap cropping and push-pull strategies to reduce the need for insecticides. Her team are also involved in researching improved monitoring and decision support systems in oilseed rape crop management as well as methods to improve conservation biocontrol potential in the crop. She is the convenor of the entomology subsection of the IOBC/WPRS Working Group 'Integrated Control in Oilseed Crops'.



Henning Kage

→ *Optimizing resource use efficiency and carbon footprint in oilseed production systems*

Professor for Agronomy and Crop Science, Germany

Since 2003, Henning Kage is professor for Agronomy and Crop Science at Christian-Albrechts-University in Kiel, Germany. He works on different aspects of sustainable cropping systems from crop to cropping system level. In particular he is/was involved in projects for phenotyping cereal crops and oilseed rape, measurement and modelling of GHG emissions in bioenergy crops (maize/oilseed rape), heat and drought stress on cereal crops, model-based nitrogen fertilization advisory systems and crop rotation

effects on resource use efficiency of cropping systems. Experimental field work combined with problem-specific tailored dynamic system models play a key role in the work of his group.

Henning Kage earned his PhD from Goettingen University, Germany in 1992 on a topic about simulation modelling of nitrogen uptake efficiency of faba beans. He further worked as a post-doc at the Potsdam-Institute of Climate Impact Research and as an assistant professor at Hannover University, Germany, in the area of vegetable cropping systems.



Ingeborg Brouwer

→ *Dietary fats and cardiovascular health*

Professor of Nutrition for Healthy Living, The Netherlands

Ingeborg A. Brouwer, MSc, PhD, FAHA is professor of Nutrition for Healthy Living at the Department of Health Sciences of the VU University Amsterdam, the Netherlands. Her work focuses on nutrition and health. Ingeborg Brouwer is trained as a nutrition scientist at Wageningen University (MSc), The Netherlands. She completed her PhD in Medical Sciences in 1999 at the Catholic University in Nijmegen, the Netherlands. As post-doc at the Wageningen Centre for Food Sciences she organized and coordinated a multi-centre clinical trial on effects of fish oil on cardiac arrhythmia endpoints. Between 2003 and 2006 she was project leader at the

Wageningen Centre for Food Sciences where she led a project on 'N-3 fatty acids and cardiac arrhythmia'. In 2006 she was chosen to become assistant professor in the program of Academy professor Martijn B. Katan (Royal Netherlands Academy of Sciences) and therefore moved to the Department of Health Sciences VU University, Amsterdam, the Netherlands. She became associate professor at the VU University in January 2010 and full professor in 2014. She is co-coordinator and project manager of two large EU consortia (MooDFOOD and PROMISS) and supervises several PhD students. Her current work focuses on the role of nutrition in health and sustainability.



Curtis Rempel

→ *Increasing the usage value of canola meal*

Vice President of Canola Council of Canada

Curtis Rempel is the vice president of Crop Production and Innovation at Canola Council of Canada, and joined the Council in July 2012. He is responsible for directing the Crop Production team agronomists and staff with a mandate to optimize profitability for producers and the supply chains they serve while minimizing production risk. Curtis Rempel develops research priorities for canola production, oil and meal utilization and also guidelines for sustainability and

production stewardship. In his function, he is liaising between producers, industry and academia in order to optimize extension activity. He is managing the coordination of the trials and budget for the Western Canada Canola/Rapeseed Recommending Committee and the Canola Performance Trials. Further, he is monitoring and managing issues related to domestic and global biotechnology acceptance and regulation. Mr. Rempel is representing Canadian canola's interests with industry and professional groups.



Caixia Gao

→ *Genome editing with programmable nucleases in crop plants*

Chinese Academy of Sciences, Beijing

Caixia Gao is Principal Investigator of the Institute of Genetics and Developmental Biology (IGDB), Chinese Academy of Sciences. Prior to joining IGDB in 2009, she served as Research Scientist of DLF's biotechnology group in Denmark, where she worked in plant genetic transformation and molecular biology. Professor Gao completed her Ph. D. in Plant Genetics at China Agricultural University, Beijing, and her M. Sc.

and B. S. degrees in Agronomy at Gansu Agricultural University, Lanzhou. Her current research area mainly deals with developing a highly efficient and robust CRISPR platform in plant cells to enable targeted genome editing as well as employing the developed platform for targeted gene mutagenesis, addition, editing and transcriptional modulation to identify and modify plants traits for high quality, disease resistance and stress tolerance in crop species.

ABOUT

ORGANIZERS


SPEAKER

SCHEDULE

ABSTRACT TITLES

DETAILS + FLOOR PLAN

Program Overview and Schedule



Detailed Information About All Topics

The IRC 2019 especially springs to life with the contributions and insights given by its participants. We are looking forward to fascinating speeches, lively discussions, and valuable poster contributions. Following, you will find eight different topics in which contributions will be presented.

1. GENETICS, GENOMICS AND BREEDING

- Pan-genomic revolution in crucifer genetics and breeding (genome organisation, structural variation, plasticity)
- New diversity, interspecific hybridization, wide crosses
- Improving plant development: plant architecture, phenology
- Genetics, physiological basis and improvement of resource use efficiency
- Genetics and breeding for improved seed composition for human and animal nutrition (oil, protein, minor components)
- Breeding for higher heterosis and hybrid yield in OSR/canola
- Transgenics and New Breeding Techniques (NBT) – applications in OSR/canola research and breeding
- Genomic selection in OSR/canola
- Breeding for abiotic stress tolerance in OSR/canola (cold, heat, drought, etc.)

2. DISEASES AND PESTS, PLANT PROTECTION AND WEEDS

- Major fungal and viral diseases, regional impact and measures of control (e.g. Blackleg, Clubroot, Sclerotinia, Verticillium, Alternaria, TuYV)
- Breeding for disease resistance
- Chemical protection against insect pests, safeguarding beneficials and non-target organisms (e.g. bees)
- Breeding for insect resistance or tolerance in OSR/canola
- Weed control in OSR/canola incl. herbicide resistance

3. AGRONOMY AND CROP SCIENCE

- International comparison of OSR/canola cultivation
- Optimizing crop rotations for/with OSR/canola
- NUE – Nutrient use efficiency (N, P, other)
- Requirements of OSR/canola cultivation in temperate regions
- Identifying suitable variety types adapted to adverse conditions

4. ANALYSIS, USE OF PRODUCTS

- Economy in gross quality of OSR/canola commodities (long-time trend)
- Seed chemistry and seed composition
- Oil quality (low sats, omega-3, HOLLI, HEAR)
- Meal quality – protein and antinutritives (fibre, glucosinolates, phytate, sinapin): Genetic vs technological approach
- OSR/canola oil as biofuel

5. RAPESEED/CANOLA FOR HUMAN NUTRITION

- OSR/canola oil for human nutrition
- Oil composition vs. stability and functionality – Quality requirements for oil from OSR/canola (minor components, sensoric aspects)
- “Fish oil” (EPA, DHA) from crucifers (OSR/canola)
- Protein for human nutrition
- Politics, markets, consumer affairs (e.g. GMO)

6. RAPESEED/CANOLA FOR ANIMAL NUTRITION

- Requirements for the use of OSR/canola cake and extraction meal: breeders' and nutritionists' view
- Improvement of meal/protein quality for ruminants, pigs, poultry, and aquaculture
- Politics, markets, environment, acceptance (e.g. GMO)

7. ECONOMY AND MARKET

- Global comparison of OSR/canola farm economy
- Optimizing farm economy with OSR/canola: Australia, Canada, China and Europe
- Global status of genetically modified or genome edited OSR/canola
- Global markets of OSR/canola oil (incl. biodiesel), meal and protein
- Sustainability of OSR/canola production

8. MUSTARD AND OTHER CRUCIFEROUS OILSEED CROPS

InVigor®



Did you know that BASF is now a seed company?

BASF has a new brand for oilseed rape winter and spring hybrids – InVigor®. N°1 globally, InVigor® is recognised by European growers for winter hardiness, standing power and an attractive disease resistance package. In addition, InVigor® Clearfield® hybrids offer a powerful, broad-spectrum weed control in the most flexible way, including brassica weeds and volunteer oilseed rape.

You'll be glad you planted it.



Clearfield®
Production System for Oilseed Rape

BASF
We create chemistry

SUNDAY

16|06|19



- 10:00 Registration desk open
- 11:30 Departure of Field Trip to Nauen
- 12:00 Guided city bus tour
- 12:00 + 14:00 + 16:00 Guided city walk
- 13:00 Workshop: Blackleg Disease – Resistance and Management
- 15:30 Workshop: Clubroot in Oilseed Rape – From Minor Disease to Major Challenge
- 18:00 – 21:00

Get-Together at bcc

MONDAY

17|06|19

presented by Bayer CropScience Deutschland GmbH

- 08:35 **Opening Ceremony**
Welcome note by Wolfgang Friedt, President of GCIRC
- 09:00 **Greetings**
 - Wolfgang Vogel, Chairman of UFOP
 - Michael Stübgen, Parliamentary State Secretary, Federal Ministry of Food and Agriculture (BMEL)
- 09:40 **Mark of Honor/ Bestowal of E.Sc. Award**

COFFEE BREAK
presented by Limagrain GmbH

- 10:30 **ADDRESS:** Challenges and prospects of oilseed rape production
- 11:00 **TALK 1:** Future markets of oilseeds, vegetable oils and proteins
- 11:40 **TALK 2:** Agronomical challenges to adapting canola into cropping systems of the world
- 12:20 **NOTE Sponsor of the Day:** Bayer CropScience Deutschland GmbH

LUNCH
presented by KWS SAAT SE

- 13:30 **Parallel Thematic Sessions**
 - New crop diversity
 - Animal Nutrition
 - Crop management strategies
 - Insect Pests
- 15:00 Genetics of Yield-related traits

COFFEE BREAK

- 15:30 **Parallel Thematic Sessions**
 - Genomic Diversity
 - Processing and new products
 - Plant nutrition and abiotic stress
 - Insect Pests (continued) + Pest Control
- 17:30 Clubroot

17:30 – 20:00

Poster Reception

TUESDAY

18|06|19

presented by BASF SE

- 08:00 **TALK 3:** Understanding and exploiting the dynamic *Brassica napus* genome
- 08:40 **TALK 4:** Devastating diseases and their control in oilseed rape
- 09:20 **TALK 5:** Ecologically-based Integrated Pest Management in rapeseed: a need not an option
- 10:00 **NOTE Sponsor of the Day:** BASF SE

COFFEE BREAK
presented by Pioneer Hi-Bred GmbH

- 10:40 **TALK 6:** Optimizing resource use efficiency and carbon footprint in oilseed rape production systems
- 11:20 **TALK 7:** Dietary fats and cardiovascular health
- 12:00 **TALK 8:** Increasing the usage value of canola meal

LUNCH
presented by R.A.G.T. Saaten Deutschland GmbH

- 13:45 **Parallel Thematic Sessions**
 - Variety Breeding
 - Protein for Human Nutrition
 - Genomic Diversity (continued)
 - Sclerotinia
 - Economy & Market
- 15:15 **Workshop: Agronomy – Managing Environment Stress**

COFFEE BREAK / POSTER SESSION

- 15:45 **Parallel Thematic Sessions**
 - Workshop: Rapeseed/Canola Protein for Human Nutrition
 - Workshop: Future-proofing insect pest control in a world with declining insecticidal options
- 16:15 **Mustard**
- Other diseases
- Seed Quality Traits
- 17:45 Sclerotinia (continued)

19:00

Congress Dinner, Tempelhof

supported by Syngenta Agro GmbH

WEDNESDAY

19|06|19

presented by RAPOOL-RING GmbH

- 08:30 **Parallel Thematic Sessions**
 - Heterotic Pools
 - Genetic of Root Traits + Breeding Methodology
 - Integrated pest and crop management
 - Blackleg
- 10:00 **Workshop: Sclerotinia – Current and future breeding methods** End 10:45

COFFEE BREAK
presented by Cargill Deutschland GmbH

- 10:30 **Parallel Thematic Sessions**
 - Mutagenesis and Gene editing
 - Blackleg (cont.) + Plant Protection
 - Yield physiology and phenotyping
 - Mustard (continued)
- 12:15 Other topics

LUNCH

- 13:15 **NOTE Sponsor of the Day:** RAPOOL-RING GmbH
- 13:25 **TALK 9:** Genome editing with programmable nucleases in crop plants
- 14:05 **Podium Discussion:** Global Future of Oilseed Rape/Canola followed by Poster Awards

COFFEE BREAK

- 15:45 **Concluding Remarks**
- 16:00 **Invitation to IRC 2023 in Sydney**
- 16:15 **Farewell**
- 16:30 **End of Congress**
- 17:00 **Start Field Trip West (at the bcc)**

08:00	Arrival of Congress Delegates	
08:35	C01	Welcome Note <i>Wolfgang Friedt, International Consultative Group of Research on Rapeseed (GCIRC)</i>
09:00	C01	Greetings <i>Wolfgang Vogel, UFOP, German Farmers' Association (Germany)</i> <i>Michael Stübgen, Parliamentary State Secretary, Federal Ministry of Food and Agriculture (BMEL) (Germany)</i>
09:40	C01	Mark of Honor - Bestowal of the Eminent Scientist Award: Wilf Keller – <i>Laudation by Rod Mailer (GCIRC Board Member)</i>
10:00	COFFEE BREAK, PRESENTED BY LIMAGRAIN GMBH	
10:30	C01	Address – Challenges and prospects of oilseed rape production <i>Hubertus Paetow, German Agricultural Society (Germany)</i>
11:00	C01	Plenary Talk 1 – Future markets of oilseeds, vegetable oils and proteins <i>Luc Ozanne, Sofiprotéol (France)</i>
11:40	C01	Plenary Talk 2 – Agronomic challenges to adapting canola into cropping systems of the world <i>John Kirkegaard, CSIRO (Australia)</i>
12:20	C01	Note Sponsor of the Day: Bayer CropScience Deutschland GmbH <i>Helmut Schramm, Bayer AG (Germany)</i>
12:30	LUNCH, PRESENTED BY KWS SAAT SE	
13:30	C01 NEW CROP DIVERSITY	A08 ANIMAL NUTRITION
Parallel Sessions	Natural and induced genome structural variation in oilseed rape ▪ <i>I. Bancroft, Z. He, L. Havlickova</i>	Canola meal for poultry – Recent studies and perspectives ▪ <i>B. Slominski, A. Rogiewicz</i>
	Specific chromosome rearrangements and allelic variants influence fertility and genome stability in novel <i>Brassica allohexaploids</i> ▪ <i>Annaliese S. Mason, R. Gaebelien, S. V. Schiessl, B. Samans, J. Batley</i>	Rapeseed feeds for swine – Recent studies and perspectives ▪ <i>F. Schöne, A. Quinsac, M. Weber, G. Bellof</i>
	Expanding a novel gene pool of <i>Brassica napus</i> with massive introgression of related oilseed species and exploring its intersubgenomic heterosis ▪ <i>J. Zou, D. Hu, J. Jing, H. Qin, W. Zhang, Y. Zhang, J. Shen, J. Meng</i>	Increase of the protein content of rapeseed meal by sifting technology ▪ <i>A. Quinsac, S. Dauguet, C. Peyronnet, M. Krouti, A. Gendron, P. Carré, F. Brionnet</i>
	Genome reshuffling revealed by mapping and genome sequencing of progenies from interspecific crosses involving <i>B. carinata, B. rapa</i> and <i>B. napus</i> ▪ <i>Y. Zhang, X. He, H. Zhang, H. Xue, D. Hu, H. Qin, M. Wang, Q. Yang, J. Meng, J. Zou</i>	Chemical composition and nutritional characteristics of rapeseed meal produced in France ▪ <i>S. Dauguet, E. Tormo, A. Sicaire, M. Krouti, V. Jauvion, A. Quinsac</i>
	Breeding <i>Brassica napus</i> canola by use of <i>B. oleracea</i> : Mapping flowering time and biomass traits in the C genome of <i>B. napus</i> using a population carrying genome content introgressed from <i>B. oleracea</i> ▪ <i>H. Rahman, R. A. Bennett, B. Kebede</i>	Pea and rapeseed meal in protein reduced diets for broilers ▪ <i>P. N. Weindl, P. A. Weindl, G. Bellof</i>
15:00	COFFEE BREAK	
15:30	C01 GENOMIC DIVERSITY	A08 PROCESSING AND NEW PRODUCTS
Parallel Sessions	Uncovering the scope of fixed homoeologous recombination events in <i>Brassica napus</i> using long read sequence data ▪ <i>I. Parkin, C. Koh, E. Higgins, A. Sharpe</i>	Pilot Plant Concept "EthaNa" for Ethanol Extraction of Dehulled Rape Seeds ▪ <i>G. Börner, A. Pior, D. Pufky-Heinrich</i>
	Exploiting Long Read Sequence Technology to Resolve the Hidden Genomic Landscape of <i>Brassica</i> Species ▪ <i>A. Sharpe, I. Parkin, S. Perumal, C. Koh, E. Higgins, L. Jin, M. Buchwald, T. Bender, S. Robinson</i>	New Processing Technology of High Quality and Fragrant Rapeseed Oil ▪ <i>L. Wen-lin, H. Feng-hong, L. Chan-sheng, W. Chu-yun</i>
	Long reads reveal small scale genome structural variations in <i>Brassica napus</i> ▪ <i>H. Chawla, S. Chakrabarty, A. Welke, S. Tamilselvan-Nattar-Amutha, C. Obermeier, R. Snowdon</i>	Is profiling of volatile compounds from virgin rapeseed oil a promising tool for the assessment of the sensory quality? ▪ <i>B. Matthäus, L. Brühl, A. Bonte</i>
	Cytoplasmic evolution of <i>Brassica</i> genus and its significance for developing novel <i>Brassica</i> crops ▪ <i>J. Qiao, X. Zhang, B. Chen, Q. Hu and X. Wu</i>	Metabolite profiling analysis and quantification of phenolic compounds between the yellow- and black-seeded rapeseed by HPLC-MS ▪ <i>C. Qu, N. Yin, S. Wang, S. Shen, X. Chen, K. Lu, Z. Tang, X. Xu, Y. Liang, J. Li</i>
	Methods to determine copy number variation in <i>Brassica</i> species ▪ <i>S. Schiessl-Weidenweber, R. Snowdon, A. Mason</i>	Study on the biological activity of canolol in rapeseed oil ▪ <i>M. Zheng, X. Xiang, X. Xia, Z. Zhang, L. Han, F. Huang</i>
	Gene expression patterns and RdDM-mediated epigenetic regulations of duplicated genes in <i>Brassica napus</i> subgenomes A and C ▪ <i>C. Tang, X. Ge, Z. Li, S. Liu</i>	Requirements for Canola / Rapeseed Proteins for Use in Food and Feed ▪ <i>R. Tressel, J. Palomino, C. Dawid</i>
		Taurine Production in <i>Brassica</i> : a New Marketable Trait ▪ <i>F. Turano, M. Price, J. Thoguru, S. Cheepineeti, J. Shipp, K. Turano</i>
17:30	At the bcc Poster Reception (until 20:00)	
17:30	At the same time as Poster Reception: GCIRC General Assembly (for members only)	

**A03|A04** CROP MANAGEMENT STRATEGIES

Improving canola agronomy with third-party and farmer-run research ▪ C. Jurke , C. Rempel, M. Hartman, N. Philp
Tillage strategies to optimize rapeseed establishment: a method to support decision making ▪ S. Cadoux , A. Perrin, G. Sauzet, T. Inovia
Sowing companion plants with winter oilseed rape to reduce herbicide use. A survey ▪ A. Baux , X. Boussetin, P. Schumacher
Status of Clearfield Oilseed Rape and Prospects of Future Development in Europe ▪ J. Bessai , B. Gicquel, A. Schönhammer
A sensitivity analysis study for improving Sulphur management strategies in Winter Oilseed Rape ▪ S. Brunel-Muguet , E. Poisson, F. Kauffman, J. Trouverie, J.-C. Avice, A. Mollier
Strategies to optimize N fertilization of winter oilseed rape ▪ K. Sieling , H. Kage

B05|B06 INSECT PESTS

Breeding perspectives for pest control in rapeseed ▪ S. Rietz , S. Goertz, K. Lohaus, I. Vollhardt, B. Ulber, K. Feussner, K. Zienkiewicz, I. Feussner, N. Austel, T. Meiners, G. Leckband
Effect of hairiness in <i>Brassica</i> lines on flea beetle feeding behavior ▪ C. Olivier , T. Wist, D. Hegedus, Z. Heydarian, A. Jones
Development of molecular tools for identification and monitoring of main weevil pests and natural enemies in OSR ▪ C. Robert , S. Bothorel, S. Luce, A. Lauvernay, M. Leflon, G. Delvare, J. C. Streito, E. Pierre, P. Cruaud, M. Ollivier, G. Genson, A. Cruaud, J. Y. Rasplus
Damage from the brassica pod midge <i>Dasyneura brassicae</i> in relation to landscape factors and abundance of the midge and the seed pod weevil ▪ M. C. Larsson , A. Rösvisk, E. Johansson, K. Henriksson, P. Anderson
Identification of plant traits related to the tolerance of WOSR to pollen beetle ▪ A. Jullien , A. Pinet, A. Mathieu, C. Richard-Molard, A. Fortineau
Non-targeted metabolome profiling of green flower buds in oilseed rape: Screening for resistance against the pollen beetle ▪ N. Austel , C. Böttcher, T. Meiners

A05|A06 GENETICS OF YIELD-RELATED TRAITS

Early Assessments on the Feasibility of Selection for Reduced Secondary Dormancy Potential in Annual <i>Brassica napus</i> ▪ S. Vail , C. Brown, R. H. Gulden, I. Parkin, S. Robinson, Steve Shirtliffe
Genetic characterization and fine mapping for multiple main inflorescence in <i>Brassica napus</i> L. ▪ W. Qian , Z. Liu, Y. Zhang, Q. Li, X. Wang, Y. Cui
Maternal control of seed weight in rapeseed (<i>Brassica napus</i> L.): the causal link between the size of pod (mother, source) and seed (offspring, sink) ▪ J. Shi , N. Li, J. Zhan, X. Wang, G. Liu, H. Wang
Exploiting Natural Variation in Pod Shatter Resistance Genes for Rapeseed (<i>Brassica napus</i>) Improvement ▪ H. Cheng , J. Liu, R. Zhou, W. Wang, W. Chu, D. Mei, H. Cheng, C. Li, R. Raman, H. Raman, Q. Hu
Genetic variation and QTLs for transpiration efficiency and yield related traits under low rainfall environments in canola ▪ H. Raman , R. Raman, Y. Qiu, S. Diffey, L. Borg, B. McVittie, S. Rogiers, N. Shamaya, A. Easton, D. Tabah
Regulation of STM and CUC2 genes on apical meristem of cold-resistant winter <i>Brassica rapa</i> ▪ W. Sun , Y. Zhao, L. Ma, Y. Chang, J. Bai, Y. Pu, Z. Niu, J. Jin, L. Liu, J. Wu, Y. Fang, X. Li
Genome Editing for Rapeseed Genetic Improvement ▪ H. Cheng , C. Li, J. Liu, R. Zhou, W. Wang, Q. U. Zaman, H. Wang, D. Mei, Q. Hu

A03|A04 PLANT NUTRITION AND ABIOTIC STRESS

Genotypic Diversity and Plasticity of Root System Architecture in response to Nitrogen Availability in Winter Oilseed Rape (<i>Brassica napus</i>) ▪ C. Lecarpentier , L. Pagès, C. Richard-Molard
Deciphering the response of winter oilseed rape to nitrogen inputs: fine roots do matter in Nitrogen Use Efficiency! ▪ V. Vazquez-Carrasquer , C. Bissuel-Bélaygue, A. Laperche, M. Chelle, C. Richard-Molard
Deciphering the genetic diversity of WOSR seed yield elaboration and NUE in the field: what is the relative contribution of plant growth, leaf area dynamics, N uptake and N use efficiencies during the crop cycle? ▪ C. Bissuel-Bélaygue , M. Kutelmach, C. Richard-Molard, A. Tolleneare, J. M. Allirand, A. Laperche
A Review of Heat Stress in Spring and Winter Canola (<i>Brassica napus</i> L.) ▪ T. Feike , D. Sabboura, S. F. El Habbasha, T. Kautz
Effect of heat stress on canola yield and quality ▪ R. K. Uppal , R. Brill, J. Bromfield
Water shortages during flowering impact seed qualities in oilseed rape ▪ G. Bianchetti , F. Le Cahérec, A. Bouchet, A. Carrillo, C. Baron, B. Ly Vu, L. Lepout, J. Buitink, N. Nesi
Temperature and radiation stresses explain most of the environmental variation of seed yield across a French network, and allow to tackle GxE interaction in winter oilseed rape cultivars ▪ E. Carlouez , A. Bouchet, A. Gouffretreau, C. Bissuel-Bélaygue, N. Nesi, A. Laperche

B05|B06 INSECT PESTS (CONTINUED) + PEST CONTROL

Effect of migration time on population dynamics and damage potential of cabbage stem flea beetle (<i>Psylliodes chrysocephala</i> L.) ▪ N. Conrad , M. Brandes, B. Ulber, U. Heimbach
Pyrethroid resistance of insect pests of oilseed rape in Germany ▪ M. Brandes , U. Heimbach
Use of agronomical techniques to manage rape winter stem weevil (<i>Ceutorhynchus piciparsis</i>) and cabbage stem flea beetle (<i>Psylliodes chrysocephala</i>) populations in winter oilseed rape. ▪ C. Robert , C. Legall, C. Pontet, V. Lecomte, M. Geloën, S. Cadoux, G. Sauzet, L. Ruck
Neonicotinoid insecticide presence in flowing water and wetlands across Canada, impact on pollinators and aquatic invertebrates and risk mitigation with emphasis on canola production ▪ C. Rempel , K. Sapsford, S. Cook, A. Kalischuk, D. Feindel, R. Wilkins, G. McMaster, P. Bajracharya, D. Rheault, G. Robertson, P. Badiou, L. Mesones, M. Walker, C. Harrington, D. Dyer
Integrated control of establishment pests in canola: an Australian perspective ▪ M. A. Nash
Dropleg-technique against insect pests in flowering oilseed rape ▪ J. Hausmann , M. Brandes
Monitoring the number of offspring of some insect pests in oilseed rape in Germany ▪ U. Heimbach , M. Brandes

A05|A06 CLUBROOT

International initiative on the nomenclature and curation of clubroot resistance loci ▪ E. Diederichsen , R. Fredua-Agyeman, K. Hatakeyama, N. Hayashida, Y. P. Lim, K. Okazaki, H. Rahman, Z. Y. Piao, F. Yu, G. Peng
Genomic tools for the management of clubroot of canola (<i>Brassica napus</i>) ▪ L. Galindo-González , H. Askarian, H. Tso, M. Haltz, S.-F. Hwang, S.E. Strelkov
QTL analysis identifies genomic regions associated with clubroot disease in <i>Brassica rapa</i> seed ▪ Y. P. Lim , S. R. Choi, S. Heon Oh, S. Hong, J. Jeevan Rameneni
Genome-wide association mapping of resistance to clubroot in <i>Brassica napus</i> ▪ G. Peng , F. Yu, A. Dakouri, M. Lamara, M. Karim, J. Wang, Q. Chen, S. E. Strelkov, S. Hwang, B. D. Gossen
The mechanism and durability of intermediate resistance to <i>Plasmodiophora brassicae</i> pathotype X conferred by two resistance genes ▪ G. Peng , R. Wen, T. Song, N. Tonu, J. Lee, K. Hornaday, J. Bush, F. Yu
Influence of inoculum density, virulence of <i>P. brassicae</i> isolates and cultivar resistance on clubroot development and build-up of resting spores in oilseed rape cultivars ▪ N. Zamani-Noor , I. Krohne, B. Koopmann
Hormonal Responses to <i>Plasmodiophora brassicae</i> Infection in <i>Brassica napus</i> Cultivars Differing in Their Pathogen Resistance ▪ V. Konradova , S. Prerostova, P. I. Dobrev, V. Knirsch, A. Gaudinova, B. Kramna, J. Kazda, J. Ludwig-Müller, R. Vankova
Multilevel analysis of the clubroot disease and its biological control by an endophytic fungus ▪ J. Ludwig-Müller , S. Auer, M. Cerny, B. Brzobohaty

- 08:00 **C01** **Plenary Talk 3 – Understanding and exploiting the dynamic *Brassica napus* genome** *Rod Snowdon, University of Giessen (Germany)*
- 08:40 **C01** **Plenary Talk 4 – Biotic constraints in rapeseed production – a global survey on pests and diseases and the options of control** *Andreas von Tiedemann, University of Göttingen (Germany)*
- 09:20 **C01** **Plenary Talk 5 – Ecologically-based Integrated Pest Management in rapeseed: a need not an option** *Samantha Cook, Biointeractions and Crop Protection, Rothamsted Research, Harpenden (United Kingdom)*
- 10:00 **C01** **Note Sponsor of the Day: BASF SE** *Michael Hess, BASF SE (Germany)*
- 10:10 **COFFEE BREAK, PRESENTED BY PIONEER HI-BRED GMBH**
- 10:40 **C01** **Plenary Talk 6 – Optimizing resource use efficiency and carbon footprint in oilseed rape production systems** *Henning Kage, University of Kiel (Germany)*
- 11:20 **C01** **Plenary Talk 7 – Dietary fats and cardiovascular health** *Ingeborg Brouwer, Department of Health Sciences of the VU University Amsterdam (The Netherlands)*
- 12:00 **C01** **Plenary Talk 8 – Increasing the usage value of canola meal** *Curtis Rempel, Canola Council of Canada (Canada)*
- 12:40 **LUNCH, PRESENTED BY R.A.G.T. SAATEN DEUTSCHLAND GMBH**

13:45	B05 B06 VARIETY BREEDING	A05 PROTEIN FOR HUMAN NUTRITION	C01 GENOMIC DIVERSITY (CONTINUED)
Parallel Sessions	An international breeding program in spring canola ▪ W. A. Cowling , J. Vuksic, R. Ezzy, J. Duguid, E. Gillis, O. Soss	Opportunities and challenges for the production of canola / rapeseed protein for human nutrition ▪ S. Garringer , M. Rass	Quantitative disease resistance and structural genome variation ▪ C. Obermeier , I. Gabur, H. S. Chawla, P. Vollrath, R. Snowdon
	Maintaining Blackleg Resistance in a Commercial Breeding Program ▪ J. Christianson , X. Zhang, D. Leforestier, R. Fouquet	CanolaPro: Feeding a growing population ▪ G. Smolders	Resequencing and multi-environmental phenotyping of 1650 accessions of Rapeseed (<i>Brassica napus</i> L.) ▪ X. Wu , G. Gao, T. Xie, X. Cheng, G. Yan, Bi. Chen, L. Li, H. Li, S. Chen, F. Chen, Y. Tu, M. Wang, Y. Xiang, M. Fu, Z. Huang, H. Wang
	Official DUS Test and Plant Breeders Rights Protection of Winter Oilseed Rape in Germany ▪ E. Thiemt	"Native" rape seed protein product ▪ S. Hruschka	Whole-genome resequencing reveals <i>Brassica napus</i> origin and genetic loci involved in its domestication and improvement ▪ K. Lu , L. Wei, X. Li, X. Wang, A. H. Paterson, J. Li
	Official VCU Test of Winter Oilseed Rape in Germany ▪ R. Manthey	Cruciferin subunit composition affects oil-water interface stabilization and heat-induced structure development ▪ J. P. D. Wanasundara , T. S. Withana-Gamage, T. C. McIntosh, X. Qiu, D. D. Hegedus	Resequencing 991 rapeseed genomes from a world-wide collection reveals genetic basis of ecotype divergence: A powerful platform for GWAS on agronomic and quality traits ▪ L. Jiang , Q. Wang, D. Wu, Z. Liang, T. Yan, Y. Xu, L. Shen, H. Yu
	Are bzh semi-dwarf hybrids deprived with regard to plot front-border effects in yield trials? ▪ K. Holzenkamp , A. Gertz, G. P. Bienert, H. C. Becker, A. Schierholt	Amino Acid Content and Genetic Control in <i>Brassica napus</i> L. ▪ D. L. W. Swaenepoel, C. McCartney, J. D. House, R. W. Duncan	Population Genomic Analyses Identify Signatures of Selection and Loci Associated with Agronomic Traits in <i>Brassica Napus</i> ▪ Y. Zhang , M. Tang, Y. Liu, J. Huang, M. Hu, C. Tong, Y. Zhou, X. Cheng, L. Yang, L. Yang, S. Liu
	Two decades of rapeseed and mustard cyto-genetic and breeding research at ARS, Mandor, Jodhpur ▪ B. R. Choudhary , S. R. Kumhar	Tracing the bitter off-taste compounds in rapeseed protein isolates ▪ C. Hald , C. Dawid, R. Tressel, T. Hofmann	Computational Prediction and Characterization of 3D Genome Organization in <i>Brassica napus</i> ▪ K. MacKay , T. Bender, I. Parkin, A. Kusalik, S. Robinson

15:15 **COFFEE BREAK & POSTER SESSION (60 MIN)**

16:15	A03 A04 SCLEROTINIA (CONTINUED)	C01 SEED QUALITY TRAITS	A08 MUSTARD
Parallel Sessions	Receptor-like kinases BAK1 and SOBIR1 are required for necrotizing activity of <i>Sclerotinia sclerotiorum</i> necrosis-inducing effectors ▪ D. Hegedus , S. Seifbarghi, M. H. Borhan, Y. Wei, L. Ma, C. Coutu, D. Bekkaoui	Breeding for Long Chain Omega-3 Oil Canola ▪ X. Deng , J. Hasan, K. Gray	Exploring the genetic variation of the mustard <i>Sinapis alba</i> using a new reference genome ▪ J. Parkin , L. Tang, S. Perumal, L. Jin, C. Shin Koh, V. Raslinsky, E. Higgins, D. Williams, B. Cheng
	Detection of ascospore release of <i>Sclerotinia sclerotiorum</i> with real time PCR an important tool in understanding disease development in winter OSR ▪ A. C. Wallenhammar , M. Algerin	Dissecting the genetic loci accounting for seed oil content of <i>Brassica napus</i> with reciprocal introgression mapping populations ▪ M. Wang , Graham J King, Ruiyun Li, Yan Long, Lei Shi, Jinxing Tu, Jinling Meng, Jun Zou	Expression profiling of transporter genes in relation to glucosinolate accumulation in vegetative and reproductive sinks of <i>Brassica juncea</i> ▪ G. Kaur , S. Sharma, H. Rani, R. Nagra, S.S. Banga
	Fungicide sensitivity of <i>Sclerotinia sclerotiorum</i> and consequences for stem-rot control in oilseed-rape ▪ J. Derpmann , A. Mehl	Rapid delineation of the potential candidate genes underlying fatty acid-associated loci via combining gene co-expression network analysis and QTL and GWAS in <i>Brassica napus</i> L. ▪ Y. Cui , X. Zeng, H. Dong, J. Liao, S. Gongbu, H. Wang, D. Wei, Q. Xiong, W. Qian	Antixenosis and antibiosis mechanisms of resistance to turnip aphid, <i>Lipaphis erysimi</i> in <i>Brassica juncea-fruticulosa</i> introgression lines ▪ S. Kumar , S. Palial, C. Atri, S. S. Banga
	Next generation molecular fungicides: control of <i>Sclerotinia sclerotiorum</i> using RNA interference technologies ▪ M. F. Belmonte , S. Whyard, P. Walker, N. Wytinck	Investigation into the emerging problem of elevated erucic acid content in double-low oilseed rape crops in the UK ▪ S. Kightley , H. Appleyard, L. Maile, T. Wood	Shikimate representatives and Catalase (CAT2) are possible determinants of resistance to mustard aphid infestation in <i>Brassica fruticulosa</i> ▪ R. Kaur , C. Atri, J. Akhtar, A. Sharma, S. S. Banga
	Reconsideration of disease cycle of Rapeseed stem rot caused by <i>Sclerotinia sclerotiorum</i> and management with biological agents ▪ D. Jiang , J. Xie	The International Life Sciences Institute Crop Composition Database: An Open Resource for High Quality Compositional Data ▪ V. J. Barthe , A. Edwards, A. F. Roberts, B. Bajaj, B. Fast, D. W. Roberts, J. R. Srinivasan, J. Helm, J. McDonald, M. Bedair, N. Gillikin, T. Sult	Exploring diversity of <i>Brassica juncea</i> genomes to improve <i>B. napus</i> varieties ▪ Z. Liu , L. Kang, L. Qian, H. Chen, L. Yang, W. Hua, M. Zheng
	A Biosensor for <i>Sclerotinia</i> Stem Rot Forecasting ▪ X. S. Li , J. Yang, J. Chen, L. Shoute, S. MacKay		

17:45 **End of Parallel Sessions**

19:00 *Followed by Official Congress Dinner (supported by Syngenta) – Location: Tempelhof Airport (main hall)*

Bus shuttle service (17:30–18:30 from bcc to Tempelhof / 22:30–24:00 from Tempelhof to bcc)



BASF
We create chemistry



**SPONSOR
OF THE DAY**

A03|A04 SCLEROTINIA

Lectin genes, concanavalin, curculin and hevein, enhances resistance to the fungal pathogen *Sclerotinia sclerotiorum* in *Brassica napus*

- [L. Buchwaldt](#), D. Hegedus, D. Bekkaoui, J. Durkin, J. Nettleton, E. Dzananovic

Synchronous improvement of subgenomes in rapeseed for *Sclerotinia* resistance

- [Y. Ding](#), J. Mei, W. Yang, B. Yan, H. Wan, W. Qian

Identification of *Brassica juncea* germplasm resistant to *Sclerotinia sclerotiorum* and study of inheritance in early generations

- [P. Sharma](#), V. V. Singh, N. C. Gupta, P. D. Meena, P. K. Rai

Genome-wide association study to dissect the genetic regulation of metabolism and resistance to *Sclerotinia sclerotiorum* in *Brassica napus*

- [Y. Zhang](#), M. Tang, Y. He, J. Huang, Y. Liu, X. Cheng, J. Liu, L. Liu, C. Tong, S. Liu

A critical role for AtGDSL1 lipase gene in *Sclerotinia sclerotiorum* resistance and functional identification of its rapeseed homologue that underwent selection during breeding

- [X. Tan](#), L. Ding, M. Li, X. Guo, M. Tang, J. Cao, Z. Wang, K. Zhu, L. Guo, S. Liu

A08 ECONOMY & MARKET

Global rapeseed production – how do key players perform economically?

- [Y. Zimmer](#)

Economics of open pollinating vs. hybrid rapeseed varieties

- [P. Boczar](#)

Russian rapeseed – evolution and economic perspective

- [S. Tuchin](#)

Western Australian seed options in rapeseed: prerequisites and economic implications

- [I. Bucat](#), M. Seymour, M. Harries, B. French

Positioning Oilseed Rape in the High Oleic Oils Market

- [F. Turon](#)

General Discussion

A06

WORKSHOP*

AGRONOMY –
MANAGING ENVIRONMENT
STRESS

**A06** OTHER DISEASES

Turnip yellows virus-resistant rapeseed varieties as a possible solution against aphid-borne virus disease

- [L. Ruck](#), E. Jacquot, E. Pichon, M. Souquet, A. Van Boksom

Turnip Yellows Virus (TuYV): Incidence and impact on yield in European winter oilseed rape

- [S. Abel](#), L. Hanneon, V. Gegas

The influence of different isolates of Turnip yellows virus (TuYV) and biotypes of *Myzus persicae* on rapeseed infection

- [T. Will](#), H. Ziebell, R. Kólzsch, M. Kern, J. Hartrick, T. Thieme

Effector-triggered defence of brassicas against extracellular fungal pathogens

- [H. U. Stotz](#), K. Noel, J. Stone, B. D. L. Fitt

Course of colonization and potential for seed transmission of *Verticillium longisporum* in winter and spring type oilseed rape (*Brassica napus* L.) under field conditions and the role of soil temperature

- [X. Zheng](#), A. Eseola, A. Pfordt, D. Lopisso, B. Koopmann, A. von Tiedemann


Integrating Control strategies Against soil-borne *Rhizoctonia solani* in OilSeed rape (ICAROS)

- [R. Ray](#), D. Jayaweera, B. Ajigboye, M. Tait

A05 Begin 15:45

WORKSHOP*

RAPSEED/CANOLA PROTEIN
FOR HUMAN NUTRITION

**B05|B06** Begin 15:45

WORKSHOP*

FUTURE-PROOFING INSECT
PEST CONTROL IN A WORLD
WITH DECLINING INSECTICIDAL
OPTIONS



08:30

C01 HETEROTIC POOLS

B05|B06 GENETIC OF ROOT TRAITS + BREEDING METHODOLOGY

Parallel Sessions

<p>Progress in Predictive Breeding in Oilseed Rape: A Path to Heterotic Pools and Beyond</p> <ul style="list-style-type: none"> ▪ A. Abbadi, C. Flachenecker, J. Ahlemeyer, S. Möller, G. Leckband 	<p>Understanding root traits – genetics, genomics and transcriptomic approaches in rapeseed/canola</p> <ul style="list-style-type: none"> ▪ M. Rahman, M. Arifuzzaman
<p>Whole genome predictions provide flexibility in the utilization of costly phenotypic data across environments with varying temperatures</p> <ul style="list-style-type: none"> ▪ C. Koscielny, Stuart W. Gardner, Frank Technow, Robert W. Duncan 	<p>Genomic analyses of rapeseed dissect selective signatures and genetic networks underlying plant architecture and yield traits</p> <ul style="list-style-type: none"> ▪ X. Wu, J. Hu, T. Xie, J. Zhao, G. Gao, J. C. Pires, J. Batley, H. An, B. Chen, G. Yan, F. Zhang, L. Li, H. Li, X. Cheng, J. Ma, K. Xu, M. Zhang, X. Xiao, Y. Luo, J. C. Pires, H. Li, Q. Huang, Y. Hui, X. Zhou, R. Li, S. Tian
<p>Genomic and epigenomic patterns in novel heterotic pools of winter rapeseed (<i>Brassica napus</i>)</p> <ul style="list-style-type: none"> ▪ H. Lee, A. Abbadi, R. Snowdon 	<p>Temporal genetic patterns of root growth in <i>Brassica napus</i> L.</p> <ul style="list-style-type: none"> ▪ X. Dun, J. Wang, L. Kuang, X. Wang, G. Liu, H. Wang
<p>Evaluation of transcriptome and DNA methylation data for the prediction of hybrid performance in oilseed rape.</p> <ul style="list-style-type: none"> ▪ S. Scholten, F. Seifert, S. Edelmann, C. Werner, C. Rockmann, H. Pospisil, R. Snowdon, B. Usadel, A. Abbadi, G. Leckband 	<p>Genetic diversity of oilseed rape root morphology in response to nitrogen supply</p> <ul style="list-style-type: none"> ▪ C. Hermans, J. Louvieaux, L. Haelterman, L. Kupcsik, J. Xu, I. Bancroft, A. Stahl, R. Snowdon, S. Faure, A. Boucher, A. Laperche, N. Nesi
<p>Potential of rutabaga (<i>Brassica napus</i> var. <i>napobrassica</i>) gene pool for use in the breeding of <i>B. napus</i> canola</p> <ul style="list-style-type: none"> ▪ H. Rahman, B. Shiranifar, N. Hobson, B. Kebede, R. Yang 	<p>Development and In-Field Validation of Genomic and Optimal Haploid Value Selection for Disease Resistance, Agronomic, and Seed Quality Traits in Canola</p> <ul style="list-style-type: none"> ▪ H.D. Daetwyler, M. Fikere, D.M. Barbulescu, M. M. Malmberg, F. Shi, J. C. O. Koh, S. Norton, P.A. Salisbury, S. Kant, P. Maharjan, J. Panozzo, G. C. Spangenberg, N. O. I. Cogan
<p>Early establishment of photosynthesis plays a key role in early biomass heterosis in <i>Brassica napus</i> (canola) hybrids</p> <ul style="list-style-type: none"> ▪ A. Zhu, A. Wang, Y. Zhang, L. Dennis, J. Peacock, I. Greaves 	<p>Analysis of training population effects on genomic selection in <i>Brassica napus</i> L.</p> <ul style="list-style-type: none"> ▪ R. W. Duncan, J. Sun, E. E. Higgins

10:00

COFFEE BREAK PRESENTED BY CARGILL DEUTSCHLAND GMBH

10:30

Parallel Sessions

<p>C01 MUTAGENESIS AND GENE EDITING</p> <p>EMS- and CRISPR-Cas9 mediated mutagenesis in oilseed rape (<i>Brassica napus</i>)</p> <ul style="list-style-type: none"> ▪ H. Harloff, J. Braatz, N. Sashidhar, N. Karunaratna, S. Jinghan, C. Jung <p>Discovering novel phytic acid mutants in oilseed rape for future breeding</p> <ul style="list-style-type: none"> ▪ N. Sashidhar, H. Harloff, C. Jung <p>Development and validation of an effective CRISPR/Cas9 vector for efficiently creates specific mutations at multiple loci using one sgRNA and transgene-free mutants in a wide range of plant species</p> <ul style="list-style-type: none"> ▪ C. Dai, H. Yang, Ti. Tang, J. Wu, C. Ma <p>Gene knock-out by CRISPR-Cas9 and EMS-induced point mutations on SEED FATTY ACID REDUCERS increase the seed oil content in rapeseed (<i>Brassica napus</i>)</p> <ul style="list-style-type: none"> ▪ N. L. Karunaratna, H. Harloff, C. Jung <p>Knockout of two BnaSM1s generated by CRISPR/Cas9-targeted mutagenesis improves plant architecture and increases yield in rapeseed (<i>Brassica napus</i> L.)</p> <ul style="list-style-type: none"> ▪ M. Zheng, L. Zhang, M. Tang, J. Liu, X. Li, H. Yang, S. Fan, Z. Hu, H. Wang, W. Hua <p>Transgene-free targeted mutation in rapeseed (<i>Brassica napus</i> L.) via transient CRISPR-Cas9 expression in protoplasts</p> <ul style="list-style-type: none"> ▪ R. Luehrs, J. Schondelmaier, D. Becker, J. Falk <p>Genomics-led radiation mutagenesis in rapeseed</p> <ul style="list-style-type: none"> ▪ Z. He, L. Havlickova, I. Bancroft 	<p>A08 BLACKLEG (CONTINUED) + PLANT PROTECTION</p> <p>Adaptive dynamics of populations of <i>Leptosphaeria maculans</i> under resistance selection pressure: insights from two decades of surveys in France</p> <ul style="list-style-type: none"> ▪ M. Balesdent, F. Carpentier, L. Coudard, S. Touzeau, T. Rouxel <p>Improving blackleg resistance durability through rotation of major-gene resistance groups in commercial canola fields on the Canadian prairies.</p> <ul style="list-style-type: none"> ▪ J. Cornelsen, Z. Zou, D. Fernando <p>The amount of <i>Leptosphaeria maculans</i>-contaminated dockage in canola seed shipments is not related to blackleg disease transmission in seed spillage piles.</p> <ul style="list-style-type: none"> ▪ R. M. Lange, W. D. Dmytriw, A. El-mezawy, R. Werezuk, R. Ramaratnam, C. Rempel <p>Complexity of <i>Leptosphaeria-Brassica</i> interaction revealed by a novel class of disease resistance genes against blackleg disease</p> <ul style="list-style-type: none"> ▪ N. Larkan, L. Ma, P. Haddadi, I. Parkin, H. Borhan <p>Seed Applied Technology to help Canadian Producers Manage Blackleg in Canola</p> <ul style="list-style-type: none"> ▪ D. Fernanda, T. Lobun, F. Brandl <p>Integral® Pro – A new Generation of Seed Treatment in Oil Seed Rape</p> <ul style="list-style-type: none"> ▪ E. Noirtin, P. Cavell, M. Benninger <p>Innovations in fungicide and insecticide seed treatments in Europe: SCENICgold and BUTEOstart</p> <ul style="list-style-type: none"> ▪ S. Kretschmann 	<p>A03 A04 YIELD PHYSIOLOGY AND PHENOTYPING</p> <p>Prediction and Modeling of Hybrid Performance and Yield Gain in Oilseed Rape by Systems Biology</p> <ul style="list-style-type: none"> ▪ M. Kupisch, M. Langensiepen, S. Scholten, R. Snowdon, B. Usadel, A. Abbadi, G. Leckband <p>Canola yield and its association with phenological, architectural and physiological traits across the rainfall zones of southwestern Australia</p> <ul style="list-style-type: none"> ▪ H. Zhang, J. Berger, C. Herrmann, A. Brown, S. Flottmann <p>Leaf nitrogen content strongly affects dynamic photosynthesis, but does not affect the steady-state photosynthesis of canola (<i>Brassica napus</i> L.)</p> <ul style="list-style-type: none"> ▪ J. Liu, Kangkang Zhang, Fang Chen, Liyong Hu <p>Grain oil concentration of rapeseed under different source-sink ratios affecting grain weight</p> <ul style="list-style-type: none"> ▪ D. Calderini, J. Verdejo, M. Labra <p>Drone-based assessment of autumnal winter oilseed rape growth</p> <ul style="list-style-type: none"> ▪ J. Bukowiecki, H. Kage <p>Phenovia a field experimental platform in Burgundy for WOSR phenotyping under low chemical inputs.</p> <ul style="list-style-type: none"> ▪ X. Pinochet, F. Kazempour-Ricci, P. Marget, V. Deytieu, F. Salvi, L. Thiery, J. L. Lucas <p>Effects of integrated crop management on the soil fertility, physiological mechanisms and yield of winter oilseed rape in the paddy field</p> <ul style="list-style-type: none"> ▪ N. Ma, L. Wan, L. Liu, C. Zhang
---	---	--

12:15

LUNCH

13:15

C01 Note Sponsor of the Day: RAPOOL-RING GmbH Dietmar Brauer, RAPOOL-RING GmbH (Germany)

13:25

C01 Plenary Talk 9 – Genome editing with programmable nucleases in crop plants Caixia Gao, Chinese Academy of Science (China)

14:05

C01 Podium Discussion: Global Future of Oilseed Rape/Canola – followed by Poster Awards
Moderation: Rod Snowdon – Participants: Andreas von Tiedemann, Philippe Dusser, Curtis Rempel, John Kirkegaard, Samantha Cook

15:15

COFFEE BREAK

15:45

C01 Concluding Remarks Wolfgang Friedt, International Consultative Group of Research on Rapeseed (GCIRC)

16:00

C01 Invitation to IRC 2023 in Sydney

16:15

C01 Farewell: Dietmar Brauer, Vice-Chairman UFOP

16:30

C01 Last congress day: End of Congress

17:00

Followed by Field Trip West (if booked, additional costs)

A03|A04 INTEGRATED PEST AND CROP MANAGEMENT

<p>Integrated pest and disease management to optimise yield in winter oilseed rape</p> <ul style="list-style-type: none"> ▪ J. Smith, C. Tucker, P. Berry
<p>VIBRANCE OSR: a Novel Seed Treatment Solution for Control of Soilborne Diseases in Oilseed Rape</p> <ul style="list-style-type: none"> ▪ B. Slaats, M. Joss, F. Brandl, L. Gobert
<p>Technologies for pesticide applications in OSR/Canola</p> <ul style="list-style-type: none"> ▪ W. Mayer, R. Heinkel
<p>Oilseed rape production and the use of neonicotinoids in Poland</p> <ul style="list-style-type: none"> ▪ K. Gawęcki
<p>Promoting Biodiversity in Canola Cropping Systems: Ecosystem Services on the Canadian Prairies</p> <ul style="list-style-type: none"> ▪ G. Sekulic
<p>Winter Canola Requires Unique Adaptation to the U. S. Southern Great Plains</p> <ul style="list-style-type: none"> ▪ M. Stamm, S. Dooley

A08 BLACKLEG

<p>Integrative genomics and metabolomics approaches to decipher mechanisms underlying quantitative resistance to blackleg in oilseed rape</p> <ul style="list-style-type: none"> ▪ R. Delourme, A. Gravat, A. Levrel, Y. Abu-Ahmad, J. Vernadet, F. Legeai, J. Lemoine, A. Missinou, P. Duffé, F. Dutreux, J. Aury, C. Cruaud, M. Lagarrigue-Reboutier, R. Lavigne, M. Manzanares-Dauleux, M. Balesdent, T. Rouxel
<p>Blackleg control in climate-adaptive Australian farming systems</p> <ul style="list-style-type: none"> ▪ S. J. Sprague, R. Brill, J. A. Kirkegaard
<p>Host resistance affects coexistence of two related fungal pathogens <i>Leptosphaeria maculans</i> and <i>L. biglobosa</i></p> <ul style="list-style-type: none"> ▪ Y. Huang, A. Javaid, L. H. Gajula, C. S. Karandeni-Dewage, G. K. Mitrousis, B. D. L. Fitt
<p>Effects of model parameter uncertainty in predicting severity of phoma stem canker epidemics in UK winter oilseed rape crops</p> <ul style="list-style-type: none"> ▪ B. Fitt, F. Newbery, M. W. Shaw, A. Qi
<p>Genetic Mapping and Characterisation of the Novel Blackleg Resistance Genes LepR5 and LepR6</p> <ul style="list-style-type: none"> ▪ N. Larkan, I. A. P. Parkin, M. H. Borhan
<p>Genome-wide histone map of the blackleg fungus <i>Leptosphaeria maculans</i></p> <ul style="list-style-type: none"> ▪ J. L. Sover, C. Clairet, E. Gay, F. Blaise, E. H. Stukenbrock, I. Fudal

A06

WORKSHOP*

SCLEROTINIA – CURRENT AND FUTURE BREEDING METHODS



B05|B06 MUSTARD (CONTINUED)

<p>Genome wide association study for oil content under terminal heat stress in Indian mustard (<i>Brassica juncea</i>)</p> <ul style="list-style-type: none"> ▪ S. K. Sandhu, Lalit, J. Kaur, D. Bhatia, S. S. Banga
<p>Physiological and Biochemical Basis of Salinity Tolerance in Indian mustard (<i>B. juncea</i>)</p> <ul style="list-style-type: none"> ▪ P. Sharma, K. Priya, V. Sardana, P. Choudhary, S. S. Banga
<p>Genetics of flowering and maturity in <i>Brassica juncea</i> (L.)</p> <ul style="list-style-type: none"> ▪ J. Akhtar, Anna Goyal, Navneet Kaur, Meenakshi Mittal, Chhaya Atri, Mohini Prabha Singh, Ravinder Kumar, V. K. Sardana, Baudh Bharti, S. S. Banga
<p>Enhancing parental lines for oil and meal quality to develop CMS based canola hybrids in Indian mustard (<i>Brassica juncea</i> L.)</p> <ul style="list-style-type: none"> ▪ G. Kaur, S. S. Banga


A05 OTHER TOPICS

<p>Oilseed rape and pre-cropping effects from grain legumes – nitrogen fluxes and productivity</p> <ul style="list-style-type: none"> ▪ D. Gouache, A. Schneider, F. Flénet
<p>GIS and Remote sensing approaches toward sustainable management and production of rapeseed (<i>Brassica napus</i> L.) in Tunisia</p> <ul style="list-style-type: none"> ▪ R. Naddari, O. Mourad, M. BelHaj, M. S. Jalouli, W. Feryeni, Salah Rabiaa B., M. C. Hamzaoui, A. Sahli Ali
<p>Discovery and applications of double haploid inducing lines in rapeseed</p> <ul style="list-style-type: none"> ▪ Y. Li, S. Fu, L. Yin, J. Shen, J. Wang, Q. Zou, B. Yi, J. Wen, T. Fu, L. Tao, Z. Kang, R. Tang, J. Yang
<p>Novel industrial rapeseed oils as bio-base stocks for lubricant production.</p> <ul style="list-style-type: none"> ▪ N. Stawniak, R. Sloan, H. Kaur, I. Bancroft
<p>Utilization of Chinese wood to develop the antiviral rapeseed</p> <ul style="list-style-type: none"> ▪ L. Kang, A. Wang, P. Li, X. Ge, Z. Li
<p>Establishment and application of biotechnologies in <i>Camelina sativa</i></p> <ul style="list-style-type: none"> ▪ B. Rezaeva, I. Otto, J. Kumléhn
<p>Identification of genetic factors related to human health promoting functional compounds in Chinese Cabbage</p> <ul style="list-style-type: none"> ▪ Y. P. Lim, S. R. Choi, J. J. Rameneni, S. S. Chhapekar, S. H. Oh


A06

WORKSHOP*

SCLEROTINIA – CURRENT AND FUTURE BREEDING METHODS (CONTINUED)



End 10:45



MONDAY TUESDAY WEDNESDAY

Address

- #000 Challenges and prospects of oilseed rape production
 ▪ [Hubertus Paetow](#)

Plenary Talks

- #001 Future markets of oilseeds, vegetable oils and proteins
 ▪ [Luc Ozanne](#)

- #002 Agronomic challenges to adapting canola into cropping systems of the world
 ▪ [John Kirkegaard](#), Julianne Lilley, Rohan Brill, Andrew Ware, Therese McBeath, Jeremy Wish

- #003 Understanding and exploiting the dynamic *Brassica napus* genome
 ▪ [Rod Snowdon](#)

- #004 Biotic constraints in rapeseed production – a global survey on pests and diseases and the options of control
 ▪ [Andreas von Tiedemann](#)

- #005 Ecologically-based Integrated Pest Management in rapeseed: a need not an option
 ▪ [Samantha Cook](#)

- #006 Optimizing resource use efficiency and carbon footprint in oilseed rape production systems
 ▪ [Henning Kage](#), Thomas Rübiger, Josephine Bukowiecki, Klaus Sieling, Ingo Pahlmann

- #007 Dietary fats and cardiovascular health
 ▪ [Ingeborg Brouwer](#)

- #008 Increasing the usage value of canola meal
 ▪ [Curtis Rempel](#)

- #009 Genome editing with programmable nucleases in crop plants
 ▪ [Caixia Gao](#)

Orals

GENETICS, GENOMICS AND BREEDING

- #010 Progress in Predictive Breeding in Oilseed Rape: A Path to Heterotic Pools and Beyond
 ▪ [Amine Abbadi](#), Christian Flachenecker, Jutta Ahlemeyer, Sina Möller, Günhild Leckband

- #011 Natural and induced genome structural variation in oilseed rape
 ▪ [Ian Bancroft](#), Zhesi He, Lenka Havlickova

- #012 The International Life Sciences Institute Crop Composition Database: An Open Resource for High Quality Compositional Data
 ▪ [Véronique J. Barthet](#), Alison Edwards, Andrew F. Roberts, Bhavneet Bajaj, Brandon Fast, David W. Roberts, Jannavi R. Srinivasan, Jennifer Helm, Justin McDonald, Mohamed Bedair, Nancy Gillikin, Theresa Sult

- #013 Investigation into the emerging problem of elevated erucic acid content in double-low oilseed rape crops in the UK
 ▪ [Simon Kightley](#), Helen Appleyard, Linda Maile, Thomas Wood

- #014 Long reads reveal small scale genome structural variations in *Brassica napus*
 ▪ [HARMEET SINGH CHAWLA](#), Subhadra Chakrabarty, Andreas Welke, Suriya Tamilselvan-Nattar-Amutha, Christian Obermeier, Rod Snowdon

- #015 Two decades of rapeseed and mustard cyto-genetic and breeding research at ARS, Mandor, Jodhpur
 ▪ [B. R. Choudhary](#), S. R. Kumhar

- #016 An international breeding program in spring canola
 ▪ [Wallace Cowling](#), J. Vuksic, R. Ezzy, J. Duguid, E. Gillis, O. Sass

- #017 Rapid delineation of the potential candidate genes underlying fatty acid-associated loci via combining gene co-expression network analysis and QTL and GWAS in *Brassica napus* L.
 ▪ [Yixin Cui](#), Xiao Zeng, Hongli Dong, Jinghang Liao, Suolang Gongbu, Huafang Wang, Dayong Wei, Qing Xiong, Wei Qian

- #018 Development and In-Field Validation of Genomic and Optimal Haploid Value Selection for Disease Resistance, Agronomic, and Seed Quality Traits in Canola
 ▪ [H.D. Daetwyler](#), M. Fikere, D.M. Barbulescu, M. M. Malmberg, F. Shi, J. C. O. Koh, S. Norton, P.A. Salisbury, S. Kant, P. Maharian, J. Panozzo, G. C. Spangenberg, N. O. I. Cogan

- #019 Development and validation of an effective CRISPR/Cas9 vector for efficiently creates specific mutations at multiple loci using one sgRNA and transgene-free mutants in a wide range of plant species
 ▪ [Cheng Dai](#), Hong Yang, Ting Tang, Jia-Jing Wu, Chao-Zhi Ma

- #020 Exploiting Natural Variation in Pod Shatter Resistance Genes for Rapeseed (*Brassica napus*) Improvement
 ▪ [H. Cheng](#), J. Liu, R. Zhou, W. Wang, W.Chu, D. Mei, H. Cheng, C. Li, R.Roman, H.Roman, Q. Hu

- #021 Breeding for Long Chain Omega-3 Oil Canola
 ▪ [Xinmin Deng](#), Jakir Hasan, Kristin Gray

- #022 Temporal genetic patterns of root growth in *Brassica napus* L.
 ▪ [Xiaoling Dun](#), Jie Wang, Lieqiang Kuang, Xinfu Wang, Guihua Liu, Hanzhong Wang

- #023 EMS- and CRISPR-Cas9 mediated mutagenesis in oilseed rape (*Brassica napus*)
 ▪ [Hans-Joachim Harloff](#), Janina Braatz, Niharika Sashidhar, Nirosha Karunarathna, Srijan Jinghan, Christian Jung

- #024 Genomics-led radiation mutagenesis in rapeseed
 ▪ [Zhesi He](#), Lenka Havlickova, Ian Bancroft

- #025 Genetic diversity of oilseed rape root morphology in response to nitrogen supply
 ▪ [Christian Hermans](#), Julien Louvieux, Loïc Haelterman, Laszlo Kupcsik, Jijia Xu, Ian Bancroft, Andreas Stahl, Rod Snowdon, Sébastien Faure, Anne-Sophie Boucher, Anne Laperche, Nathalie Nesi

- #026 Are bzh semi-dwarf hybrids deprived with regard to plot front-border effects in yield trials?
 ▪ [Karin Holzenkamp](#), Andreas Gertz, Gerd Patrick Bienert, Heiko C. Becker, Antje Schierholt

- #027 Resequencing 991 rapeseed genomes from a world-wide collection reveals genetic basis of ecotype divergence: A powerful platform for GWAS on agronomic and quality traits
 ▪ [L. Jiang](#), Q. Wang, D. Wu, Z. Liang, T. Yan, Y. Xu, L. Shen, H. Yu

- #028 Gene knock-out by CRISPR-Cas9 and EMS-induced point mutations on SEED FATTY ACID REDUCERS increase the seed oil content in rapeseed (*Brassica napus*)
 ▪ [Nirosha L. Karunarathna](#), Hans-Joachim Harloff, Christian Jung

- #029 Whole genome predictions provide flexibility in the utilization of costly phenotypic data across environments with varying temperatures.
 ▪ [Chad Koscielny](#), Stuart W. Gardner, Frank Technow, Robert W. Duncan

- #030 Genomic and epigenomic patterns in novel heterotic pools of winter rapeseed (*Brassica napus*)
 ▪ [Jenny HuevTyng Lee](#), Amine Abbadi, Rod Snowdon

- #031 Maintaining Blackleg Resistance in a Commercial Breeding Program
 ▪ [Jed Christianson](#), Xuehua ZHANG, Diane Leforestier, Romain Fouquet

- #032 Whole-genome resequencing reveals *Brassica napus* origin and genetic loci involved in its domestication and improvement
 ▪ [Kun Lu](#), Lijuan Wei, Xiaolong Li, Xiaowu Wang, Andrew H. Paterson, Jiana Li

- #033 Transgene-free targeted mutation in rapeseed (*Brassica napus* L.) via transient CRISPR-Cas9 expression in protoplasts
 ▪ [Renate Luehrs](#), Joerg Schondelmaier, Dirk Becker, Jon Falk

- #034 Computational Prediction and Characterization of 3D Genome Organization in *Brassica napus*
 ▪ [Kimberly MacKay](#), Tricia Bender, Isobel Parkin, Anthony Kusalik, Stephen Robinson


SIMPLIFYING DISEASE MANAGEMENT IN CANOLA AND OILSEED RAPE

- SALTRO™- a new seed treatment fungicide for canola and oilseed rape
- Contains ADEPIDYN™ - a new unique fungicide molecule from the SDHI chemical class
- Effective control of early *Leptosphaeria maculans* infections causing black leg
- Support and extension of durability of genetic resistance against black leg
- Integrated control of black leg in canola and oilseed rape
- Excellent seed safety



COME AND
MEET US
AT IRC!

DOWNLOAD THE SYNGENTA
SEEDCARE AR APP AT:



syngenta®

www.syngentaseedcare.com

©2019 Syngenta. Important: Use seed treatment products safely. Always read the label and product information before use. Labels contain important conditions of sale, including limitations of warranty and remedy. ADEPIDYN™ is not registered or available for sale/use in the EU. SALTRO™, ADEPIDYN™, the SYNGENTA Logo, the PURPOSE ICON, the ALLIANCE FRAME are Trademarks of a SyngentaGroup Company.

#035	Official VCU Test of Winter Oilseed Rape in Germany ▪ Richard Manthey
#036	Specific chromosome rearrangements and allelic variants influence fertility and genome stability in novel Brassica allohexaploids ▪ Annaliese Mason , Roman Gaebelien, Sarah V. Schiessl, Birgit Samans, Jacqueline Batley
#037	Quantitative disease resistance and structural genome variation ▪ Christian Obermeier , Iulian Gabur, Harmeet S. Chawla, Paul Vallrath, Rod Snowdon
#038	Uncovering the scope of fixed homoeologous recombination events in <i>Brassica napus</i> using long read sequence data ▪ Isobel Parkin , Chu Shin Koh, Erin Higgins, Andrew Sharpe
#039	Genetic characterization and fine mapping for multiple main inflorescence in <i>Brassica napus</i> L. ▪ Wei Qian , Zhi Liu, Yongjing Zhang, qinfei Li, Xinyong Wang, Yixin Cui
#040	Cytoplasmic evolution of Brassica genus and its significance for developing novel Brassica crops ▪ Jiangwei Qiao , Xiaojun Zhang, Biyun Chen, Qiong Hu, Xiaoming Wu
#041	Understanding root traits – genetics, genomics and transcriptomic approaches in rapeseed/canola ▪ Mukhlesur Rahman , Muhammad Arifuzzaman
#042	Breeding <i>Brassica napus</i> canola by use of <i>B. oleracea</i> : Mapping flowering time and biomass traits in the C genome of <i>B. napus</i> using a population carrying genome content introgressed from <i>B. oleracea</i> ▪ Habibur Rahman , Rick A. Bennett, Berisso Kebede
#043	Potential of rutabaga (<i>Brassica napus</i> var. <i>napobrassica</i>) gene pool for use in the breeding of <i>B. napus</i> canola ▪ Habibur Rahman , Bijan Shiranfar, Neil Hobson, Berisso Kebede, Rong-Cai Yang
#044	Genetic variation and QTLs for transpiration efficiency and yield related traits under low rainfall environments in canola ▪ Harsh Raman , Rosy Raman, Yu Qiu, Simon Diffey, Lauren Borg, Brett McVittie, Suzy Rogiers, Nawar Shamaya, Andrew Easton, David Tabah
#045	Discovering novel phytic acid mutants in oilseed rape for future breeding ▪ Niharika Sashidhar , Hans-Joachim Harloff, Christian Jung
#046	Methods to determine copy number variation in Brassica species ▪ Sarah Schiessl-Weidenweber , Rod Snowdon, Annaliese Mason
#047	Evaluation of transcriptome and DNA methylation data for the prediction of hybrid performance in oilseed rape. ▪ Stefan Scholten , Felix Seifert, Susanne Edelman, Christian Werner, Christian Rockmann, Heike Pospisil, Rod Snowdon, Björn Usadel, Amine Abbadi, Gunhild Leckband

#048	Exploiting Long Read Sequence Technology to Resolve the Hidden Genomic Landscape of Brassica Species ▪ Andrew Sharpe , Isobel Parkin, Sampath Perumal, Chu Shin Koh, Erin Higgins, Lingling Jin, Miles Buchwald, Tricia Bender, Steve Robinson
#049	Maternal control of seed weight in rapeseed (<i>Brassica napus</i> L.): the causal link between the size of pod (mother, source) and seed (offspring, sink) ▪ Jiaqin Shi , Na Li, Jiepeng Zhan, Xinfu Wang, Guihua Liu, Hanzhong Wang
#050	Analysis of training population effects on genomic selection in <i>Brassica napus</i> L. ▪ R. W. Duncan , J. Sun, E. E. Higgins
#051	Regulation of STM and CUC2 genes on apical meristem of cold-resistant winter <i>Brassica rapa</i> ▪ Wancang Sun , Yuhong Zhao, Li Ma, Yu Chang, Jing Bai, Yuyuan Pu, Zaoxia Niu, Jiaojiao Jin, Lijun Liu, Junyan Wu, Yan Fang, Xuecai Li
#052	Official DUS Test and Plant Breeders Rights Protection of Winter Oilseed Rape in Germany ▪ Elisabeth Thiemt
#053	Gene expression patterns and RdDM-mediated epigenetic regulations of duplicated genes in <i>Brassica napus</i> subgenomes A and C ▪ Chaobo Tong , Xianhong Ge, Zaiyun Li, Shengyi Liu
#054	Early Assessments on the Feasibility of Selection for Reduced Secondary Dormancy Potential in Annual <i>Brassica napus</i> ▪ Sally Vail , Caroline Brown, Robert H. Gulden, Isobel Parkin, Steve Robinson, Steve Shirtcliffe
#055	Dissecting the genetic loci accounting for seed oil content of <i>Brassica napus</i> with reciprocal introgression mapping populations ▪ Meng Wang , Graham J King, Ruiyuan Li, Yan Long, Lei Shi, Jinxing Tu, Jinling Meng, Jun Zou
#056	Resequencing and multi-environmental phenotyping of 1650 accessions of Rapeseed (<i>Brassica napus</i> L.) ▪ Xiaoming Wu , Guzhen Gao, Ting Xie, Xi Cheng, Guixin Yan, Biyun Chen, Lixia Li, Hao Li, Song Chen, Fengxiang Chen, Yiqu Tu, Maolin Wang, Yang Xiang, Minglian Fu, Zhen Huang, Hao Wang
#057	Genomic analyses of rapeseed dissect selective signatures and genetic networks underlying plant architecture and yield traits ▪ Xiaoming Wu , Jihong Hu, Ting Xie, Jing Zhao, Guizhen Gao, J.Chris Pires, Jacqueline Batley, Hong An, Biyun Chen, Guixin Yan, Fugui Zhang, Lixia Li, Hongge Li, Xi Cheng, Jie Ma, Kun Xu, Meli Zhang, Xin Xiao, Yujie Luo, J.Chris Pires, Hao Li, Qian Huang, Yuanyuan Hui, Xun Zhou, Ruiqiang Li, Shilin Tian
#058	Genome Editing for Rapeseed Genetic Improvement ▪ Hongtao Cheng , Chao Li, Jia Liu, Rijng Zhou, Wenxiang Wang, Qarmar U. Zaman, Hui Wang, Desheng Mei, Qiong Hu
#059	Genome reshuffling revealed by mapping and genome sequencing of progenies from interspecific crosses involving <i>B. carinata</i> , <i>B. rapa</i> and <i>B. napus</i> ▪ Yikai Zhang , Xiangxiang He, Huaqi Zhang, Huiying Xue, Dandan Hu, Han Qin, Meng Wang, Qingyong Yang, Jinling Meng, Jun Zou
#060	Population Genomic Analyses Identify Signatures of Selection and Loci Associated with Agronomic Traits in <i>Brassica Napus</i> ▪ Yuanyuan Zhang , Yuanyuan Zhang, Minqiang Tang, Yueying Liu, Junyan Huang, Ming Hu, Chaobo Tong, Yanqiu Zhou, Xiaohui Cheng, Li Yang, Lingli Yang

#061	Knockout of two BnaSM1s generated by CRISPR/Cas9-targeted mutagenesis improves plant architecture and increases yield in rapeseed (<i>Brassica napus</i> L.) ▪ Ming Zheng , Liang Zhang, Min Tang, Jinglin Liu, Xiaokang Li, Hongli Yang, Shihang Fan, Zhiyong Hu, Hanzhong Wang, Wei Hua
#062	Early establishment of photosynthesis plays a key role in early biomass heterosis in <i>Brassica napus</i> (canola) hybrids ▪ Anyu Zhu , Aihua Wang, You Zhang, Liz Dennis, Jim Peacock and Ian Greaves
#063	Expanding a novel gene pool of <i>Brassica napus</i> with massive introgression of related oilseed species and exploring its intersubgenomic heterosis ▪ Jun Zou , Dandan Hu, Jinjie Jing, Han Qin, Wenshan Zhang, Yikai Zhang, JinXiong Shen, Jinling Meng
#064	Non-targeted metabolome profiling of green flower buds in oilseed rape: Screening for resistance against the pollen beetle ▪ Nadine Austel , Christoph Böttcher, Torsten Meiners
#065	Adaptive dynamics of populations of <i>Leptosphaeria maculans</i> under resistance selection pressure: insights from two decades of surveys in France ▪ Marie-Hélène Balesdent , Florence Carpentier, Laurent Coudard, Suzanne Touzeau, Thierry Rouxel
#066	Next generation molecular fungicides: control of <i>Sclerotinia sclerotiorum</i> using RNA interference technologies ▪ Mark Belmonte , Steve Whyard, Philip Walker, Nick Wytinck
#067	Pyrethroid resistance of insect pests of oilseed rape in Germany ▪ Meike Brandes , Udo Heimbach
#068	Lectin genes, concanavalin, curculin and hevein, enhances resistance to the fungal pathogen <i>Sclerotinia sclerotiorum</i> in <i>Brassica napus</i> ▪ Lone Buchwaldt , Dwayne Hegedus, Diana Bekkaoui, Jonathan Durkin, Jackie Nettleton, Edis Dzananovic
#069	Integrating Control strategies Against soil-borne Rhizoctonia solani in OilSeed rape (ICAROS) ▪ Rumiana Ray , Dasuni Jayaweera, Bukky Ajigboye, Michael Tait
#070	Effect of migration time on population dynamics and damage potential of cabbage stem flea beetle (<i>Psylliodes chrysocephala</i> L.) ▪ Nils Conrad , Meike Brandes, Bernd Ulber, Udo Heimbach
#071	Improving blackleg resistance durability through rotation of major-gene resistance groups in commercial canola fields on the Canadian prairies. ▪ Justine Cornelsen , Zhongwei Zou, Diantha Fernando
#072	Fungicide sensitivity of <i>Sclerotinia sclerotiorum</i> and consequences for stem-rot control in oilseed-rape ▪ Juergen Derpmann , Andreas Mehl

DISEASES AND PESTS, PLANT PROTECTION

Schöne Aussichten auf Ihren Ertrag



#073	International initiative on the nomenclature and curation of clubroot resistance loci <ul style="list-style-type: none">▪ Elke Diederichsen, R. Fredua-Agyeman, K. Hatakeyama, N. Hayashida, Y.P. Lim, K. Okazaki, H. Rahman, Z. Y. Piao, F. Yu, G. Peng
#074	Synchronous improvement of subgenomes in rapeseed for Sclerotinia resistance <ul style="list-style-type: none">▪ Yijuan Ding, Jiaqin Mei, Wenjing Yang, Baoqin Yan, Hua-fang Wan, Wei Qian
#075	Effects of model parameter uncertainty in predicting severity of phoma stem canker epidemics in UK winter oilseed rape crops <ul style="list-style-type: none">▪ B. Fitt, F. Newbery, M. W. Shaw, A. Qi
#076	Genomic tools for the management of clubroot of canola (<i>Brassica napus</i>) <ul style="list-style-type: none">▪ L. Galindo-González, H. Askarian, H. Tso, M. Holtz, S-F. Hwang, S.E. Strelkov
#077	Dropleg-technique against insect pests in flowering oilseed rape <ul style="list-style-type: none">▪ Johannes Hausmann, Brandes, Meike
#078	Receptor-like kinases BAK1 and SOBIR1 are required for necrotizing activity of <i>Sclerotinia sclerotiorum</i> necrosis-inducing effectors <ul style="list-style-type: none">▪ Dwayne Hegedus, Shirin Seifbarghi, Mohammed Hossein Barhan, Yangdou Wei, Lisong Ma, Cathy Coutu, Diana Bekkaoui
#079	Host resistance affects coexistence of two related fungal pathogens <i>Leptosphaeria maculans</i> and <i>L. biglobosa</i> <ul style="list-style-type: none">▪ Yongju Huang, Asna Javaid, Lakshmi H. Gajula, Chinthani S. Karandeni-Dewage, Georgia K. Mitrousis, Bruce D.L. Fitt
#080	Reconsideration of disease cycle of Rapeseed stem rot caused by <i>Sclerotinia sclerotiorum</i> and management with biological agents <ul style="list-style-type: none">▪ Daohong Jiang, Jiatao Xie
#081	Identification of plant traits related to the tolerance of WOSR to pollen beetle <ul style="list-style-type: none">▪ Alexandra JULLIEN, A. Pinet, A. Mathieu, C. Richard-Molard, A. Fortineau
#082	Hormonal Responses to <i>Plasmodiophora brassicae</i> Infection in <i>Brassica napus</i> Cultivars Differing in Their Pathogen Resistance <ul style="list-style-type: none">▪ Veronika Konradyova, Sylva Prerostava, Petre I. Dobrev, Vojtech Knirsch, Alena Gaudinova, Barbara Kramna, Jan Kazda, Jutta Ludwig-Müller, Radomira Vankova
#083	Innovations in fungicide and insecticide seed treatments in Europe: SCENICgold and BUTEOstart <ul style="list-style-type: none">▪ Susanne Kretschmann
#084	Seed Applied Technology to help Canadian Producers Manage Blackleg in Canola <ul style="list-style-type: none">▪ D. Fernando, T. Labun, F. Brandl
#085	The amount of <i>Leptosphaeria maculans</i> -contaminated dockage in canola seed shipments is not related to blackleg disease transmission in seed spillage piles. <ul style="list-style-type: none">▪ Ralph Lange, W. D. Dmytriw, A. El-mezawy, R. Werezuk, R. Ramaratham, C. Rempel

HYBRIDRAPS

RGT TREZZOR

HYBRIDRAPS

RGT ARAZZO



www.ragt-saaten.de

R.A.G.T. Saaten Deutschland GmbH • info@ragt.de

#086	Genetic Mapping and Characterisation of the Novel Blackleg Resistance Genes LepR5 and LepR6 ▪ Nicholas Larkan , Isabel A. P. Parkin, M. Hossein Borhan
#087	Complexity of <i>Leptosphaeria</i> -Brassica interaction revealed by a novel class of disease resistance genes against blackleg disease ▪ Nicholas Larkan , Hossein Borhan, Lisong Ma, Parham Haddadi, Isabel Parkin,
#088	Damage from the brassica pod midge <i>Dasyneura brassicae</i> in relation to landscape factors and abundance of the midge and the seed pod weevil <i>Ceutorhynchus obstrictus</i> ▪ Mattias Larsson , Axel Rösвик, Emma Johansson, Karin Henriksson, Peter Anderson
#089	A Biosensor for Sclerotinia Stem Rot Forecasting ▪ Xiujie Susie Li , Jian Yang, Jie Chen, Lian Shoute, Scott MacKay
#090	QTL analysis identifies genomic regions associated with clubroot disease in Brassica rape seed ▪ Yang Pyo Lim , Su Ryun Choi, Sang Heon Oh, Sungmin Hong, Jana Jeevan Rameneni
#091	Multilevel analysis of the clubroot disease and its biological control by an endophytic fungus ▪ Jutta Ludwig-Müller , Susann Auer, Martin Cerny, Bretislav Brzobohaty
#092	Integrated control of establishment pests in canola: an Australian perspective ▪ Michael Nash
#093	Integral® Pro – A new Generation of Seed Treatment in Oil Seed Rape ▪ Emmanuelle Noirtin , Paul Cavelli, Martin Benninger
#094	Effect of hairiness in Brassica lines on flea beetle feeding behavior ▪ Chrystel Olivier , Tyler Wist, Dwayne Hegedus, Zohreh Heydari, Adam Jones
#095	The mechanism and durability of intermediate resistance to <i>Plasmodiophora brassicae</i> pathotype X conferred by two resistance genes ▪ Gary Peng , R. WEN, T. SONG, N. TONU, J. LEE, K. HORN-ADAY, J. BUSH, F. YU
#096	Neonicotinoid insecticide presence in flowing water and wetlands across Canada, impact on pollinators and aquatic invertebrates and risk mitigation with emphasis on canola production ▪ Curtis Rempel , K. Sapsford, S. Cook, A. Kalischuk, D. Feindel, R. Wilkins, G. McMaster, P. Bajracharya, D. Rheault, G. Robertson, P. Badiou, L. Mesones, M Walker, C. Harrington, D. Dyer
#097	Breeding perspectives for pest control in rapeseed ▪ Steffen Rietz , Simon Goertz, Katharina Lohaus, Ines Vollhardt, Bernd Ulber, Kirstin Feussner, Krzysztof Zienkiewicz, Ivo Feussner, Nadine Austel, Torsten Meiners, Gunhild Leckband
#098	Development of molecular tools for identification and monitoring of main weevil pests and natural enemies in OSR ▪ C. Robert , S. Bothorel, S. Luze, A. Lauvernay, M. Leflon, G. Delvare, J. C. Streito, E. Pierre, P. Cruaud, M. Ollivier, G. Genson, A. Cruaud, J. Y. Rasplus

#099	Use of agronomical techniques to manage rape winter stem weevil (<i>Ceutorhynchus pictarisis</i>) and cabbage stem flea beetle (<i>Psylliodes chrysocephala</i>) populations in winter oilseed rape. ▪ Celine Robert , C. LEGALL, C. PONTET, V. LECOMTE, M. GELOEN, S. CADOUX, G. SAUZET, L. RUCK
#100	Turnip yellows virus-resistant rapeseed varieties as a possible solution against aphid-borne virus disease ▪ Laurent RUCK , Emmanuel Jacquot, Elodie Pichon, Marlène Souquet, Arnaud Van Boxsom
#101	Identification of <i>Brassica juncea</i> germplasm resistant to <i>Sclerotinia sclerotiorum</i> and study of inheritance in early generations ▪ Pankaj Sharma , VV Singh, NC Gupta, PD Meena, PK Rai
#102	Genome-wide histone map of the blackleg fungus <i>Leptosphaeria maculans</i> ▪ Jessica L. Sayer , Colin Clairet, Elise Gay, Françoise Blaise, Eva H. Stukenbrock, Isabelle Fudal
#103	Blackleg control in climate-adaptive Australian farming systems ▪ Susan Sprague , R. Brill, J. A. Kirkegaard
#104	Effector-triggered defence of brassicas against extracellular fungal pathogens ▪ Henrik Stotz , Katherine Noel, Jamie Stone, Bruce D. L. Fitt
#105	A critical role for AtGDSL1 lipase gene in <i>Sclerotinia sclerotiorum</i> resistance and functional identification of its rapeseed homologue that underwent selection during breeding ▪ Xiaoli Tan , Li-Na Ding, Ming-Li, Xiao-Juan Guo, Min-Qiang Tang, Jun Cao, Zheng Wang, Ke-Ming Zhu, Liang Guo, Sheng-Yi Liu
#106	Detection of ascospore release of <i>Sclerotinia sclerotiorum</i> with real time PCR an important tool in understanding disease development in winter OSR ▪ A. C. Wallenhammar , M. Algerin
#108	The influence of different isolates of Turnip yellows virus (TuYV) and biotypes of Myzus persicae on rapeseed infection ▪ Torsten Will , Heiko Ziebell, Regina Kölzsch, Maria Kern, Jonas Hartrick, Thomas Thieme
#109	Genome-wide association mapping of resistance to clubroot in <i>Brassica napus</i> ▪ G. Peng , F. Yu, A. Dakouri, M. Lamara, M. Karim, J. Wang, Q. Chen, S. E. Strelkov, S. Hwang, B. D. Gossen
#110	Influence of inoculum density, virulence of <i>P. brassicae</i> isolates and cultivar resistance on clubroot development and build-up of resting spores in oilseed rape cultivars ▪ Nazanin Zamani-Noor , Imke Krohne, Birger Koopmann
#111	Genome-wide association study to dissect the genetic regulation of metabolism and resistance to <i>Sclerotinia sclerotiorum</i> in <i>Brassica napus</i> ▪ Yuan Yuan Zhang , Minqiang Tang, Yizhou He, Junyan Huang, Yueying Liu, Xiaohui Cheng, Jie Liu, Lijiang Liu, Chaobo Tong, Shengyi Liu
#112	Course of colonization and potential for seed transmission of <i>Verticillium longisporum</i> in winter and spring type oilseed rape (<i>Brassica napus L.</i>) under field conditions and the role of soil temperature ▪ Xiaorong Zheng , Alice Bisola Eseola, Annette Pfordt, Daniel Teshome Lopisso, Birger Koopmann, Andreas von Tiedemann

#113	Turnip Yellows Virus (TuYV): Incidence and impact on yield in European winter oilseed rape ▪ Stefan Abel , Laurent Hanneton, Vasilis Gegas
#181	Integrative genomics and metabolomics approaches to decipher mechanisms underlying quantitative resistance to blackleg in oilseed rape ▪ Regine Delourme , Antoine Gravot, Anne Levrel, Youssef Abu-Ahmad, Jean-Philippe Vernadet, Fabrice Legeai, Jocelyne Lemoine, Anani-Amegan Missinou, Philippe Duffé, Fabien Dutreux, Jean-Marc Aury, Corinne Cruaud, Mélanie Logarigue-Reboutier, Régis Lavigne, Maria Manzanares-Dauleux, Marie-Hélène Balesdent, Thierry Rouxel
#114	Sowing companion plants with winter oilseed rape to reduce herbicide use. A survey ▪ Alice Baux , X. Bousseelin, P. Schumacher
#115	Status of Clearfield Oilseed Rape and Prospects of Future Development in Europe ▪ Johannes Bessai , A. Schönhammer, B. Gicquel
#116	Water shortages during flowering impact seed qualities in oilseed rape ▪ Grégoire Bianchetti , Françoise Le Cahérec, Anne-Sophie Bouchet, Aurélien Carrillo, Cécile Baron, Benoit Ly Vu, Laurent Leport, Julia Buitink, Nathalie Nesi
#117	Deciphering the genetic diversity of WOSR seed yield elaboration and NUE in the field: what is the relative contribution of plant growth, leaf area dynamics, N uptake and N use efficiencies during the crop cycle? ▪ Christine Bissuel-Bélaygue , M. Kutelmach, C. Richard-Molard, A. Tolleneare, J. M. Allirand, A. Laperche
#118	A sensitivity analysis study for improving Sulphur management strategies in Winter Oilseed Rape ▪ Sophie Brunel-Muguet , E. Poisson, F. Kauffman, J. Trouverie, J.-C. Avice, A. Mollier
#119	DRONE-BASED ASSESSMENT OF AUTUMNAL WINTER OILSEED RAPE GROWTH ▪ Josephine Bukowiecki , Kage, H.
#120	Tillage strategies to optimize rapeseed establishment: a method to support decision making ▪ Stéphane Cadoux , Anne-Sophie Perrin, Gilles Souzet, Terres Inovia
#122	Grain oil concentration of rapeseed under different source-sink ratios affecting grain weight ▪ Daniel Calderini , Jose Verdeja, Marcelo Labra
#123	Temperature and radiation stresses explain most of the environmental variation of seed yield across a French network, and allow to tackle GxE interaction in winter oilseed rape cultivars ▪ Erwan CORLOUER , Anne-Sophie BOUCHET, Arnaud GAUFFRETEAU, Christine BISSUEL-BELAYGUE, Nathalie NESI, Anne LAPERCHE
#124	A Review of Heat Stress in Spring and Winter Canola (<i>Brassica napus L.</i>) ▪ Til Feike , D. Sabboura, S. F. El Habbasha, T. Kautz

AGRONOMY AND CROP SCIENCE

#125	OILSEED RAPE PRODUCTION AND THE USE OF NEONICOTINOIDS IN POLAND ▪ Krzysztof Gawecki
#126	Improving canola agronomy with third-party and farmer-run research ▪ Clinton Jurke , Curtis Rempel, Murray Hartman, Nicole Philp
#127	Prediction and Modeling of Hybrid Performance and Yield Gain in Oilseed Rape by Systems Biology ▪ Moritz Kupisch , Matthias Langensiepen, Stefan Scholten, Rod Snowden, Björn Usadel, Amine Abbadi, Gunhild Leckband
#128	Genotypic Diversity and Plasticity of Root System Architecture in response to Nitrogen Availability in Winter Oilseed Rape (<i>Brassica napus</i>) ▪ Christophe Lecarpentier , Loïc Pagès, Céline Richard-Molard
#129	Effects of integrated crop management on the soil fertility, physiological mechanisms and yield of winter oilseed rape in the paddy field ▪ Ni Ma , Lin Wan, Lixin Liu, Chunlei Zhang
#130	Technologies for pesticide applications in OSR/Canola ▪ Walter Mayer , Robert Heinkel

#131	PHENOVIEW a field experimental platform in Burgundy for WOSR phenotyping under low chemical inputs. ▪ Xavier PINOCHET , F. Kazempour-Ricci, P. Marget, V. Deytieu, F. Salvi, L. Thiery, J. L. Lucas
#133	Promoting Biodiversity in Canola Cropping Systems: Ecosystem Services on the Canadian Prairies ▪ Gregory Sekulic
#134	Strategies to optimize N fertilization of winter oilseed rape ▪ Klaus Sieling , Henning Kage
#135	VIBRANCE OSR: a Novel Seed Treatment Solution for Control of Soilborne Diseases in Oilseed Rape ▪ Brigitte Slaats , Monika Joss, Franz Brandl, Laurent Gobert
#136	Integrated pest and disease management to optimise yield in winter oilseed rape ▪ Julie Smith , Clare Tucker, Pete Berry,
#137	Winter Canola Requires Unique Adaptation to the U.S. Southern Great Plains ▪ Michael Stamm , Scott Dooley

#138	Effect of heat stress on canola yield and quality ▪ Rajneet Uppal , Rohan Brill, John Bromfield
#139	Deciphering the response of winter oilseed rape to nitrogen inputs: fine roots do matter in Nitrogen Use Efficiency! ▪ Victor Vazquez-Carrasquer , C. Bissuel-Bélaygue, A. Laperche, M. Chelle, C. Richard-Molard
#140	Canola yield and its association with phenological, architectural and physiological traits across the rainfall zones of southwestern Australia ▪ Heping Zhang , Heping Zhang, Jens Berger, Chris Herrmann, Adam Brown, Sam Flottmann
#143	Leaf nitrogen content strongly affects dynamic photosynthesis, but does not affect the steady-state photosynthesis of canola (<i>Brassica napus</i> L.) ▪ Jiahuan Liu , Kangkang Zhang, Fang Chen, Liyong Hu

ANALYSIS, USE OF PRODUCTS

#141	Pilot Plant Concept "EthaNa" for Ethanol Extraction of Dehulled Rape Seeds ▪ Gunter Börner , Agnes Pior, Daniela Pufky-Heinrich, Markus Henneberg
------	---



Founded in 1856, KWS develops competitive plant varieties for efficient and sustainable Agriculture.

Today KWS is one of the leading plant breeding companies world-wide and represented in more than 70 countries. Our work focuses on yield stability, product quality and the preservation of genetic resources. Rapidly advancing technological developments in the field of plant biotechnology have given rise to new developments of crop varieties with improved characteristics.

For more information visit: www.kws.com

www.kws.com

**SEEDING
THE FUTURE**
SINCE 1856



#142	Is profiling of volatile compounds from virgin rapeseed oil a promising tool for the assessment of the sensory quality? ▪ Bertrand Matthäus , Ludger Brühl, Anja Bonte
#143	Metabolite profiling analysis and quantification of phenolic compounds between the yellow- and black-seeded rapeseed by HPLC-MS ▪ Cunmin Qu , Nengwen Yin, Shuxian Wang, Shulin Shen, Xingyu Chen, Kun Lu, Zhanglin Tang, Xinfu Xu, Ying Liang, Jiana Li
#144	Requirements for Canola / Rapeseed Proteins for Use in Food and Feed ▪ Ralf-Peter Tressel , Jesus Palomino, Corinna Dawid
#145	Taurine Production in Brassica: a New Marketable Trait ▪ Frank Turano , Michelle Price, John Thoguru, Sulochana Cheepineeti, Jeffrey Shipp, Kathleen Turano
#146	New Processing Technology of High Quality and Fragrant Rapeseed Oil ▪ Li Wen-lin , HUANG Feng-hong, LIU Chan-sheng, WAN Chu-yun
#147	Study on the biological activity of canolol in rapeseed oil ▪ Mingming Zheng , Xia Xiang, Xiaoyang Xia, Zhen Zhang, Ling Han, Fenghong Huang

RAPSEED/CANOLA FOR HUMAN NUTRITION

#148	Amino Acid Content and Genetic Control in <i>Brassica napus</i> L. ▪ Robert Duncan , Danica L. W. Swaenepoel, Curt McCartney, James D. House
#149	Opportunities and challenges for the production of canola / rapeseed protein for human nutrition. ▪ Samah Garringer , Michael Rass
#150	Tracing the bitter off-taste compounds in rapeseed protein isolates ▪ Christoph Hald , Corinna Dawid, Ralf Tressel, Thomas Hofmann
#151	"Native" rape seed protein product ▪ Steffen Hruschka
#152	CanolaPro: Feeding a growing population ▪ Gertjan Smolders
#153	Cruciferin subunit composition affects oil-water interface stabilization and heat-induced structure development ▪ Janitha Wanasundara , Thushan S. Withana-Gamage, Tara C. McIntosh, Xiao Qiu, Dwayne D. Hegedus

RAPSEED/CANOLA FOR ANIMAL NUTRITION

#154	Chemical composition and nutritional characteristics of rapeseed meal produced in France ▪ Sylvie Dauguet , Elodie TORMO, Anne-Gaëlle SICAIRE, Mohammed KROUTI, Vincent JAUVION, Alain QUINSAC
#155	Increase of the protein content of rapeseed meal by sifting technology ▪ Alain QUINSAC , Dauguet Sylvie, Peyronnet Corinne, Krouti Mohammed, Gendron Audrey, Carré Patrick, Briounet François
#156	Rapeseed feeds for swine - Recent studies and perspectives ▪ Friedrich Schöne
#157	Canola meal for poultry - Recent studies and perspectives ▪ Bogdan Slominski , Anna Rogiewicz
#158	Pea and rapeseed meal in protein reduced diets for broilers ▪ Petra Weindl , P. Weindl, G. Bellof

ECONOMY AND MARKET

#159	Economics of open pollinating vs. hybrid rapeseed varieties ▪ Pawel Boczar
#160	Western Australian seed options in rapeseed: prerequisites and economic implications ▪ Jackie Bucat , Mark Seymour, Martin Harries, Bob French
#161	Russian rapeseed – evolution and economic perspectives ▪ Sergey Tuchin
#162	Positioning Oilseed Rape in the High Oleic Oils Market ▪ Fabrice Turon
#163	Global rapeseed production – how do key players perform economically? ▪ Yelto Zimmer

MUSTARD AND OTHER CRUCIFEROUS OILSEED CROPS

#164	Genetics of flowering and maturity in <i>Brassica juncea</i> (L.) ▪ Javed Akhtar , Anna Goyal, Navneet Kaur, Meenakshi Mittal, Chhaya Atri, Mohini Prabha Singh, Ravinder Kumar, V.K. Sardana, Baudh Bharti, S.S. Banga
#165	Enhancing parental lines for oil and meal quality to develop CMS based canola hybrids in Indian mustard (<i>Brassica juncea</i> L.) ▪ Gurpreet Kaur , Gurdeep Kaur, S. S. Banga
#166	Shikimate representatives and Catalase (CAT2) are possible determinants of resistance to mustard aphid infestation in <i>Brassica fruticulosa</i> ▪ Rimaljeet Kaur , Chhaya Atri, Javed Akhtar, Anju Sharma, S. S. Banga
#167	Antixenosis and antibiosis mechanisms of resistance to turnip aphid, <i>Lipaphis erysimi</i> in <i>Brassica juncea-fruticulosa</i> introgression lines ▪ Sarwan Kumar , Shivani Palial, Chhaya Atri, S. S. Banga
#168	Exploring diversity of <i>Brassica juncea</i> genomes to improve <i>B. napus</i> varieties ▪ Zhongsong Liu , Lei KANG, Lunwen QIAN, Hao CHEN, Liu YANG, Wei HUA, Ming ZHENG
#169	Exploring the genetic variation of the mustard <i>Sinapis alba</i> using a new reference genome ▪ Isobel Parkin , Lily Tang, Sampath Perumal, Lingling Jin, Chu Shin Koh, Vicky Roslinsky, Erin Higgins, David Williams, Bifang Cheng
#170	Genome wide association study for oil content under terminal heat stress in Indian mustard (<i>Brassica juncea</i>) ▪ Surinder K Sandhu , Lalit, Jasmeet Kaur, Dharminder Bhatia, S. S. Banga
#171	Physiological and Biochemical Basis of Salinity Tolerance in Indian mustard (<i>B. juncea</i>) ▪ Pushp Sharma , Kannu Priya, Virender Sardana, Prakash Choudhary, Surinder S. Banga
#172	Expression profiling of transporter genes in relation to glucosinolate accumulation in vegetative and reproductive sinks of <i>Brassica juncea</i> ▪ G. Kaur , S. Sharma, H. Rani, R. Nagra, S.S. Banga

OTHER TOPICS

- #173 **Utilization of Chinese wood to develop the antiviral rapeseed**
▪ **Lei Kang**, Aifan Wang, Pengfei Li, Xianhong Ge, Zaiyun Li
- #174 **Identification of genetic factors related to human health promoting functional compounds in Chinese Cabbage**
▪ **Yong Pyo Lim**, Su Ryun Choi, Jana Jeevan Rameneni, Sushil Satish Chhapekar, Sang Heon Oh
- #175 **GIS and Remote sensing approaches toward sustainable management and production of rapeseed (*Brassica napus L.*) in Tunisia**
▪ **Radhoua Naddari**, Mourad Oubira; BelHaj Mahdi; Jalouli Mohamed Salah; Feryeni Wassim; Ben Salah Rabiaa; Hamzaoui Mohamed Cheher; Sahli Ali
- #177 **Establishment and application of biotechnologies in *Camelina sativa***
▪ **Barno Rezaeva**, Ingrid Otto, Jochen Kümlehn
- #178 **Novel industrial rapeseed oils as bio-base stocks for lubricant production.**
▪ **Natalia Stawniak**, Raymond Sloan, Harjeevan Kaur, Ian Bancroft
- #179 **OILSEED RAPE AND PRE-CROPPING EFFECTS FROM GRAIN LEGUMES – NITROGEN FLUXES AND PRODUCTIVITY**
▪ **D. Gouache**, A. Schneider, F. Flénet
- #180 **Discovery and applications of double haploid inducing lines in rapeseed**
▪ **Yun Li**, Shaohong Fu, Liqin Yin, Jinxiong Shen, Jisheng Wang, Qiong Zou, Bin Yi, Jing Wen, Tingdong Fu, Lanrong Tao, Zeming Kang, Rong Tang, Jin Yang



Pioneer, a business unit of Corteva Agriscience™, Agriculture Division of DowDuPont, is the world's leading developer and supplier of advanced plant genetics, providing high-quality seeds to farmers in more than 90 countries.

Pioneer provides agronomic support and services to help increase farmer productivity and profitability and strives to develop sustainable agricultural systems for people everywhere.

SCIENCE WITH SERVICE DELIVERING SUCCESS®

Posters

GENETICS, GENOMICS AND BREEDING

- #200** Study on stability of Iranian mutant oilseed rape genotypes by using GGE Biplot
 ▪ **Mehrzad Ahmadi**, Mansor Omid, Bahram Alizadeh, Ali Akbar Shah Nejat Bushehri
- #201** Effect of genotype and location on Yield, Oil, Protein, Glucosinolates and Saturates of Canola across Western Canada over three years
 ▪ **Ushan Alahakoon**, D. Fekri, C. B. Koscielny, S. W. Gardner
- #202** Adaptation Study of European Oilseed rape Cultivars in Iran
 ▪ **Bahram Alizadeh**, A. Rezaizad, M. Yazdandoost, H. R. Khadem Hamze
- #203** Magnitude of heterosis and combining ability in oilseed rape (*Brassica napus L.*) across environments
 ▪ **Hassan Amiri Oghan**, Amir Hossein Shirani Rad, Farnaz Shariati, Mohammad Bagher Valipour
- #204** CropSNPdb: a database of SNP array data for Brassica crops and hexaploid bread wheat
 ▪ **Robyn Anderson**, Armin Scheben, Brent Verpaalen, Cynthia T. Lawley, Chan-Kit K. Chan, Philipp E. Bayer, Jacqueline Batley, David Edwards
- #205** Bias in resistance gene prediction due to repeat masking
 ▪ **Robyn Anderson**, Philipp E. Bayer, David Edwards, Jacqueline Batley
- #206** Test of the potential use of SNP markers on oilseed rape varieties
 ▪ **Anne Bernole**, Muriel Thomasset, Margaret Wallace, Helen Appleyard, Cheryl Turnbull, Elizabeth Scott, Arnaud Remy, Anne-Lise Corbel
- #207** A practical application of SNP marker assisted selection in canola (*Brassica napus*) cultivar development programs
 ▪ **Lack Brown**, Z. Zhang, H. Dong, J. B. Davis, A. Job
- #208** Genome-Wide Differences in DNA Methylation Changes in Two Contrasting rapeseed Genotypes in Response to Drought Conditions
 ▪ **Dangfang Cai**, Shufen Zhang, Jianping Wang, Junping He, Jinhua Cao, Yancheng Wen, Lei Zhao, Dongguo Wang, Jiacheng Zhu
- #209** Selection for double low quality semi-resynthesized DH lines of oilseed rape (*Brassica napus L.*)
 ▪ **Teresa Cegielska-Taras**, Laurencja Szała, Katarzyna Sosnowska, Alina Liersch, Wiesława Popławska
- #210** Development of molecular markers for fine mapping of a locus associated with heterosis in canola (*Brassica napus L.*)
 ▪ **Wun Chao**, Puying Zheng, Mukhlesur Rahman, James V. Anderson,
- #211** Genome-wide association mapping of freezing tolerance in canola (*Brassica napus L.*)
 ▪ **Wun Chao**, James V. Anderson, David P. Horvath, Michael J. Stamm
- #212** The R2R3-MYB transcription factor BnaPAP.A7 regulates anthocyanin accumulation in rapeseed (*Brassica napus L.*)
 ▪ **Daozong Chen**, Daozong Chen, hong Ge, Zaiyun Li
- #213** In vitro Vernalization of Microspore-derived Plantlets in Winter Canola
 ▪ **Wenpin Chen**, Igor Falak
- #214** Modulation expression of auxin biosynthesis genes in *Brassica napus* altered plant development and drought resistance
 ▪ **Hongtao Cheng**, Mengyu Hao, Bingli Ding, Jia Liu, Wenxiang Wang, Qamar U Zaman, Hui Wang, Rijin Zhou, Li Fu, Desheng Mei, Rachel Wells, Qiong Hu
- #215** Effect of exogenous 5-hydroxytryptamine (5-HT) on rape (*Brassica napus L.*) seedling under drought stress
 ▪ **Yang Cheng**, Tian Shanshan, Li Jiqiang, Zou Xiling, Zhang Xuekun, Fu Guiping, Lv Yan, Zeng Liu, Yan Lei, Liu Yu
- #216** QTL and candidate genes identification for silique length by SNP array and re-sequencing based ultra-dense genetic map in *Brassica napus L.*
 ▪ **Hongtao Cheng**, Qiong Hu, Hui Wang, Qamar u Zaman, Wenhui Huang, Wen Chu, Rijin Zhou, Wenxiang Wang, Li Fu, Desheng Mei
- #217** Mitochondrial localization ORF346 is candidate gene contributed to pollen abortion of Nsa CMS system
 ▪ **Hongtao Cheng**, Shifei Sang, Mengyu Hao, Bingli Ding, Rachel Wells, Hui Wang, Wenxiang Wang, Jia Liu, Li Fu, Desheng Mei, Chao Li, Qiong Hu
- #219** QTL Analysis of Yield-related Traits in a DH Population Derived from High-yield Variety Dadi 199 of Oilseed Rape
 ▪ **Hongtao Cheng**, Qiong Hu, Hui Wang, Wenhui Huang, Wenxiang Wang, Li Fu, Xin Cai, Qiong Hu, Desheng Mei
- #220** Advancing together as one: Leveraging modern breeding tools across Brassicas.
 ▪ **Jed Christianson**, Feng Gao, Davood Kolbehari, Pauline Bansept Basler, Uri Krieger
- #221** A Review Of The Development of Ogura Winter Oilseed Rape Hybrids And Derived Benefits
 ▪ **Matthew Clarke**, Nelly Guguin, Laurent Verdier
- #222** Genetic determinism of seed storage proteins in oilseed rape: evidence for a linkage drag between loci controlling glucosinolate or napin contents
 ▪ **Erwan CORLOUER**, Véronique SOLE-JAMAULT, Aude LE GOFF, Julien NAVARRO, Anne LAPERCHÉ, Nathalie NESI
- #223** Gene expression analysis of red petal flower in *Brassica napus* by RNA-seq
 ▪ **Cheng Cui**, Jinfang Zhang, Haojie Li, Benchuan Zheng, Liang Chai, Jun Jiang, Liangcai Jiang
- #224** Canola Discovery Breeding in Cargill
 ▪ **Benyuan Dang**, Zhizheng Chen, Jakir Hasan, Aziz Rehman, Jessica Moore, Katy Navabi, Wade Stock, Tobias-Hermann Spiller, Xinmin Deng, Richard Fletcher
- #225** Variety registration systems within EU: challenges and opportunities
 ▪ **Jean Pierre Despeghel**, Yves Devisme
- #226** Precise editing of CLAVATA genes in *Brassica napus L.* regulates multilocular silique development
 ▪ **Chuchuan Fan**, Yang Yang, Kaiyu Zhu, Huailin Li, Shaoqing Han, Qingwei Meng, Kabin Xie, Yongming Zhou
- #227** Comparison of different plot schemes in winter oilseed rape
 ▪ **Christian Flachenecker**, T. Mikulski, M. Frauen
- #228** Identification of genes differentially expressed in female sterile mutant FS-M1 in *Brassica napus* by suppressive subtractive hybridization and microarray analysis
 ▪ **Sanxiang Fu**, Xiaoying Zhou, Song Chen, Jiefu Zhang, Cunkou Qi
- #229** Dissection of QTL for seed anti-nutritional compounds in *Brassica napus L.* seeds
 ▪ **Katarzyna Gacek-Bogucka**, J. Wolko, A. Dobrzycka, Philipp E. Bayer, Robyn Anderson, Jan Bocianowski, Iwona Bartkowiak-Broda, L. Szała, David Edwards, Jacqueline Batley
- #230** Utilizing Phenomic and Genomic Tools to Accelerate Genetic Gain
 ▪ **Kristin Gray**, Z. Navabi, J. Moore, R. Fletcher
- #231** Ecological shuttle breeding application on breeding of *Brassica napus* cultivars
 ▪ **ZHOUBO GUAN**, Yuhong DONG, Yaowen ZHANG, Jianhua TIAN, Jianxin MU
- #232** Hexaploid Brassica taking roots
 ▪ **Mehak Gupta**, Chhaya Atri, Anuja Sharma, Surinder Singh Banga
- #233** BnBO1 regulates branching morphogenesis in *Brassica napus* by affecting polar IAA transport
 ▪ **Yajun He**, jingcan You, Daoming Wu, Ying Zhao, Wei Qian
- #234** Construction and use of brassica ABC pan-transcriptome
 ▪ **Zhesi He**, Ian Bancroft
- #235** Comparative transcriptome analyses revealed conserved and novel responses to cold and freezing stress in early-maturing rapeseed
 ▪ **Xin He**
- #236** Quantitative effects of vernalization, day length and temperature on flowering time of oilseed rape (*Brassica napus L.*)
 ▪ **Eva Heinrich**, Christian Möllers
- #237** Map-based cloning and molecular characterization of a seed size QTL, qSW.C9, in rapeseed (*Brassica napus L.*)
 ▪ **Dengfeng Hong**, Xiaohui Zhang, Qiang Xin, Guangsheng Yang
- #238** Development, characterization and application of rapeseed germplasms with ALS-inhabiting herbicides resistance
 ▪ **Maolong Hu**, Huiming Pu, Weihua Long, Jianqin Gao, Yue Guo, Jiefu Zhang

#239 Promoter variations in a homeobox gene, BnA10.LMI1, determine lobed leaves in rapeseed (*Brassica napus* L.)
 ▪ **Limin Hu**, Hao Zhang, Chuchuan Fan, Yongming Zhou

#240 A truncated Mg-chelatase H subunit determines the yellow-virescent leaf without any impairment on photosynthesis in *Brassica napus*
 ▪ **Junyan Huang**, Chuanji Zhao, Lijiang Liu, Xiaohui Cheng, Yueying Liu, Yang Xiang, Chaobo Tong, Jinxing Tu, Shengyi Liu

#241 Associative transcriptomic analysis of rapeseed to identify novel genes controlling drought tolerance at seedling stage
 ▪ **Qian Huang**, Faisal Islam, Zheyuan Hong, Yilin Miao, Fakhir Hannan, Guangyuan Lu, Weijun Zhou

#242 Dissecting the genetic control of yellowish-white flower mutant in *Brassica napus* L.
 ▪ **Junyan Huang**, Chuanji Zhao, Meijuan Shi, Yueying Liu, Xiaohui Cheng, Shengyi Liu

#243 Modifications of fatty acid profiles with genomic editing technology in *Brassica napus*
 ▪ **Huibin Huang**, Tingting Cui, Yang Yang, Qingyuan Li, Kabin Xie, Chuchuan Fan, Yongming Zhou

#244 Recreating genomically stable rapeseed
 ▪ **Elizabeth Ihien**, Antje Schierholt, Heiko Becker, Rod Snowdon, Annaliese S. Mason

#246 Variation for fertility and chromosome rearrangements in diverse sets of resynthesized lines
 ▪ **Elizabeth Ihien**, Antje Schierholt, Heiko C. Becker, Rod Snowdon, Annaliese S. Mason

#247 CRISPR-Cas-mediated genome editing for improving oilseed rape
 ▪ **Tahmina Islam**, Hans-Joachim Harloff, Christian Jung

#248 Genome-wide haplotype analysis improves trait predictions in *Brassica napus* hybrids
 ▪ **Habib Jan**, Mei Guan, Ming Yao, Wei Liu, Dayong Wei, Amine Abbadi, Ming Zheng, Xin He, Hao Chen, Chunyun Guan, Richard A. Nichols, Rod J. Snowdon, Wei Hua, Lunwen Qian

#249 Breeding oilseed rape (*B. napus*) with lower glucosinolate content through functional analysis and mutagenesis
 ▪ **SRJIAN IHINGAN**, Hans-Joachim Harloff, Christian Jung

#250 FINE MAPPING OF TISSUE SPECIFIC ALBINO GENE (Bntsa1) IN *Brassica napus*
 ▪ **Yingfen Jiang**, Wu Xin-jie, Fei wei-xin, Li Qiang-sheng, Rong song-bai, Chen Feng-xiang

#251 Experimental Evidence for allopolyploid speciation via genome merger
 ▪ **Elvis Kathe**, Annaliese S. Mason

#252 Evaluation characteristics of domestic Brassica genus genetic resources depending on cultivation season for breeding high quality rapeseed variety
 ▪ **Da-Eun Kwon**, Kwang-Soo Kim, Ji-Eun Lee, Young-Lak Cha, Youn-Ho Moon, Yong-Ku Kang

#253 Advance of phenotyping technology in Canola and Oilseed Rape breeding
 ▪ **Patrick Le Lann**, Laurent Verdier, Graham H. McGregor

#254 The regulate mechanism of seed coat color in *Brassica napus* and the application of yellow-seeded *B. napus*
 ▪ **Jiana Li**, Cunmin Qu, Youfang Chai, Liezhao Liu, Ying Liang, Zhanglin Tang, Rui Wang, Xinfu Xu, Kun Lu

#255 Genetic behavior and molecular characterization of a newly-developed restorer line for Ogura cytoplasmic male sterility in *Brassica napus*
 ▪ **Mei Li**, Wang Tonghua, Guo Yiming, Fan lianyi

#256 An Improved Reference Genome of *Brassica rapa*
 ▪ **Jianli Liang**, Lei Zhang, Xu Cai, Jian Wu, Feng Cheng, Xiaowu Wang

#257 Association of microsatellite and AFLP markers with traits of agronomic importance in winter oilseed rape (*Brassica napus* L.)
 ▪ **Alina Liersch**, Katarzyna Mikołajczyk, Jan Bocianowski, Joanna Nowakowska, Marcin Matuszczak, Krzysztof Michalski, Krystyna Krótka, Wiesława Popławska, Iwona Bartkowiak-Broda



ACHIEVE & SECURE THE YIELD POTENTIAL



*The most cultivated variety in Europe.
Source: Kleffmann 2018/19








Winter Oilseed Rape Hybrid

LG ARCHITECT

Genetic Yield potential + Pod shatter & TuYV resistances




✓ Excellent yield
✓ High adaptability
✓ Early Vigor
✓ Winter hardiness

www.LGseeds-europe.com

Breeding your profit



#258	Promoter variations in a homeobox gene, BnA10.LMI1, determine lobed leaves in rapeseed (<i>Brassica napus</i> L.) ▪ Hu Limin , Hao Zhang, Chuchuan Fan, Yongming Zhou	#274	Development of Cibus' Trait Machine™ to Efficiently Apply Gene Editing ▪ James Radtke , Greg Gocal, Andrew Walker	#287	The relationship of color and seed coat thickness with the content of fiber, fat and protein in the seeds of mutant lines of canola ▪ Anna Shirokova , Volovik V., Baranova E., Krutius O., Sergeeva S., Korovina L., Muravenko O.
#259	Global transcriptome analysis for B deficiency induced reproductive organ abortion in <i>Brassica napus</i> ▪ Zhaojun Liu , Christoph Spitzer, Andrea Bräutigam, Manuela Désirée Bienert, Jacqueline Fuge, Annett Bieber, Benjamin Pommerrrenig, Gerd P. Bienert	#275	Genomic selection in global diversity pools – a new paradigm for pre-breeding in canola ▪ Harsh Raman , Robert Banks, Shengyi Liu, Rosy Raman, Yu Qiu, Brett McVittie, Maheswaran Rohan, Li Li, Nawar Shamaya, Mohammad Ferdosi, Ian Menz, Wallace Cowling	#288	PHENOL COMPOUNDS IN DIFFERENTLY COLORED SEEDS OF SPRING RAPESEED MUTANT LINES ▪ Anna Shirokova , G. Zaitsev, V. Volovik, H. Khudyakova, T. Nikolaeva, N. Zagoskina
#261	Transcriptome Profile Analysis of Winter Rapeseed (<i>Brassica napus</i> L.) in Response to Freezing Stress, Reveal Potentially Connected Events to Freezing Stress ▪ Lijun Liu , Yuan Yuan Pu, Yuhong Zhao, Li Ma, Jing Bai, Junyan Wu, Yan Fang, Xucai Li, Wancang Sun	#276	Unravelling genes for flowering time and yield related traits in canola ▪ Harsh Raman , Rosy Raman, Yu Qiu, Simon Diffey, Ky Matthews, Lauren Borg, Rohan Maheswaran, Andrew Easton, David Tabah, Avilash Singh Yadav, Sridevi Sureshkumar, Sureshkumar Balasubramanian	#289	Production and study of doubled haploids of spring <i>Brassica napus</i> cultivars of Russian breeding ▪ Daria Shumilina , Volovik Valentina, Semina Yulia
#262	Two SNP mutations of two BnFad2 homologue genes jointly determine the high oleic acid trait in rapeseed ▪ Weihua Long , Maolong Hu, Jianqin Gao, Song Chen, Jiefu Zhang, Li Cheng, Huiming Pu	#277	Genome-wide scans delineate Cation diffusion facilitator, a candidate gene for tolerance to manganese toxicity in canola ▪ Harsh Raman , Rosy Raman, Brett McVittie, Yuan Yuan Zhang, Yu Qiu, Shengyi Liu	#290	Developing a biotechnological solution for the Canola green seed problem ▪ Logan Skori , Mendel Perkins, Neil Hickerson, Muhammad Jamsheed, Matija Stanic, Marcus Samuel
#263	Shaping the future with HOLL oilseed rape ▪ Lionel Lordez	#278	Dissection of useful natural variation for pod shatter resistance for canola improvement ▪ Harsh Raman , Rosy Raman, Yu Qiu, Qiong Hu, Surinder Banga, Jia Liu, Wenshan Zhang, Jun Zou, Jining Meng, Nelson Gororo, Phil Salisbury	#291	Comparison of within and between family prediction accuracies ▪ Andreas Stahl , Christian R. Werner, John M. Hickey, Tobias Kox, Amine Abbadi, Gunhild Leckband, Rod J. Snowdon
#264	Proteomic analysis of Rapeseed Roots Response to Water-logging Stress ▪ Yan Lv , Xu Jinsong, Qiao Xing	#279	Effects of aneuploidy on genome structure and gene expression in Brassica species ▪ Stephen Robinson , Kyla Horner, Tricia Bender	#292	BnGRF7a is involved in seed weight and size development in <i>Brassica napus</i> ▪ Jing Tan , Jing Zhao
#265	Gene Expression analysis of shoot apices of winter-rapeseed cultivar during the transition to flowering ▪ Sarah Matar , Avneesh Kumar, Daniela Holtgräwe, Bernd Weisshaar, Siegbert Melzer	#280	Identification of imprinting genes related to abortion of resynthesized <i>Brassica napus</i> ▪ Hao Rong , Tao Xie, Youping Wang, Jinjin Jiang	#293	Genome-wide Association Analysis and Candidate Genes Prediction of Waterlogging Traits in <i>Brassica napus</i> L. ▪ Zhanglin Tang , Li Yangyang, Jing Rongrong, Lv Rongrong, Shi Pengcheng, Li Xin, Wang Qin, Wu Dan, Zhou Qingyuan, Li Jiana
#266	The use of CAPS marker to study the influence of mutated alleles of the BnA.FAD2 gene on the oleic acid content in seeds of winter rapeseed ▪ Marcin Matuszczak , Stanisław Spasibonek, Irena Tokarczuk, Joanna Nowakowska, Katarzyna Gacek, Katarzyna Mikolajczyk, Iwona Bartkowiak-Broda	#281	Towards the identification of genome regions causal for seed protein content in <i>Brassica napus</i> ▪ Hanna Marie Schilbert , Boas Pucker, Daniela Holtgräwe, Prisca Viehöver, Katrin Beckmann, Frank Wolter, Zeljko Micić, Bernd Weisshaar	#294	Breeding signature of combining ability improvement revealed by a genomic variation map from recurrent selection population in <i>Brassica napus</i> ▪ Jinxing Tu , Xinwang Zhao, Kaining Hu, Bin Yi, Jing Wen, Chaozhi Ma, Jinxiong Shen
#268	Genome-Wide Association Study Reveals Both Overlapping and Independent Genetic Loci to Control Seed Weight and Siliqua Length in <i>Brassica napus</i> ▪ Wei Qian , Hongli Dong, Chuandong Tan, Yuzhen Li, Yan He1, Shuai Wei, Yixin Cui, Yangui Chen, Dayong Wei, Ying Fu, Yajun He, Huaifang Wan, Zhi Liu, Qing Xiong, Kun Lu, Jiana Li	#282	Tapetal Expression of BnA.MAGL8.a Causes Male Sterile in Arabidopsis ▪ Jinxiong Shen , Jie Gao, Qun Li, Nan Wang, Baolong Tao, Jing Wen, Bin Yi, Chaozhi Ma, Jinxing Tu, Tingdong Fu, Qiang Li, Jitao Zou	#295	Coupling genetic analysis with high-throughput phenotyping to leverage breeding for increased nitrogen use efficiency in winter oilseed rape ▪ Katharina Tyson , K Rod Snowdon, Andreas Stahl
#270	Genome-wide haplotype analysis improves trait predictions in <i>Brassica napus</i> hybrids ▪ Lunwen Qian , Mei Guan, Ming Yao, Wei Liu, Dayong We Ming Zheng, Xin He, Hao Chen, Chunyun Guan, Rod J. Snowdon, Wei Hua	#283	Differential expression of miRNAs and their targets in wax-deficient rapeseed ▪ Jinxiong Shen , Tingting Liu, Jingquan Tang, Li Chen, Jiayue Zeng, Jing Wen, Bin Yi, Chaozhi Ma, Jinxing Tu, Tingdong Fu	#296	GENETIC AND CYTOGENETIC CHARACTERISATION OF RUSSIAN WINTER RAPESEED VARIETIES OF FWRC FPA ORIGIN ▪ Valentina Volovik , Amosova A., Prologova T., Samatadze T., Leonidova T., Yurkevich O., Razgulayeva N., Zoshchuk S., Muravenko O.
#271	Towards a new Brassica crop: allohexaploids (AABBCC) ▪ Daniela Quezada-Martinez , Annaliese S. Mason	#284	miRNAs and their targets regulate plant architecture in <i>Brassica napus</i> ▪ Jinxiong Shen , Li Chen, Mengjie Du, Xiangxiang Zhang, Lei Chen, Lei Yan, Jie Liu, Jing Wen, Bin Yi, Chaozhi Ma, Jinxing Tu, Tingdong Fu	#297	Prediction of the heterosis in oilseed rape based on whole genome resequencing Prediction of the heterosis in oilseed rape based on whole genome resequencing ▪ Qian Wang , Linzhi Lu, Shuijing Hua, Lixi Jiang
#272	Rapeseed breeding for multiple uses assisted by biotechnological tools at Novi Sad ▪ Aleksandra Radanovic , Dragana Rajkovic, Zeljko Milovac, Velimir Radic, Ana Marjanovic Jeromela, Dragana Miladinovic	#285	Construction of Restorer Lines and Molecular Mapping for Restorer Gene of <i>hau</i> Cytoplasmic Male Sterility in <i>Brassica napus</i> ▪ Jinxiong Shen , Chao Wei, Huadong Wang Hua, Shuangping Heng, Jing Wen, Bin Yi, Chaozhi Ma, Jinxing Tu, Tingdong Fu	#298	Functional divergence and roles of glutathione transferase genes in <i>Brassica napus</i> ▪ Lijuan Wei , Yan Zhu, Ruiying Liu, Aoxiang Zhang, Meicheng Zhu, Wen Xu, Ai Lin, Kun Lu, Jiana Li
#273	Path analysis in winter rapeseed ▪ Velimir Radic , Goran Jaćimović, Aleksandra Dimitrijević, Igor Balalić, Petar Mitrović, Zeljko Milovac, Ana Marjanović-Jeromela	#286	Control of seed weight and seed size by Large Grain (LG) gene in <i>Brassica napus</i> ▪ lianghua Shi , Jixiang Huang, Han Liu, Xiyuan Ni, Jianyi Zhao	#299	Breeding of a multi-functional <i>Brassica napus</i> variety ▪ Yancheng Wen , ZHANG Shu-fen, HE Jun-ping, WANG Jian-pin, CAI Dong-fang, CAO Jin-hua, ZHAO Lei, WANG Dong-guo, HU Kun



Helping
the world
thrive

#300 Identification and analysis of key proteins between winter *Brassica rapa* and *Brassica napus* under cold stress
 ▪ **Junyan Wu**, Li Ma, Junyan Wu, Lijun Liu, Yan Fang, Xuecai Li, Renzhi Zhang, Wancang Sun

#301 Cloning and Expression analysis of LPAT4 gene from *Brassica napus*
 ▪ **Xinghua Xiong**, Danwang Xiao

#302 Mapping of Quantitative Trait Loci Related to Cold Tolerance in *Brassica napus* L.
 ▪ **Aixia Xu**, Mengfan Qin, Yan Zhang, Bingbing Zhang, Fenghao Liang, Zhen Huang

#303 Whole-genome resequencing of a world-wide collection of rapeseed accessions reveals genetic basis of their ecotype divergence
 ▪ **Ying Xu**, Dezhi Wu, Zhe Liang, Tao Yan, Ying Xu, Lijie Xuan, UlrikeLohwasser, Shujin Hua, Qian Wang, Lisha Shen, Hao Yu, and Lixi Jiang

#304 Effect of high night temperature on storage lipids and transcriptome changes in developing seeds of oilseed rape (*Brassica napus*)
 ▪ **Tao Yan**, Longhua Zhou, Xin Chen, Dezhi Wu, Shujin Hua, Lixi Jiang

#305 Utilization and Marker assisted selection of DGMS (Dominant Genic Male Sterility) lines in *Brassica napus* L.
 ▪ **Liyong Yang**, Zhang Junying, Jiang Meiyun, Jiangjianxia, Li yanli, Wang Weirong, Sun Chaocai, Zhou Xirong

#306 A global survey of transcriptome of the allopolyploid *Brassica napus* based on single molecule long-read isoform sequencing and Illumina-based RNA-seq data
 ▪ **Shengli Yao**, Junyan Huang, Lingli Yang, Chaobo Tong, Shengyi Liu

#307 Breeding of rapeseed with high content of linolenic acid
 ▪ **Cheng-Yu Yu**, Jing-Long Lian, Li-Suo Ren, Jun-Gang Dong

#308 Exposure to ALS-inhibiting gametocide tribenuron-methyl affects pollen wall formation, lipid metabolism, and chloroplast structure of rapeseed
 ▪ **Chengyu Yu**, Jing-long Lian, Li-Suo Ren, Cong Zhang, Zhen Huang, Ai-Xia Xu, Jun-Gang Dong

#309 Breeding and characteristics of Xiyou3 hybrid variety of rapeseed with merits of large seed, early maturity, and lodging resistance
 ▪ **Chengyu Yu**, Jun-Gang Dong, Zhen-Sheng Dong, Deng-Hui Zhang

#310 Genetic variation of fiber components in a genetic resource collection of oilseed rape (*Brassica napus* L.)
 ▪ **Abdusaheed Olabisi Yusuf**, Christian Möllers

#311 CRISPR/Cas9-mediated genome editing reveals differences in the contribution of INDEHISCENT homologues to pod shatter resistance in *Brassica napus* L.
 ▪ **Yungu Zhai**

#313 Genome-wide analysis of long non-coding RNAs in *Brassica napus* response to drought stress
 ▪ **Chunlei Zhang**, Xiaoyu Tan, Junlan Xiong, Su Li

#314 Conditional and unconditional QTL analyses of seed fatty acid composition in *Brassica napus* L using a high-density map
 ▪ **Jiefu Zhang**, Xiaodong Wang, Feng Chen, Wei Zhang, Kun-jiang Yu, Lijie Sun, Sanxiang Fu, Maolong Hu, Weihua Long

#315 Quantitative trait loci (QTL) mapping for agronomic traits in an allohexaploid Brassica doubled haploid population using linkage and association analyses
 ▪ **Kangni Zhang**, Su Yang, Jun Zou, Wenshan Zhang, Theodore M. Mwamba, Sheng Chen, Wallace A. Cowling, Weijun Zhou

#316 A novel quantitative trait locus on chromosome A9 controlling oleic acid content in *Brassica napus*
 ▪ **Qing Zhao**

#317 Innovations of high oil and elite quality rapeseed and novel allohexaploid Brassica via composite interspecific hybridization and molecular breeding
 ▪ **Weijun Zhou**, Qian Huang, Kangni Zhang, Su Yang, Faisal Islam, Zheyuan Hong, Sheng Chen, Wallace A. Cowling

#318 Transcriptomic analyze the irregular shape of shoot apical meristem in more main stems mutant of *Brassica napus* L.
 ▪ **Keming Zhu**, Shuo Xu, Kai-Xia Li, Sheng Chen, Sundus Zafar, Wei Cao, Zheng Wang, Li-Na Ding, Jun Cao, Yao-Ming Li, Xiao-Li Tan

DISEASES AND PESTS, PLANT PROTECTION

#319 A study on *Leptosphaeria maculans* populations in Germany calls for more cautious deployment of the major R genes
 ▪ **Dima Alnajjar**, Andreas von Tiedemann, Birger Koopmann

#320 A multi-functional gene derived from fusions of domains of thaumatin, proline-rich antimicrobial peptide and kinase: evolutionary origin and resistance to *Sclerotinia* disease in *Brassica napus*
 ▪ **Zetao Bai**, Yizhou He, Xue Zhong, Meijuan Shi, Yunyan Huang, Lixia Gao, Mingxing Cheng, Shengyi Liu

#321	Costs of virulence in blackleg and implications for rotation of resistance ▪ Luke Barrett , Lydia Bousset, Julien Papaix, Susan Sprague	#334	Increased Power of Genome Wide Association Studies for Blackleg Resistance using Imputed Whole-Genome Sequence in Canola ▪ Hans D Daetwyler , Mulusew Fikere, Denise M. Barbulescu, Michelle M. Malmberg, German C. Spangenberg, Noel O. I Cogan	#347	Inoculation of canola with low concentrations of virulent isolates of <i>Plasmiodiophora brassicae</i> (clubroot) facilitates infection by avirulent isolates ▪ Rudolph Fredua-Agyeman , Junye Jiang, Stephen E. Strelkov, Sheau-Fang Hwang
#322	A guideline for Integrated crop protection – information about managing pests and diseases in oilseed rape ▪ Annette Bartels , Verena Haberlah-Korr, Bernhard Carl Schäfer, Manuela Specht	#335	Major gene and field resistance to blackleg in winter oilseed rape germplasm for the U. S. Southern Great Plains ▪ John Damicone , Felipe Cevallos, Claudia Diaz, Michael Stamm, Josh Lofton	#348	Insect pest update in the Canadian canola crop, insect monitoring efforts and communication to growers. ▪ Keith Gabert , J. Gawloski, J. Tansy, S. Meers
#323	Effect of <i>Plasmiodiophora brassicae</i> inoculum density on yield of canola (<i>Brassica napus</i>). ▪ Andrea Botero-Ramírez , S. F. HWANG, S. E. STRELKOV	#336	Advances in understanding broomrape (<i>Phelipanche ramosa</i>) / oilseed rape interaction and host resistance ▪ Régine Delourme , Philippe Simier, Bojana Stojanova, Bathilde Auger, Jean-Bernard Pouvreau, Philippe Duffé, Pascal Glory, Christophe Jestin, Philippe Delavault	#349	Genome structural variation associated with disease resistance in <i>Brassica napus</i> ▪ Iulian Gabur , Régine Delourme, Andreas von Tiedemann, Sébastien Faure, Christophe Jestin, Frank Breuer, Susann Volkmann, Emmanuelle Dyrzska, Rod J. Snowdon, Christian Obermeier
#324	Azoxystrobin effectively controls <i>Verticillium longisporum</i> in vitro ▪ Andrzej Brachaczek , Joanna Kaczmarek, Małgorzata Jędrzycka2	#337	Small RNAs from the plant pathogenic fungus <i>Sclerotinia sclerotiorum</i> highlight candidate host target genes associated with quantitative disease resistance ▪ Mark Derbyshire , Malick Mbengue, Marielle Barascud, Olivier Navaud, Sylvain Raffaele	#350	Positive side effects of Cantus® Gold at flowering against <i>Verticillium longisporum</i> in Oil Seed Rape ▪ Sarah Graf , Helmut Herrmann, Melanie Gabler, Hervé Vantiegheem
#325	Monitoring the number of offspring of some insect pests in oilseed rape in Germany ▪ Meike Brandes , Udo Heimbach	#338	Clubroot resistance in Raphanus and its relevance for rapeseed cropping ▪ Elke Diederichsen , N. Gollinge, J. Schondelmaier, M. Schlathöler	#351	Is an application with dropleg nozzles an alternative for the flower spraying in oilseed rape? ▪ Linda Hahn
#326	Field mapping as a tool to manage clubroot ▪ Fiona Burnett , Julie Smith	#339	Theoretical and technical considerations on pure pathotypes of <i>Plasmiodiophora brassicae</i> ▪ Elke Diederichsen , I. Linares, A. Salmann, J. Pflanz, N. Winker, Y. Zhang, N. Gollinge	#352	Bacillus amyloliquefaciens (B89), a potential biocontrol agent for black leg disease of Canola ▪ Sana Hanif , Benjamin Stodart, Sandra Savocchia, Gavin Ash
#327	Co-design of farming systems weakly dependent on insecticides at a territory scale ▪ Stephane Cadoux , N. Cerrutti, C. Robert, M. Geloën	#340	The architecture of the <i>Plasmiodiophora brassicae</i> nuclear and mitochondrial genomes ▪ Christina Dixelius , Suzana Stjelja, Johan Fogelqvist, Christian Tellgren-Roth	#353	Prospects of protecting parasitoids of insect pests in flowering oilseed rape using dropleg-technique ▪ Johannes Hausmann , Brandes, Meike
#328	Diversity of blackleg pathogen <i>Leptosphaeria biglobosa</i> from five different hosts ▪ Xiang Cai , Guoqing Li, Long Yang	#341	Molecular mapping of QTLs associated with field resistance to <i>Sclerotinia</i> Stem Rot in Spring Canola <i>Brassica napus</i> ▪ Igor Falak , Xiuqiang Huang, Scott McClinchey	#354	Integrated management of clubroot of canola with resistance, rotations and weed control. ▪ Brittany Hennig , S. F. HWANG, S. E. STRELKOV, V. MANOLII, G. D. TURNBULL
#329	Monitoring and management of <i>Plasmiodiophora brassicae</i> on canola in North Dakota ▪ Venkataramana Chapara , N. Kalwar, L. Lubenow, A. Chirumamilla, K. Chittam, L. E. DelRio	#342	Collocation of resistances to Fusarium wilt and Clubroot in Spring Canola <i>Brassica napus</i> ▪ Igor Falak , Dan Stanton, Thomas Ernst, Xiuqiang Huang	#355	Virulence and pathotype characterization of <i>Plasmiodiophora brassicae</i> populations collected from clubroot resistant canola cultivars in Alberta, Canada ▪ Keisha Hollman , S. F. HWANG, V. P. MANOLII, S. E. STRELKOV
#330	Prevalence of clubroot caused by <i>Plasmiodiophora brassicae</i> on spring canola in the United States of America ▪ Kishore Chittam , Venkataramana Chapara, Luis E. del Rio Mendoza	#343	Resynthesis of clubroot disease resistant rapeseed (AACrCr and ArArCrCr) through hybridization ▪ Xiaoping Fang , Lingyi Zeng, Xiuzhen Wang, Li Xu, Li Ren, Wang Chen, Fan Liu, Kunrong Chen, Huan Yang, Ruibin Yan	#356	Changes in race structure of <i>Leptosphaeria maculans</i> populations on oilseed rape in the UK ▪ Yongju Huang , Lakshmi Harika Gajula, Bruce D. L. Fitt
#331	Mapping and Characterization of Blackleg Resistance Gene Rlm5 ▪ Jed Christianson , Xuehua Zhang, David Nino-Liu, Issa Coulibaly, Jed Christianson	#344	Microscopy and ultra microstructure observation of <i>Plasmiodiophora brassicae</i> exit tube ▪ Weixin Fei , Jie Feng, Sheaufang Hwang, Mingguang Chu, Yingfen Jiang, Xinjie Wu, Fengxiang Chen	#358	Regional differences in proportions of <i>Leptosphaeria maculans</i> and <i>L. biglobosa</i> (cause of phoma stem canker on oilseed rape) in Eastern England ▪ Asha Javaid , Lakshmi Harika Gajula, Bruce D. L. Fitt and Yong-Ju Huang
#332	Can parasitoids provide alternative control of cabbage stem flea beetle in oilseed rape? ▪ Sam Cook , Patricia Ortega-Ramos, Robbie Girling, Alice Mouchline, Larissa Collins	#345	Light leaf spot (<i>Pyrenopeziza brassicae</i>) on winter oilseed rape and Brussels sprouts in the UK ▪ Bruce Fitt , Coretta A Kloeppel, Henrik U Stotz, Aiming Qi	#359	Specific host-pathogen interactions in the <i>Brassica napus</i> - <i>Pyrenopeziza brassicae</i> pathosystem ▪ Chinthani Karandeni Dewage , H. U. Stotz, B. D. L. Fitt
#333	Biodiversity for Disease Resistance ▪ Paul Covey	#346	Interspecific interactions between fungal pathogens causing light leaf spot (<i>Pyrenopeziza brassicae</i>) and phoma stem canker (<i>Leptosphaeria maculans</i> and <i>L. biglobosa</i>) in vitro. ▪ James A. Fortune , Georgia Mitrousa, Faye Ritchie, Bruce D. L. Fitt, Yongju Huang	#360	Increasing pressure from cabbage stem flea beetles (<i>Psylliodes chrysocephala</i>) on the UK winter oilseed rape crop. ▪ Simon Kightley , Charles Gentry

Thywissen inside



Our oil inspires!

Every day you enjoy products all over the world that owe their incomparable taste and character to our **innovative raw materials from oilseeds**. Our knowledge for natural products with a future.

OIL MILLING COMPANY
C. THYWISSEN

#361 Determination of genetic background of clubroot resistance in winter rapeseed cultivar
 ▪ **Piotr Kopeć**, Katarzyna Mikołajczyk, Joanna Nowakowska, Ewa Jajor, Agnieszka Perek, Emilia Cugier, Magdalena Grynia, Dominika Pawlak, Ewelina Majchrzak, Dorota Kawka, Marek Korbas, Iwona Bartkowiak-Broda, Wojciech M. Karłowski

#362 Phoma leaf spot and stem canker – disease development in the crop season and the increase of disease risk in the future
 ▪ **Lukasz Kujała**, D. Uerkvitz, K. Demydas

#363 Effects of different previous crop on the occurrence of clubroot and rhizosphere microbial community structure
 ▪ **Yong LIU**, ANG Xiaoxiang, ZHANG Lei, HUANG Xiaojin, WU Wenxian, LIU Yong

#365 Field resistance evaluation of rapeseed varieties to clubroot disease caused by *Plasmiodiophora brassicae* in southwestern China
 ▪ **Yong LIU**, Xiaojin HUANG, Lei ZHANG, Wenxian WU, Xiaoxiang YANG, Xiquan ZHOU, Hongyu LIU

#366 Screening of Endophytic Bacteria Community and evaluation of Biocontrol Bacteria in clubroot galls of Oilseed Rape
 ▪ **Yong LIU**, Lei ZHANG, Lin Tang, Xiaojin Huang, Xiaoxiang Yang, Wenxian WU, Xiquan ZHOU, Hongyu LIU, Longhai XUE

#367 Turnip yellows virus in oilseed rape (*Brassica napus L.*) in Serbia
 ▪ **Ana Marjanović Jeromela**, Dragana Milošević, Maja Ignjatov, Zorica Nikolić, Dušica Jovičić, Gordana Tamindžić

#368 Genetic variation in Canadian populations of *Plasmiodiophora brassicae*
 ▪ **Mary Ruth McDonald**, A. SEDAGHATKISH, B. D. GOSSSEN, F. YU., D. TORKAMANEH

#369 Effects of time, temperature, and host death on maturation of resting spores of *Plasmiodiophora brassica*
 ▪ **Mary Ruth McDonald**, Fadi A-Idaoud, Bruce D. Gossen

#370 Grass cover crops reduce the concentration of *Plasmiodiophora brassicae* resting spores in soil under controlled conditions
 ▪ **Mary Ruth McDonald**, A. SEDAGHATKISH, B. D. GOSSSEN

#371 Improve resistance to *Sclerotinia sclerotiorum* via host-induced gene silencing on crucial pathogen genes involved in pathogenicity
 ▪ **Jiaqin Mei**, Yijuan Ding, Wei Qian

#372 Shift in dominance of two stem weevil species in oilseed rape in northern Serbia
 ▪ **Željko Milovac**, Filip Franeta, Snežana Pešić, Petar Mitrović, Velimir Radić, Ana Marjanović Jeromela

#373 Mass Spectrometry Imaging (MALDI-MSI) and LC-MS/MS reveals spatial distribution of metabolic responses to *Leptosphaeria maculans* infection in stems of *Brassica napus*
 ▪ **Anani A. Missinou**, Anne Levrel, Mélanie Lagarrigue-Reboutier, Régis Lavigne, Yann Guitton, Maria Manzanares-Dauleux, Régine Delourme, Antoine Gravot

#374 DISCOVERY OF THE GENETIC BASIS OF PARTIAL RESISTANCE AGAINST *Pyrenopeziza brassicae* IN OILSEED RAPE
 ▪ **Ajisa Muthayil Ali**, H. Stotz, B. D. Fitt, G. Mitrousis

#375 Broadening the genetic basis of *Leptosphaeria* ssp. resistance in *Brassica napus* by interspecific hybridization
 ▪ **Janetta Niemann**, Justyna Szwarz, Joanna Kaczmarek, Małgorzata Jedryczka

#376 Characterisation of temperature-sensitivity of *Brassica napus* (oilseed rape) resistance against *Leptosphaeria maculans* (phoma stem canker)
 ▪ **Katherine Noel**, Yongju Huang, Aiming Qi, Bruce D. L. Fitt, Henrik U. Stotz

#377 A potential Loop-mediated Isothermal Amplification assay for rapid detection of *Leptosphaeria maculans* in winter oil seed rape
 ▪ **Zahra Omer**, Ann-Charlotte Wallenhammar

#378 Canola production in province of Quebec (Canada) : what are the major diseases and insects.
 ▪ **Denis Pageau**

#379 The need for an integrated approach to manage blackleg of canola in western Canada
 ▪ **Gary Peng**, W. SOOMRO, M. HUBBARD, C. ZHAI, X. LIU, L. MCGREGOR, W.G.D. FERNANDO, R. LANGE, F. Yu, D. McLAREN.



As a proud sponsor of IRC 2019, ADM welcomes discussions around tomorrow's rapeseed industry.

www.adm.com



#380	Models predict contrasting effects of future climate conditions on dates of release of ascospores of <i>Leptosphaeria</i> spp. causing phoma stem canker on oilseed rape in the UK ▪ Aiming Qi , Yongju Huang, Mikhail A. Semenov, Bruce D. L. Fitt
#381	Innovation for foliar pest control in rapeseed ▪ Uwe Rabe
#382	Evaluation of <i>Brassica oleracea</i> accessions for resistance to <i>Plasmiodiophora brassicae</i> and identification of genomic regions associated with resistance ▪ Habibur Rahman , Mehdi Farid, Rong-Cai Yang, Berisso Kebede
#383	QTLs for upper canopy infection to blackleg in canola ▪ Harsh Raman , Brett Mcvittie, Nawar Shamaya, Rosy Raman
#384	Knockdown of <i>Sclerotinia sclerotiorum</i> Thioredoxin (Ss-TRX1) gene by RNAi and HIGS to enhance disease resistance in <i>Brassica napus</i> ▪ Kusum Rana , Yijuan Ding, Haojing Shen, Wenjing Yang, Yaru Chai, Junhu Yuan, Wei Qian
#385	Blackleg transmission by wind dispersion of canola dockage material is low risk and requires large quantities of material within a short distance of deposition ▪ Curtis Rempel , R. M. Lange, A. El-mezawy, Z. Punja, R. Werezuk, R. Ramarathnam
#386	Extended clubroot resistance in rapeseed is conferred by the novel trait CRE1 ▪ Steffen Rietz , Becke Strehlow, Elke Diederichsen, Stephen Fox, Günhild Leckband, Martin Frauen.
#387	Pyrethroids resistance in Coleoptera pest populations of winter oilseed rape, in France. ▪ Celine Robert , S. Bothorel, L. Ruck, J. Carpezat, A. Lauvernay, M. Leflon, M. Siegwart
#388	Quantifying the distribution and prevalence of pathotypes within the UK <i>Plasmiodiophora brassicae</i> population ▪ Julie Smith , Fiona Burnett
#389	Adaptation of <i>Leptosphaeria maculans</i> to a new host species ▪ Jessica L. Sover , Carole-Anne Romain, Thierry Rouxel, Marie-Hélène Balesdent
#390	Comparative study of <i>Plasmiodiophora brassicae</i> field isolates based on genotyping and pathotyping with an updated differential set ▪ Christine Struck , Becke Strehlow, Alexander Riedel, Friederike de Mol, Elke Diederichsen
#391	Comparison of multi-temporal remote sensing data with the actual spatial spread of clubroot disease in oilseed rape fields using a bioassay method ▪ Christine Struck , Christine Struck, Eike Stefan Dobers, Ralf Löwner
#392	The role of NLPs (NEP-like proteins) and detoxification of phytoalexins in the adaptation of <i>Verticillium longisporum</i> to crucifers ▪ Ling Su , Anna Rathgeb, Yuelin Zhang, Petr Karlovsky

#393	Dealing with Adversity – 15 years of clubroot in Alberta ▪ Ward Toma
#394	Syntenic quantitative trait loci and genomic divergence for <i>Sclerotinia</i> resistance and flowering time in <i>Brassica napus</i> ▪ Chaobo Tong , S. Liu, Fengqi Zhang, Junyan Huang, Minqiang Tang, Xiaohui Cheng, Yueying Liu, Jingyin Yu, Tehrim Sadia, Caihua Dong, Lingyan Liu, Baojun Tang, Jianguo Chen
#395	Natural biocontrol of oilseed rape pests by parasitoids in Integrated Management in Europe ▪ Bernd Ulber
#396	Transfer of <i>Sclerotinia sclerotiorum</i> resistance from <i>Brassica napus</i> germplasm to canola ▪ Sally Vail , Lone Buchwaldt, Vicky Roslinsky, Neha Verma, Jackie Nettleton, Brad Hope
#397	Introgressing blackleg resistance from <i>Brassica nigra</i> into <i>B. napus</i> using a hexaploidy step ▪ Paula Vasquez Teuber , Roman Gäbelein, Annaliese S. Mason
#398	Biocontrol potential of the non-pathogenic lineage A1/D2 of <i>Verticillium longisporum</i> ▪ Marta Vega Marin , Leonard Sundermann, Andreas von Tiedemann
#399	Host plant and land use influence cabbage seed weevil infestation and its parasitoids ▪ Eve Veromann , Gabriella Kovacs, Riina Kaasik
#400	Multiparental mapping of quantitative blackleg resistance in elite <i>Brassica napus</i> ▪ Paul Vollrath , Rod Snowdon, Christian Obermeier
#401	Integrated management of clubroot in WOSR using resistant cultivars in soils with different inoculum levels ▪ Ann-Charlotte Wallenhammar , Zarah Omer, Anders Jonsson
#402	<i>Plasmiodiophora brassicae</i> propagates at different rate in Winter Oilseed rape crop rotations ▪ Ann-Charlotte Wallenhammar , Lena Engström, Johan Roland, Anders Jonsson
#403	The effects of host and non-host root exudates on resting spore germination and gene expression of <i>Plasmiodiophora brassicae</i> ▪ Yao Wang , Birger Koopmann, Anna Rathgeb, Petr Karlovsky, Andreas von Tiedemann
#404	Comparative transcriptome analysis reveals key pathways and hub genes responsible for resistance to <i>Plasmiodiophora brassicae</i> in Rapeseed ▪ Xiaoming Wu , Lilia Li, Ying Long
#405	Creation of clubroot resistant hexaploid by distant hybridization between <i>Raphanus sativus</i> and <i>Brassica napus</i> ▪ Li Xu , Xiuzhen Wang, Lingyi Zeng, Li Ren, Wang Chen, Fan Liu, Kunrong Chen, Huan Yang, Ruibin Yan, Xiaoping Fang

#406	Identification of SNP haplotype reveals important DNA mutation pattern in <i>L. maculans</i> avirulence genes towards pathogenesis ▪ Fengqun Yu , Qilin Chen, Gary Peng
#407	Epistasis interaction between AvrLm4-7 and AvrLm3 genes of <i>Leptosphaeria maculans</i> ▪ Fengqun Yu , Mebarek Lamara, Qilin Chen, Gary Peng
#408	Suppression of the propagation of <i>Plasmiodiophora brassicae</i> inoculum by early management of volunteer oilseed rape ▪ Nazanin Zamani-Noor
#409	Effects of integrating cultivar resistance and fungicide application on control of phoma stem canker, growth parameters and yield of winter oilseed rape ▪ Nazanin Zamani-Noor , Jessica Knüfer
#410	Functional analysis of the BnNCE3 and its regulated gene BnTX1 in response to <i>Leptosphaeria maculans</i> - <i>Brassica napus</i> interaction. ▪ Zhongwei Zou , Fei Liu, W.G. Dilantha Fernando

AGRONOMY AND CROP SCIENCE

#411	Canola Yield and Yield Components as Affected by Different Tillage Practices in Paddy Fields ▪ Alireza Allameh , Mohammad Reza Alizadeh and Alireza Allameh
#412	SOIL PROPERTIES AND CROP YIELD UNDER DIFFERENT TILLAGE METHODS FOR RAPESEED CULTIVATION IN PADDY FIELDS ▪ Alireza Allameh , Mohammad Reza Alizadeh
#413	Controlling volunteer oilseed rape with pelargonic acid as bio-based herbicide ▪ Sabine Andert , Bärbel Gerowitz
#414	SEED STORAGE PROTEINS QUALITY AND MINERAL PROFILES IN SEEDS OF OILSEED RAPE ARE IMPACTED BY THE MANAGEMENT OF SULFUR AND NITROGEN FERTILIZATIONS ▪ Jean-Christophe AVICE , POISSON E., AKMOUCHE Y., TROUVERIE J., PONTET C., PINOCHET X., BRUNEL-MUGUET S.
#415	Effect of cultivar, production year and row spacing on protein content in rapeseed (<i>Brassica napus</i> L.) ▪ Igor Balajić , Marjanović-Jeromela A, Crnobarac J, Radić V
#416	Decision support system for usage of winter oilseed rape plant growth regulators ▪ Oskars Balodis , Jānis Bartuševičs
#417	Mechanisms regulating the boron nutritional status in rapeseed and their implications for the development of boron-efficient genotypes ▪ Gerd Patrick Bienert , Benjamin Pommerrenig, Annett Bieber, Jacqueline Fuge, Manuela Désirée Bienert, Antje Schierholt, Astrid Junker, Thomas Altmann



BODO MEYER, 2.100 HA, BEETZENDORF AGRARGENOSSENSCHAFT

Bodo Meyer geht auf Nummer sicher und vertraut auf Secufarm®, die Ernteversicherung der VEREINIGTE HAGEL.

Mehr von der Agrargenossenschaft Beetzendorf und zu den Secufarm®-Versicherungen unter www.vereinigte-hagel.de.

VEREINIGTE HAGEL
MIT DER NR. 1 AUF NUMMER SICHER GEHEN

#418	Phenotyping and remote sensing: applying machine learning for Green Leaf Area Index (GLAI) predictive modeling using multispectral drone images. ▪ Christine Bissuel-Bélaygue , J. Malik, T. A. Phan, P. Pattier, F. Kazempour-Ricci, H. Nicolas, F. Husson, P. Pichelin, A. Laperche, X. Pinochet	#424	Genetic control of root morphology in response to nitrate supply in oilseed rape experimental populations ▪ Loïc Haelterman , Loïc Haelterman, Julien Louvieux, Sébastien Faure, Anne-Sophie Bouchet, Anne Laperche, Nathalie Nesi, Christian Hermans	#435	trigolactones Improve Plant Growth, Photosynthesis and Alleviate Oxidative Stress under Salinity in Rapeseed (<i>Brassica napus L.</i>) by Regulating Gene Expression ▪ Ni Ma , Chao Hu, Lin Wan, Qiong Hu, Junlan Xiong, Chunlei Zhang
#419	Thermo-priming used as an acclimation strategy for alleviating adverse effects of heat waves during seed filling in oilseed rape (<i>Brassica napus L.</i>) ▪ Sophie Brunel-Muguet , Lethicia Magno, Jean-Christophe Avicé, Annette Bertrand-Morvan, Tae-Hwan Kim	#429	Leaf nitrogen content strongly affect dynamic photosynthesis, but not steady-state photosynthesis across eight genotypes of canola (<i>Brassica napus L.</i>) ▪ Jiahuan Liu , Kangkang Zhang, Fang Chen; Liyong Hu	#436	Effects of nitrogen and sulphur on seed and oil yield of rapeseed (<i>Brassica napus</i>). ▪ Mahmoud Mohammadi
#420	Assessment of plant architectural traits with relevance for yield and nitrogen use efficiency by 3D imaging ▪ Andreas Eckert , Rod Snowdon, Andreas Stahl	#431	Growing spring oilseed rape without insecticide seed treatments: the Swedish experience ▪ Ola Lundin , Riccardo Bommarco	#437	Effect of supplemental irrigation and soluble selenium on yield, yield components, oil percentage and water use efficiency of two canola cultivars (<i>Brassica napus L.</i>) ▪ Raham Mohtashami , Mohsen Movahhedi Dehnavi, Hamim Reza Balochi, Pourdad, Soeïd
#421	AZODYN-rapeseed: a dynamic crop model to simulate the performance of rapeseed crop in constraining environments ▪ Sébastien GERVOIS , C. Clément, T. Chabert, M. Valantin-Morison, X. Pinochet, A. Laperche	#432	Strigolactones improve plant growth, photosynthesis and alleviate oxidative stress under salinity in rapeseed (<i>B. napus L.</i>) by regulating gene expression ▪ Ni Ma , Qiong Hu, Junlan Xiong, Chunlei Zhang	#438	Responses of <i>Brassica napus</i> to cadmium stress explored via ionomic, transcriptomic and metabolic profiling in two genotypes differing in metal tolerance and accumulation ▪ Theodore Mulembu Mwamba , Lan Li, Faisal Islam, Rafiqat A. Gill, Jian Wang, Zaid Ulhassan, Skhawat Ali, Chong Yang, Weijun Zhou
#422	Improving the sustainability of winter oilseed rape cultivation systems by establishing freezing off leguminous companion crops ▪ Franz-Ferdinand Gräblichhoff , K. Röper, D. Kramps-Alpmann, M. Schlathöller, B. C. Schäfer	#433	Characterizing root morphological traits and crop lodging of canola genotypes in response to high temperature stress ▪ Baolu Ma , Wei Wu	#439	Is an early sowing date an option in winter oilseed rape? ▪ Jana Peters
#423	Pod drop in <i>Brassica napus</i> is linked to weight-adjusted pod-retention resistance ▪ Robert Gulden , Andrea Cavaliere, Lena D. Syrový, Steven J. Shirtliffe	#434	Exogenous strigolactones promote the lateral root growth by reducing the endogenous auxin level in rapeseed ▪ Ni Ma , Lin Wan, Wei Zhao, Hongfang Liu, Chunlei Zhang	#440	Proxy- and remote-sensing of oilseed rape crops ▪ Xavier Pinochet , Farzaneh Kazempour-Ricci, Guillaume Jolly, Hervé Nicolas, Christine Bissuel, Pierre Pattier



Interbranch association for vegetable oils and proteins

Terres Univia was founded in 2015 through Onidol (created in 1976) and Unip (created in 1978) merging. It is an interbranch organisation which represents French oilseed and oil fruit sector (oil seed rape, sunflower, soya, linseed, olive) and French legume seed sector (field pea, faba bean, lupin, lentil, chickpea, alfalfa) interests.

KEY WORDS

REPRESENTATION
UNANIMITY
PARITY

3 COLLEGES IN ITS BOARD

Growers | Warehousing cooperatives & merchants | End-users

5 ACTIONS AREAS

QUALITY PROMOTION ORGANISATION
RESEARCH KNOWLEDGE

6 SPECIALISED COMMITTEES



Production



Communication & Marketing



Markets Monitoring



Human Food



Animal Feed



Non Food



@terresunivia



contact@terresunivia.fr



www.terresunivia.fr

2 AUTONOMOUS SECTIONS

AFIDOL (for olive) and ANILS (for pulse)

#441	Optimising oilseed rape (OSR) management in a mild climate ▪ Shiva Rahimi Tanha , Tony Woodcock, Pete Berry, Dermot Forristal
#442	Distinctness, uniformity and stability tests (DUS) for 4 new winter Rapeseed varieties in Iran ▪ Hossein Sadeghi , Sman Sheydaei, Seyyed Hossein Jamali, Hassan Mivehchi
#443	Study of noxious weed distribution in Canola hybrid seed production fields in Iran ▪ Hossein Sadeghi , Sman Sheydaei, Hassan Mivehchi, Bitā Oskouei
#444	Evaluation of value for cultivation and use of seven new rapeseed cultivars in order to registration and commercialization based on UPOV instruction ▪ Hossein Sadeghi , Bahareh Nikpey, Hamid madani
#445	Optimization of sowing time, nitrogen dose and row spacing for canola quality non shattering oilseed rape (<i>Brassica napus</i>) for north-west India ▪ Virender Sardana , S. S. Banga
#446	Seed yield potential of canola quality oilseed rape (<i>Brassica napus</i>) genotypes after cutting for fodder in India ▪ Virender Sardana , S. S. Banga, Pushp Sharma
#447	Variation for morpho-physiological and biochemical determinants of drought tolerance in oilseed Brassicas ▪ Pushp Sharma , Virender Sardana, Surinder S. Banga
#448	DroughtSpotter XXL: Collection of high-resolution transpiration data across the life-cycle of oilseed rape under semi-controlled conditions ▪ Andreas Stahl , Benjamin Wittkop, Rod Snowden
#449	Effect of water stress on transpiration efficiency in canola ▪ Rajneet Uppal , Harsh Raman
#450	Development of the second generation glyphosate-tolerant canola product MON88302 ▪ Marguerite (Rita) Varogana , Shirley Guo, Chris Anderson
#451	Is winter rapeseed limited by the source of assimilates during grain filling? ▪ José Francisco Verdejo Araya , Marcelo Labra, Daniel Calderini
#452	Plasticity of kernel weight in rapeseed is higher in a narrow window close to flowering ▪ José Francisco Verdejo Araya , Marcelo Labra, Daniel Calderini
#453	Spring oilseed Brassica production – a key to improving quality and yield of cereal crops in Norway ▪ Wendy Waalen , U. Abrahamsen

#454	Relationship between Yield and Photosynthesis of Leaf and Silique of Different <i>Brassica napus</i> L. Varieties during Reproduction Period ▪ Chunli Wang , Jianxin Mu, Jianli Yang, Wenjie Chen, Xiaoguang Zhao
#455	Study on Screening of Rapeseed Genotypes with High Light Use Efficiency and Evaluation of Selecting Indices ▪ Rui Wang , Weixian Wu, Xiaolei Chen, Wenli Peng
#456	Study on Screening of Rapeseed Genotypes with Drought resistance at Germination Seedling Stage and Evaluation of Selecting Indices ▪ Rui Wang , Weidong Zheng, Duanmei Liu, Wenli Peng
#457	Relationship between leaf coverage from film antitranspirants and gas exchange of rapeseed (<i>Brassica napus</i> L.) under drought ▪ Jie Xiang , Ivan Grove, Martin Hare, Peter Kettlewell
#458	Effect of different sulphur fertilizers depending on application time and nitrogen fertilization on yield formation and seed quality of winter rapeseed. ▪ Feng Yan , Dietrich Steffens, Katja Michaelis, Bernd Honermeier
#459	Evaluation of Stress Resistance and Yielding Ability To Spray Porphyrin Iron in Seedling Stage of Hybrid Rapeseed ▪ Liangjin Yang , Xiaojin Xia, Liming Cheng, Xinhai Yang, Yingchun Wang, Xiaomei Wu, Ronggui Wang
#460	Yield and Nitrogen Use Efficiency of Rapeseed (<i>Brassica napus</i> L.) Influenced by Nitrogen Rates and Irrigation Regimes ▪ Mohsen Yousefi , Jahanfar Daneshian, Amir Hossein Shirani Rad, Seyed Ali Reza Valadabadi, Saeid Sayfzadeh
#461	Influence of Drought Stress and Chitosan on Fatty Acids Compound of Rapeseed Varieties ▪ Mohsen Yousefi , Morteza Rezaeizadeh, Amir Hossein Shirani Rad
#462	Transcriptome and physiological analyses reveal that 5-aminolevulinic acid improves salt tolerance in <i>Brassica napus</i> ▪ Chunlei Zhang , Jun-Lan Xiong
#463	Yield and input/output benefits of sparse planting for rapeseed (<i>Brassica napus</i> L.) ▪ Chunlei Zhang , Yuncheng Zhao, Xue Yang, Chang Chen
#464	Yield and oil content formation for rapeseed (<i>Brassica napus</i> L.) growth under different altitudes ▪ Chunlei Zhang , Lixin Liu, Junlan Xiong, JunLi
#465	Characterization of Cruciferin Protein in a <i>Brassica napus</i> Nested Association Mapping Population ▪ Ashley Ammeter , Kenny K.Y. So, Mohamed Elhiti, Isobel Parkin, Sally Vail, Steve Robinson, Janitha Wanasundara, Robert W. Duncan

ANALYSIS, USE OF PRODUCTS

#466	Prediction of oil and protein contents of Canadian canola meal by Near-Infrared Spectroscopy ▪ Veronique Barthelet , Michael Petryka, Anna Rogiewicz, Bogdan A. Slominski
#467	Analysis of complex phenolic compounds in rapeseed by optimised phloroglucinolysis reaction ▪ Sylvie Dauguet , Sylvain Guyot, Xiaoxi Yu, Jean-Michel Le-Quere, Hélène Sotin
#468	Field test of 20 rapeseed oil fuelled tractors ▪ Johannes Ettl , Klaus Thuncke, Edgar Remmele
#469	Rapeseed proteins for the chemical industry: Extraction, isolation and modification ▪ Andreas Fetzter , Thomas Herfellner, Peter Eisner
#470	PLANT LIPIDOMIC ANALYSIS AND ITS APPLICATION IN STUDYING LIPID METABOLISM OF RAPESEED ▪ Liang Guo , Shaoping Lu
#471	Are the commercial automatic devices for oil extraction reliable to be used in ISO 659, the reference standard to determine the oil content in oilseeds? ▪ Vincent LAUVION , Audic Andréa, Garrioux Joëlle, Gendron Audrey, Beudaert Benjamin, Quinsac Alain
#472	Recent development for the detection of phenolic compound in rapeseed oil ▪ Fei Ma , Xu Yu, Li Yu, Wen Zhang, Qi Zhang, Liangxiao Zhang, Peiwu Li
#473	Postharvest changes of rapeseed oil quality as affected by storage conditions ▪ Ana Marjanović Jeromela , Grahovac Nada, Kiproviski Biljana, Ovuca Jelena, Sakač Zvonko, Radić Velimir, Stojanović Danijela
#475	Production of vinylphenols from rapeseed meals by biotechnological way ▪ Corinne PEYRONNET , A. Lomascolo, E. Odinat, A. Bisotto, J. C. Sigollot, F. Fine
#476	Method for myrosinase activity assessment in <i>Brassicaceae</i> products ▪ Alain QUINSAC , Alain Quinsac, Joëlle Garrioux, Morgane Citeau, Patrick Carré
#477	Alternative solvents to hexane for the extraction of rapeseed oil ▪ Anne-Gaëlle Sicaire , Maryline Abert-Vian, Frédéric Fine, Patrick Carré, Sylvain Tostain, Farid Chemat
#478	Surveying variability in the cruciferin seed storage protein content in rapeseed meal using Western blot analysis ▪ Kenny So , Ashley Ammeter, Mohamed Elhiti, Robert W. Duncan
#479	Subcritical Extraction Characteristics and Kinetics Research on Lipids of Rapeseed Press Cake ▪ Chuyun WAN , Fenghong HUANG



Fuego® -Top
EINS FÜR ALLE!

ADAMA

Agil® -S
UNGRÄSER & AUSFALLGETREIDE
SCHNELL & SICHER IM GRIF!F!

Crawler®
FÜR STRATEGEN IM RAPS!

Mission sauberer Raps – erledigt ✓

Simply. Grow. Together.

ADAMA.COM

Pflanzenschutzmittel vorsichtig verwenden. Vor Verwendung stets Etikett und Produktinformation lesen. © reg. WZ der ADAMA Unternehmensgruppe

- #480 **Detection of edible plant oil adulteration by lipidomics using by an atmospheric pressure chemical ionization source and MS3 ion trap mass spectrometry**
 - **Xiupin Wang**, Peiwu Li, Qi Zhang, Fei Ma, Liangxiao Zhang, Wen Zhang, Hanqing Zhao
- #481 **Antifungal properties of canola meal protein and their derivatives**
 - **Sumudu Warnakulasuriya**, Tara C. McIntosh, Takuji Tanaka, Janitha P. D. Wanasundara
- #482 **Recent advances in authentication of rapeseed oil**
 - **Liangxiao Zhang**, Xinjing Dou, Ruinan Yang, Yueqing Xu, Peiwu Li
- #483 **Preparation of functional rapeseed oil rich in phenolic acid glycerols ester derives and the activities study**
 - **Mingming Zheng**, Haiping Zhang, Zhe Dong, Fenghong Huang

RAPESEED/CANOLA FOR HUMAN NUTRITION

- #484 **Exploring genetic variation for seed protein quality traits in winter-type accessions of the *Brassica napus* BnASSYST diversity set**
 - **Isabelle Deppé**, Jasmin Vettel, Rod Snowdon, Benjamin Wittkop
- #485 **Nutritional analysis of young stem and bud as vegetable and seed yield performance after topping in canola**
 - **Shujin Hua**, Baogang Lin, Yun Ren, Han Liu, Weiming He, Jianfang Zhu, Tingfu Liu
- #486 **Are micro-organisms settling on rapeseed responsible for sensory bad quality virgin rapeseed oil?**
 - **Bertrand Matthäus**, Claudia Wagner, Ludger Brühl, Karsten Niehaus, Hanna Bednarz, Anja Bonte
- #487 **Effects of metabolic changes in rapeseed during moist storage on the sensory quality of rapeseed oil and its profile of volatile compounds**
 - **Bertrand Matthäus**, BAnja Bonte, Rabea Schweiger, Claudia Wagner, Caroline Pons, Ludger Brühl, Caroline Müller

- #488 **Protein recovery yield and emulsifying capacity of rapeseed protein are affected by pressing conditions and exposure for heat**
 - **Karolina Östbring**, Karolina Östbring, Emma Malmqvist, Ia Rosenlind, Marilyn Rayner
- #490 **Oxidative stability of rapeseed oil under food processing conditions**
 - **Sascha Rohm**, Sandra Grebenteuch, Lothar W. Kroh
- #491 **Optimized fatty acid profiles of bakery goods via non-triglyceride-based structuring of rapeseed oil**
 - **Madline Schubert**, Nelli Erlenbusch, Bertrand Matthäus
- #492 **Stabilization of rapeseed oil based oleogels for their application in bakery goods**
 - **Madline Schubert**, Nelli Erlenbusch, Bertrand Matthäus
- #493 **Canola proteins are ready to fill the need for new sustainable protein sources**
 - **Martin Schweizer**

www.rentenbank.de



German agriculture is successfully on its way. With us.

Agriculture is a future-oriented sector with global responsibility. Its entrepreneurs are facing new challenges meaning that there is an increased need for financial resources. Rentenbank is a strong partner - thanks to its development programmes. Since we raise our funding with continued success in the international financial markets, we can quite simply say: the bull is closer to us than the bear.



rentenbank

Germany's development agency for agribusiness and rural areas

#494	Innovative techniques and alternative solvents for green extraction of rapeseed proteins as industrial sources for food and feed ▪ Anne-Gaëlle Sicaire , Meryem Boukroufa, Njara Rakotomanomana, Frédéric Fine, Alain Quinsac, Farid Chemat
#495	Trends in rapeseed protein research compared to sunflower for human consumption: a 16-year bibliometric analysis ▪ Naemie Simon , N. Roudier, C. Bouley, M. Lasciarfari, J.-M. Chardigny, M.-B. Magrini
#496	Towards a reproducible and high-throughput workflow to quantify globulins and napins, the two major seed storage proteins in oilseed rape ▪ Véronique Solé-Jamault , Aude Le Goff, Sophie Rolland, Nathalie Nesi
#497	Impact of canola protein on the postprandial metabolic response ▪ Gabriele Stangl , Christin Volk, Ulf Schlegelmilch, Corinna Brandsch
#498	Genetic variation and QTL mapping for kaempferol 3-O-(2"-O-Sinapoyl-β-sophoroside), a newly identified main cause of unpleasant off-taste of rapeseed protein isolates ▪ Nils Stolte , Christoph Hald, Thomas Hofmann, Christian Möllers, Corinna Dawid

RAPESEED/CANOLA FOR ANIMAL NUTRITION

#499	The effect of variety on nutrient and antinutrient contents of rapeseed meal ▪ Danuta Boros , Kinga Gołębiewska, Damian Gołębiewski, Krzysztof Michalski
#500	Methods assessment of self-tanning of a rapeseed meal fraction enriched in proteins and phenolic compounds ▪ Laurent-Philippe Broudisco , Laguna Oscar, Lecomte Jérôme, Solé-Jamault Véronique, Dauguet Sylvie
#503	The herbage yield and nutritional contents of oilseed rape (<i>Brassica napus L.</i>) depends from time of sowing and phase of harvesting ▪ Zoran Dimov , Biljana Ristakoska, Tatjana Prentovic
#504	The impact of expansion process on nutritional quality of rapeseed cake for turkey nutrition ▪ Aleksandra Drazbo K. Kozłowski, F. Goodarzi Baroojeni, J. Zentek
#505	Enhancing the digestibility of canola meal and hulls through dehulling and steam-explosion ▪ Antoniell Franco , Rex W. Newkirk
#506	Laying performance in hens of two breeds testing soybean meal or rapeseed meal plus peas as protein feed ▪ Ingrid Halle

#507	Influence of rapeseed cake, linseed cake and hemp seed cake on laying performance of hens and fatty acid composition of egg yolk ▪ Ingrid Halle , Friedrich Schöne
#508	Shear-Stress Dehulling of Canola for Production of Low Fibre Meal ▪ Edgar Martinez-Soberanes , Martin J. T. Reaney, Chris Zhang
#509	Influence of rapeseeds dehulling on a screw press operating performances ▪ Alain Quinsac , Laurine Bogaert, Houcine Mhemi, Eugène Vorobiev
#510	Canola meal as a valuable source of protein for broiler chickens ▪ Anna Rogiewicz , Samuel Ariyibi, Bogdan A. Slominski
#511	Monitoring of rapeseeds with consideration of the feed produced from them ▪ Friedrich Schöne , R.-P. Bähr, G. Kießling, K. Tolzin-Banasch, S. Dunkel
#512	Rapeseed feeds affect the iodine status of farm animals and the iodine in some animal-source food – Overview of newer European studies ▪ Friedrich Schöne , G. Flachowsky, M. Leiterer
#513	Electrostatic-sorting and turbo-separation of rapeseed meal for the production protein and phenolic compounds enriched fractions ▪ Anne-Gaëlle Sicaire , Oscar Laguna, Abdellatif Barakat, Hadil Alhamada, Erwann Durand, Bruno Baréa, Frédéric Fine, Pierre Villeneuve, Morgane Citeau, Sylvie Dauguet, Jérôme Lecomte
#514	Monitoring of rapeseedmeal in Germany 2005 -2018 ▪ Manfred Weber

ECONOMY AND MARKET

#515	Exploring Farmers' Oilseed Rape Cropping System: Agronomic and Economic Adaptation Strategies to Changing Production Conditions at Farm Level ▪ Sabine Andert , Andrea Ziesemer, Jana Bürger
#516	Valuation of dehulled rapeseed meal compared with soy meal 44/7 nGMO and rapeseed meal without nGMO premium ▪ Helmut Aniol
#517	Effect of Spring and Winter Canola Crops on Subsequent Winter Wheat Productivity and Profitability in a Two-Year Crop Rotation in Northern Idaho ▪ Jack Brown , Eric Ireton, Jim B. Davis, Ashley Job

#518	The success story of canola in South Africa : Challenges and Opportunities ▪ Andries Theron
#519	Specifics and growing use of high erucic acid rapeseed (HEAR) ▪ Petro Vyshnivskiy , Jung Young Yun
#520	Economics of rapeseed production in the federal state Mecklenburg-Vorpommern ▪ Andrea Ziesemer

MUSTARD AND OTHER CRUCIFEROUS OILSEED CROPS

#522	Construction of a high density linkage map in <i>Brassica juncea L.</i> ▪ Javed Akhtar , Chhaya Atri, Anna Goyal, Dharminder Bhatia, Anju Sharma, Meenakshi Mittal, Harjeevan Kaur, Gurpreet Kaur, Surinder S. Banga
#523	Research on white mustard (<i>Sinapis alba L.</i>) as a source of protein, oil and phytosterols ▪ Iwona Bartkowiak-Broda , T. Pietka, J. Krzymanski, M. Rudzinska, K. Michalski, M. Ogradowczyk, K. Krotka
#524	Estimation of heterosis for important yield traits in Indian mustard (<i>Brassica juncea L.</i>) ▪ Akanksha BHARDWAJ , Kartikeya Srivastava
#525	Genome-wide identification, phylogeny and expression patterns of MtN3/saliva/SWEET genes family in mustard (<i>Brassica juncea</i>) ▪ Hao Chen , Qian Yang, Miao Tian, Sheyuan Chen, Zhong-song Liu
#526	Enhancement of oil content in canola <i>Brassica juncea</i> via interspecific gene recombination ▪ Bifang Cheng , David Williams, Farzad Javidfar, Tiina Bundrock
#527	Improved Ogura CMS System Enables Hybrids with High Yield for Condiment Mustard (<i>Brassica juncea</i>) ▪ Bifang Cheng , Farzad Javidfar, David Williams, Vicky Roslinsky
#528	Discovery of Male Sterility and Molecular Characterization in Yellow Mustard (<i>Sinapis alba</i>) ▪ Bifang Cheng , Fangqin Zeng, Vicky Roslinsky
#529	Development of early maturing hybrid mustard (<i>B juncea</i>) with high oil content for Eastern India ▪ NILASIS GHOSH DASTIDAR , Arijit Mukherjee and Vinod Kumar

#530	<p>Secondary seed dormancy and seedbank persistence in <i>Brassica carinata</i> L.</p> <ul style="list-style-type: none"> ▪ Robert Gulden, Rebecca Dueck
#532	<p>Chromosome constitution and reaction to <i>Sclerotinia sclerotiorum</i> and <i>Alternaria brassicae</i> of progenis from somatic hybrids of <i>Sinapis alba</i> + <i>Brassica juncea</i></p> <ul style="list-style-type: none"> ▪ Preetesh Kumari, Kaushal Pratap Singh, Darshana Bist, Sundip Kumar, S. R. Bhat
#533	<p>Impact of Front Line Demonstration (FLD) on Mustard Farmers in Western Rajasthan</p> <ul style="list-style-type: none"> ▪ M. L. Mehriya, B. R. Choudhary, Ramesh Singh, Charan Singh
#534	<p>Biochemical bases of resistance in <i>Brassica juncea</i> (L.) Czern against <i>Sclerotinia sclerotiorum</i></p> <ul style="list-style-type: none"> ▪ Prabhjodh Singh Sandhu, Rupeet Gill, Pankaj Sharma, Sanjula Sharma, Chhaya Atri, S.S. Banga
#535	<p>Understanding the genetic and molecular basis of tolerance to sclerotinia stem rot (SSR) and alternaria black spot (ABS) in <i>Brassica juncea</i></p> <ul style="list-style-type: none"> ▪ Haitham Sayed, Jan S. West, Bruce D. L. Fitt, Henrik U. Stotz
#536	<p>Physiological implications of determinate plant growth habit in Ethiopian mustard (<i>Brassica carinata</i> A. Braun) to planting times and N-levels</p> <ul style="list-style-type: none"> ▪ Pushp Sharma, Harpreet Kaur, Virender Sardana
#537	<p>Search for terminal heat tolerant genotype of Indian Mustard (<i>Brassica juncea</i> L.)</p> <ul style="list-style-type: none"> ▪ Kartikeya Srivastava, Yves Devisme

Workshops

Blackleg Disease: Resistance and Management

- #550 QTLs for upper canopy infection to blackleg in canola
 ▪ **Harsh Raman**, Brett Mcvittie, Nawar Shamaya, Rosy Raman
- #551 Increased Power of Genome Wide Association Studies for Blackleg Resistance using Imputed Whole-Genome Sequence in Canola
 ▪ **Mulusew Fiekere**, Denise M. Barbulescu, Michelle M. Malmberg, German C. Spangenberg, Noel O.I. Cogan
- #552 Functions of FocBr1 and Br5NC1, two tandemly duplicated immune receptor genes, in disease resistance and its temperature sensitivity
 ▪ **Henrik Stotz**, Katherine Noel, Keichi Okazaki
- #553 Differential gene expression analysis of the defense response of *Brassica napus* to *Leptosphaeria biglobosa* infection
 ▪ **Lifen Hao**, Mengjiao Yan, Yongyu Fang, Peiling Song, Haiyan Huangfu, Ziqin Li, Wanyu Feng
- #554 Presence of AvrLm4-7 in isolates further compromises canola cultivars carrying Rlm3 or Rlm9 genes for resistance against blackleg in canola
 ▪ **Dilantha Fernando**, Fei Liu, Zhongwei Zou
- #555 SNP-based Molecular Assay for the Rapid Genotyping of *Leptosphaeria* Isolates
 ▪ **Nicholas J. Larkan**, Kaveh Ghanbarnia, W. G. Dilantha Fernando, M. Hossein Barhan
- #556 Current overwhelming of both Rlm3 and Rlm7 in French populations of *Leptosphaeria maculans*: where, why, and how much?
 ▪ **M.H. Balesdent**, C. Plissonneau, E. Gay, A. Pitarch, Thierry Rouxel

- #557 Epistasis interaction between AvrLm4-7 and AvrLm3 genes of *Leptosphaeria maculans*
 ▪ **Mebarek Lamara**, Qilin Chen, Gary Peng, Fengqun Yu
- #558 Changes in race structure of *Leptosphaeria maculans* populations on oilseed rape in the UK
 ▪ **Lakshmi Harika Gajula**, Bruce D. L. Fitt, Yongju Huang
- #559 Stem canker is expanding to East Europe
 ▪ **Joanna Kaczmarek**, Leszek Menzel, Akinwunmi Olumide Latunde-Dada, Malgorzata Jedryczka
- #560 Status of blackleg caused by *Leptosphaeria maculans* on spring canola in the United States of America.
 ▪ **Luis del Río Mendoza**, Kishore Chittam, Fereshteh Shahoveisi, Sudha G. C. Upadhaya, Susan Ruud
- #561 An update on blackleg in Australia: Resistance groups, fungicide resistance and upper canopy infection
 ▪ **Angela von der Wouw**, Steve Marcroft, Alexander Idnurm, Susan Sprague
- #562 The need for an integrated approach to manage blackleg of canola in western Canada
 ▪ **Gary Peng**, W. SOOMRO, M. HUBBARD, C. ZHAI, X. LIU, L. MCGREGOR, W.G.D. FERNANDO, R. LANGE, F. Yu, D. McLAREN.
- #563 Blackleg transmission by wind dispersion of canola dockage material is low risk and requires large quantities of material within a short distance of deposition
 ▪ **Curtis Rempel**, A. El-mezawy, Z. Punja, R. Werezuk, R. Ramaratnam, C. Rempel

Clubroot in Oilseed Rape – From Minor Disease to Major Challenge

- #564 Dealing with Adversity - 15 years of clubroot in Alberta
 ▪ **Ward Toma**
- #565 Quantifying the distribution and prevalence of pathotypes within the UK *Plasmodiophora brassicae* population
 ▪ **Julie Smith**, Fiona Burnett
- #567 Effect of *Plasmodiophora brassicae* inoculum density on yield of canola (*Brassica napus*).
 ▪ **Andrea Botero-Ramirez**, S.F. HWANG, S.E. STRELKOV
- #568 Integrated management of clubroot in WOSR using resistant cultivars in soils with different inoculum levels
 ▪ **Ann-Charlotte Wallenhammar**, Zarah Omer, Anders Jansson
- #569 The architecture of the *Plasmodiophora brassicae* nuclear and mitochondrial genomes
 ▪ **Christina Dixelius**, Suzana Stjelja, Johan Fogelqvist, Christian Tellgren-Roth
- #570 Comparative study of *Plasmodiophora brassicae* field isolates based on genotyping and pathotyping with an updated differential set
 ▪ **Christine Struck**, Becke Strehlow, Alexander Riedel, Friederike de Mol, Elke Diederichsen
- #571 Theoretical and technical considerations on pure pathotypes of *Plasmodiophora brassicae*
 ▪ **Elke Diederichsen**, I. Linares, A. Salmann, J. Pflanz, N. Winker, Y. Zhang, N. Gollinge
- #572 Comparative transcriptome analysis reveals key pathways and hub genes responsible for resistance to *Plasmodiophora brassicae* in Rapeseed
 ▪ **Xiaoming Wu**, Lilia Li, Ying Long
- #573 Quantitative resistance to clubroot is controlled by natural and induced epialleles in *Arabidopsis*
 ▪ **Regine Delourme**, Benjamin Liégard, Antoine Gravot, Victoire Baillet, Leandro Quadrana, Mathilde Etcheverry, Evens Joseph, Aurélie Evrard, Yoann Aigu, Juliette Bénéjam, Christine Lariagon, Jocelyne Lemoine, Vincent Colot, Maria Manzanares-Dauleux, Mélanie Jubault

Agronomy – Managing Environment Stress

#574	<p>Model based evaluation of heat and drought stress in oilseed rape</p> <ul style="list-style-type: none"> ▪ J. W. M. Pullens, H. Kage, U. Böttcher, J. E. Olesen
#575	<p>AZODYN-rapeseed: a dynamic crop model to simulate the performance of rapeseed crop in contrasting environments</p> <ul style="list-style-type: none"> ▪ Sébastien GERVOIS, C. Clément, T. Chabert, M. Valantin-Morison, X. Pinochet, A. Laperche
#576	<p>Thermo-priming used as an acclimation strategy for alleviating adverse effects of heat waves during seed filling in oilseed rape (<i>Brassica napus</i> L.)</p> <ul style="list-style-type: none"> ▪ Sophie Brunel-Muguet, Lethicia Magno, Jean-Christophe Avice, Annette Bertrand-Morvan, Tae-Hwan Kim
#577	<p>DroughtSpotter XXL: Collection of high-resolution transpiration data across the life-cycle of oilseed rape under semi-controlled conditions</p> <ul style="list-style-type: none"> ▪ Andreas Stahl, Benjamin Wittkop, Rod Snowdon
#578	<p>Effect of water stress on transpiration efficiency in canola</p> <ul style="list-style-type: none"> ▪ Rajneet Uppal, Harsh Raman

Rapeseed/Canola Protein for Human Nutrition

#579	<p>Impact of canola protein on the postprandial metabolic response</p> <ul style="list-style-type: none"> ▪ Gabriele Stangl, Christin Volk, Ulf Schlegelmilch, Corinna Brandsch
#580	<p>CanolaPro:Feeding a growing population</p> <ul style="list-style-type: none"> ▪ Gertjan Smolders
#581	<p>"Native" rape seed protein product</p> <ul style="list-style-type: none"> ▪ Steffen Hruschka
#582	<p>Cold Crushing and De-hulling opportunities</p> <ul style="list-style-type: none"> ▪ Michael Rass
#583	<p>Tracing the bitter off-taste compounds in rapeseed protein isolates</p> <ul style="list-style-type: none"> ▪ Christoph Hald, Corinna Dawid, Ralf Tressel, Thomas Hofmann
#584	<p>Amino Acid Content and Genetic Control in <i>Brassica napus</i> L.</p> <ul style="list-style-type: none"> ▪ Robert Duncan, Danica L. W. Swaenepoel, Curt McCartney, James D. House

Future-proofing insect pest control in a world with declining insecticidal options

#585	<p>Insecticide resistance in major pests of oilseed rape on the move</p> <ul style="list-style-type: none"> ▪ Ralf Nauen
#586	<p>Breeding perspectives for pest control in rapeseed</p> <ul style="list-style-type: none"> ▪ Steffen Rietz, Simon Goertz, Katharina Lohaus, Ines Vollhardt, Bernd Ulber, Kirstin Feussner, Krzysztof Zienkiewicz, Ivo Feussner, Nadine Austel, Torsten Meiners, Gunhild Leckband
#587	<p>The application of insect pest surveillance programs in canola agroecosystems on the Canadian Prairies</p> <ul style="list-style-type: none"> ▪ Meghan A. Vankosky, Scott Meers, John Gavloski, James Tansey, Jennifer Otani, Boyd Mori, Owen Olfert
#588	<p>Future-proofing monitoring methods</p> <ul style="list-style-type: none"> ▪ Samantha Cook
#589	<p>Growing spring oilseed rape without insecticide seed treatments: the Swedish experience</p> <ul style="list-style-type: none"> ▪ Ola Lundin, Riccardo Bommarco
#590	<p>Host plant and land use influence cabbage seed weevil infestation and its parasitoids</p> <ul style="list-style-type: none"> ▪ Eve Veromann, Gabriella Kovacs, Riina Kaasik
#591	<p>Natural biocontrol of oilseed rape pests by parasitoids in Integrated Management in Europe</p> <ul style="list-style-type: none"> ▪ Bernd Ulber
#592	<p>The potential of beneficial fungi for controlling oilseed rape pest</p> <ul style="list-style-type: none"> ▪ Michael Rostás, Peter Cheong, Travis Glare, Catalina Posada-Vergara, Maya Raad, Federico Rivas, Stefan Vidal

Sclerotinia – Current and future breeding methods

#593	<p>Molecular mapping of QTLs associated with field resistance to Sclerotinia Stem Rot in Spring Canola <i>Brassica napus</i></p> <ul style="list-style-type: none"> ▪ Igor Falak, Xiuqiang Huang, Scott McClintchey
#594	<p>The mechanism and durability of intermediate resistance to <i>Plasmodiophora brassicae</i> pathotype X conferred by two resistance genes</p> <ul style="list-style-type: none"> ▪ Gary Peng, R. WEN, T. SONG, N. TONU, J. LEE, K. HORN-ADAY, J. BUSH, F. YU
#595	<p>Transfer of <i>Sclerotinia sclerotiorum</i> resistance from <i>Brassica napus</i> germplasm to canola</p> <ul style="list-style-type: none"> ▪ Sally Vail, Lone Buchwaldt, Vicky Roslinsky, Neha Verma, Jackie Nettleton, Brad Hope
#596	<p>Small RNAs from the plant pathogenic fungus <i>Sclerotinia sclerotiorum</i> highlight candidate host target genes associated with quantitative disease resistance</p> <ul style="list-style-type: none"> ▪ Mark Derbyshire, Malick Mbengue, Marielle Barascud, Olivier Navaud, Sylvain Raffaele
#597	<p>Improve resistance to <i>Sclerotinia sclerotiorum</i> via host-induced gene silencing on crucial pathogen genes involved in pathogenicity</p> <ul style="list-style-type: none"> ▪ Jiaqin Mei, Yijuan Ding, Wei Qian
#598	<p>Knockdown of <i>Sclerotinia sclerotiorum</i> Thioredoxin (Ss-TRX1) gene by RNAi and HIGS to enhance disease resistance in <i>Brassica napus</i></p> <ul style="list-style-type: none"> ▪ Kusum Rana, Yijuan Ding, Haojing Shen, Wenjing Yang, Yaru Chai, Junhu Yuan, Wei Qian



Official Congress Dinner at Tempelhof Airport

(included in conference fee)

The congress will be rounded off with an official Congress Dinner on June 18th, from 19:00 to 24:00 hrs, in what used to be the departure hall at Tempelhof Airport. "We are delighted to have an opportunity to offer all congress participants, who will be coming to Berlin from all over the world, this special historical venue for the dinner, in a location that is so extremely important for Berlin," says Wolfgang Vogel, Chairman of the Union for the Promotion of Oil and Protein Plants (UFOP). The Official Congress

Dinner will be a unique opportunity for all participants of the IRC 2019 to come together, indulge in an exclusive dinner, and enjoy the special evening program. **Let yourself be surprised!** Please note: Your Congress Badge is your admission ticket! Shuttle busses will be available from and back to the bcc building.

supported by
syngenta



TUESDAY

Shuttle to Tempelhof, starting at 17:30 →

← Shuttle back to bcc, starting at 22:30



IRC Field Trips (if booked)

SHUTTLE



SUNDAY

11:30

WEDNESDAY

17:00

On-the-spot Rapeseed Visits Across Germany

The field trips organized after the congress give participants a chance to get to know the practical side of German rapeseed breeding, too. They provide a glimpse behind the scenes of modern rapeseed cultivation, as well as offering participants an opportunity to build their professional networks. There will be visits to institutes, enterprises and rapeseed cultivation areas in Brandenburg, Saxony-Anhalt, Saxony, Hesse and Mecklenburg-Western Pomerania.

EXCURSION NAUEN (16th June)


An excursion to Bayer CropScience AGRO-FARM GmbH in Nauen, just outside Berlin, is offered the day before the congress begins. In addition to the trip to the farm, a visit to Schloss Ribbeck (Ribbeck Castle) is also planned.

→ *Bayer ForwardFarm in Nauen*

FIELD TRIP WEST (19th to 21st June)

On this first field trip, participants will head westward. During the trip, the participants will visit research facilities in Quedlinburg (Saxony-Anhalt) and Giessen (Hesse).

→ *JKI Quedlinburg, Experimental Farm University of Giessen*



FIELD TRIP NORTH (20th to 21st June)

The field trip north takes the participants to the Baltic Sea. In addition to a field visit to Wariner Pflanzenbau e. G. in Trams and the two NPZ facilities in Malchow/Poel and Groß-Luesewitz, a visit to the Julius Kühn Institute for Breeding Research on Agricultural Crops is scheduled.

→ *Wariner Pflanzenbau e.G. in Trams, NPZ Breeding Station in Malchow/Poel, NPZ Innovation GmbH in Groß-Luesewitz, JKI Institute in Groß-Luesewitz*

FIELD TRIP SOUTH (20th to 21st June)

This tour starts on 20th June 2019 and will head south, with stops in DSV-Breeding Station Leutewitz in Käbschütztal and Nossen. Participants will have a chance to visit BASF experimental fields Groitzsch and the Federal Plant Variety Office (Bundessortenamt) in Nassen (Saxony).

→ *DSV breedingstation in Leutewitz in Käbschütztal, BASF experimental fields Groitzsch, Federal Plant Variety Office in Nossen*

SHUTTLE



THURSDAY

07:30

THURSDAY

07:00

DLG – German Agricultural Society

The open network and professional voice of agriculture, agribusiness and the food sector

Founded by engineer Max Eyth in 1885 and with over 30,000 members, DLG is today one of the leading organizations in agriculture, agribusiness and the food sector.

DLG is a politically independent body with an extensive international network. It is open to anyone with an interest in the fields of agriculture and food production.

What we do

Knowledge and expertise:

DLG's networks of experts develop solutions for the challenges facing agriculture, agribusiness and the food sector.

Tests and certificates:

DLG develops test methods and sets quality standards. It tests products, promotes and communicates quality and quality standards to create market transparency.

Trade fairs and exhibitions:

DLG's shows and events provide a platform for innovation and industry dialogue.

Trade fairs and exhibitions – Platforms for progress

Trade fairs and shows 'made by DLG' serve as forums for ideas, innovation and networking and are held in great esteem by international, national and regional exhibitors and visitors. Leading fairs of international

repute such as AGRITECHNICA and EuroTier and more than 30 shows in many countries provide campuses where information is shared on current trends and issues in the agricultural and food industries.



10 – 16 November 2019
Hannover, Germany
Preview days 10/11 November



16 – 18 June 2020
Gut Brockhof, Erwitte/Lippstadt
Germany

Perfect organization, innovative services and relevant topics are the hallmarks of our events. Our international network of experts as well as our agricultural and food test centers make us a competent partner for all key issues in the various sectors of agriculture and food production. DLG is known for its interna-

tionally experienced team, highest quality standards and understanding of relevant issues and regional differences. Our operating subsidiaries in many different countries develop new markets and provide tailor-made business platforms.

Co-located exhibition supported by DLG-Feldtage

DLG-Feldtage – meet the crop professionals. Three days where the whole range of modern crop production will be exhibited under practice-orientated, hands-on conditions. A large area of the DLG-Feldtage are the trial fields where new varieties, farm inputs and services are demonstrated. This outdoor-exhi-

bition brings together technology, research, industry and practical farming in one place. The guiding theme of DLG-Feldtage 2020 – *Your Location. Your Crop Production* – aims to offer possible solutions for individual cultivation conditions while taking the soil, climate and structure into account.

DLG – exclusive partner

For the first time, the International Rapeseed Congress will include an extended co-located exhibition, organized by DLG.

Exhibitors will present innovative technology and solutions of the rapeseed sector that is coming together in Berlin.

Participants of the co-located exhibition:

Company	City, Country	Product Index
Amphasys AG	Root, SWITZERLAND	Safety, Analytics, Quality Management, Field Trial Equipment
Corteva AgriScience	Versoix, SWITZERLAND	Crop Protection
DLG Service GmbH	Frankfurt am Main, GERMANY	Service Providers, Organizations
Euralis Semences	Lescar, FRANCE	Genetics and Varieties
Harvestmaster Europe GmbH	Wels, AUSTRIA	Rapeseed Cultivation and Harvest, Field Trial Equipment
Syngenta Crop Protection AG	Basel, SWITZERLAND	Crop Protection, Genetics and Varieties
ST Equipment & Technology	Needham, USA	Process Technology and Rapeseed Processing
Thermo Fisher Scientific	Austin, USA	Genetics and Varieties

If you are interested in an exhibitor or its products and services, you can find more information as well as your contact person in the enclosed brochure.

For any information and questions about DLG or an exhibition, please feel free to contact us.



DLG Service GmbH
Eschborner Landstr. 122 ■ 60489 Frankfurt am Main, Germany
Tel. +49 69 24788-251 ■ Fax +49 69 24788-113
info@dlg.org ■ www.dlg.org

Notes

Imprint

Please excuse any misspelling or grammatical errors that may occur in the congress book. The congress book contains data from diverse sources. The IRC-Team has requested clearance for all presentations.

The program within the conference book reproduces the status of the date of print. For any changes that may occur we recommend checking the program online:

www.irc2019-berlin.com/program

Date of print

11|06|2019

IRC 2019

c/o Union zur Förderung von Oel-
und Proteinpflanzen e. V. (UFOP)

Claire-Waldoff-Straße 7

10117 Berlin (Germany)

Phone +49 30 31904-202


Fax +49 30 31904-485

Email info@irc2019-berlin.com

Picture credits:

- Cover © CCat82/Shutterstock.com
- p. 4 © BPA_Steffen Kugler
- p. 5 © Lena Giovanazzi
- p. 6, 14 *Friedt* ©private
- p. 7, 14 *Vogel* ©UFOP e.V.
- p. 14 *Stübgen* ©Laurence Chaperon
- p. 15 *Schramm* ©IVA
- p. 15 *Hess* ©BASF
- p. 16 *Brauer* ©NPZ
- p. 16 *de Jongh* ©Michiel de Jongh
- p. 17 *Paetow* ©DLG
- p. 17 *Ozanne* ©Luc Ozanne
- p. 17 *Kirkegaard* ©John Kirkegaard
- p. 17 *Snowdon* ©Rod Snowdon
- p. 18 *von Tiedemann* ©Uni Göttingen
- p. 18 *Cook* ©Rothamsted Research
- p. 18 *Kage* ©Henning Kage
- p. 19 *Brouwer* ©Ingeborg Brouwer
- p. 19 *Rempel* ©Curtis Rempel
- p. 19 *Gao* ©Caixia Gao
- p. 25, 27, 29 ©Andreas Praefcke
- p. 53, 54, 55 Icon made by Freepik from www.flaticon.com
- p. 52 – 53 ©Kofler & Kompanie GmbH
- p. 53 ©Tempelhof Projekt GmbH, www.thf-berlin.de
- p. 54 – 55 ©NPZ Lembke
- p. 56 ©DLG


Floor plan



LEVEL C UPPER LEVEL

POSTER EXHIBITION

- 1 GENETICS, GENOMICS AND BREEDING
- 2 DISEASES AND PESTS, PLANT PROTECTION
- 3 AGRONOMY AND CROP SCIENCE




LEVEL B GROUND LEVEL

IRC 2019 EXHIBITION

B07 – B09

POSTER EXHIBITION

- 4 ANALYSIS, USE OF PRODUCTS
- 5 RAPESEED/CANOLA FOR HUMAN NUTRITION
- 6 RAPESEED/CANOLA FOR ANIMAL NUTRITION
- 7 ECONOMY AND MARKET
- 8 MUSTARD AND OTHER CRUCIFEROUS OILSEED CROPS



LEVEL A BASEMENT LEVEL

www.irc2019-berlin.com

#IRCBerlin